



RAM

RAM 1500
SPECIFICATIONS

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
EXTERIOR						
Grille	Cross-hair Grille, Black with Black Shield	Unique Black RAM Rebel® Grille with Integrated Silver-painted Ram Letters	Chrome-surround Grille with Black Texture Fill, Chrome Billet Insert with Integrated Chrome Ram Letters	Chrome-surround Grille, Chrome Billet Insert with Integrated Chrome Ram Letters	Body Coloured-surround Grille, Body Coloured Billet Insert with Chrome Ram Letters	Unique Black-surround Limited Grille, Black Insert with Integrated Black Ram Letters
Badges	Black	Black	Chrome	Chrome	Chrome	Black
RAM Tailgate Badges	Black	Black	Chrome	Chrome	Chrome	Black
Sport Performance Hood	•	•	N/A	N/A	N/A	•
Decals	N/A	Hood & Rear Quarter	N/A	N/A	Rear Quarter	N/A
Tinted Glass Windows	•	•	•	•	•	•
Rear Door Privacy / Deep-tint Glass	•	•	•	•	•	•
Front Door Acoustic Laminated Glass	N/A	N/A	•	•	•	•
Tinted Windshield Glass	•	•	•	•	•	•
Side Mirrors	6 x 9" Powered, Black, Manual-folding, Heated	6 x 9" Powered, Black, Power-folding, Heated, Includes Exterior Courtesy Lamps & Supplemental Turn Signal	6 x 9" Powered, Black, Power-folding, Includes Exterior Courtesy Lamps	6 x 9" Powered, Chrome, Power-folding, Includes Exterior Courtesy Lamps & Supplemental Turn Signal, Position Memory	6 x 9" Powered, Body Colour, Power-folding, Includes Exterior Courtesy Lamps & Supplemental Turn Signal, Position Memory	6 x 9" Premium Powered, Body Colour, Power-folding, Heated, Includes Exterior Courtesy Lamps & Supplemental Turn Signal, Position Memory
Tub Length	5'7"	5'7"	6'4"	5'7"	5'7"	5'7"
Tub Type	Standard	Standard	Standard	Standard	RamBox®	RamBox®
Bedliner	•	•	•	•	•	•
Tie-downs - Tub Fixed (Four)	•	•	•	•	•	•
Lockable, Drainable, RamBox® Cargo Management System with Lighting	N/A	N/A	N/A	N/A	•	•
Central Locking Tailgate	•	•	•	•	•	•
Tailgate Power-release	N/A	N/A	N/A	•	•	•
Tailgate Fully Damped / Assisted	N/A	N/A	•	•	•	•
Tailgate-ajar Alert	N/A	N/A	N/A	•	•	•

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Side Steps, Black, Cab Length	•	•	•	N/A	N/A	N/A
Side Steps, power-operated (auto deploy)	N/A	N/A	N/A	•	•	•
Wheels	20" Black Painted Aluminium	20" Black Painted Aluminium	18x8.0 Painted Cast-Aluminium	20" Premium Painted / Polished Aluminium	20" Premium Painted / Polished Aluminium	22" Black Painted Aluminium
Wheel Flares	N/A	RAM Rebel® Fender Flares	N/A	N/A	N/A	Monotone Body Colour
Bumpers	Front & Rear Painted Body Colour	Front, RAM Rebel® Black Powder Coated / Rear, Rugged Black Finish	Front & Rear Chrome	Front & Rear Chrome	Front & Rear Painted Body Colour	Front & Rear Painted Body Colour
Door Handles	Black	Black	Black	Body Colour	Body Colour	Black
Exhaust Tailpipes	Dual, Black Tip	Dual, Black Tip	Dual, Chrome Tip	Dual, Chrome Tip	Dual, Chrome Tip	Dual, Black Tip
Heavy Duty Tow bar	•	•	•	•	•	•
Tonneau Cover, Soft / Tri-fold (non-RamBox®)	Accessory	Accessory	Accessory	Accessory	N/A	N/A
Tonneau Cover, Soft / Tri-fold (RamBox®)	N/A	N/A	N/A	N/A	•	•
INTERIOR						
Seats	5	5	5	5	5	5
Seat Trim	Cloth	Cloth	Cloth	Partial Leather	Partial Leather	Partial Premium Leather
Seat Trim, Colour	Charcoal	Black	Diesel Gray	Black	Black	Black
Seats, Front	Bucket	Bucket	Bucket	Bucket	Bucket	Bucket
Seats, Rear	Bench	Bench	60/40 Stadium-folding Bench	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Centre Console with Cup Holder	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Centre Console with Cup Holder	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Centre Console with Cup Holder
USB	2 (1 Port, 1 Charge only)	2 (1 Port, 1 Charge only)	3	5	5	5
USB C Ports	N/A	N/A	2	4	4	4
Wireless Charging Pad	N/A	N/A	N/A	1	1	1

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Floor Console	N/A	N/A	N/A	Full with Sliding Storage & Wrapped Lid with Embossed Logo	Full with Sliding Storage & Wrapped Lid with Embossed Logo	Premium Full-length Floor Console - Full with Sliding Storage with Bombay Door & Premium Wrapped Leather Lid with Hard Badge
Cluster	7" Multi-View Cluster - Six Gauge, Colour Reconfigurable Driver Information Display	7" Multi-View Cluster - Six Gauge, Colour Reconfigurable Driver Information Display	3.5" Multi View Cluster - Four Gauge, Colour Reconfigurable Driver Information Display	Premium 12" Digital Driver Information Display	Premium 12" Digital Driver Information Display	Premium 12" Digital Driver Information Display
Uconnect® Touchscreen	8.4" Touchscreen	8.4" Touchscreen	8.4" Touchscreen	12" Touchscreen	12" Touchscreen	12" Touchscreen
Navigation	•	•	N/A	•	•	•
Apple CarPlay® and Android Auto™	•	•	•	•	•	•
Bluetooth Connectivity	•	•	•	•	•	•
Speakers / Sound System	6 Speakers	6 Speakers	6 Speakers	19 Speaker^c Harman Kardon®	19 Speaker^c Harman Kardon®	19 Speaker^c Harman Kardon®
Steering Wheel Switches with Phone, Voice Recognition, Instrument Panel Control, Cruise Control and Transmission Control	•	•	•	•	•	•
Steering Wheel Mounted Audio Controls	N/A	•	•	•	•	•
Auxiliary 12V Power Outlets	•	•	•	•	•	•
Flooring	Carpet	Carpet	Carpet	Carpet	Carpet	Carpet
Floor Mats - Front and Rear	Carpet	Carpet	Carpet	Carpet	Carpet	Rubber with Premium Carpet Inserts
Power Windows - Front and Rear	•	•	•	•	•	•
Power Windows, one-touch up/down driver and front-passenger	•	•	•	•	•	•
Seat Adjustment, Driver	Manual (Forward, Back, Recline)	Manual (Forward, Back, Recline)	Manual - 4 Way Adjust	Power 8-way with Memory	Power 8-way with Memory	Power 8-way with Memory

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Seat Adjustment, Passenger	Manual (Forward, Back, Recline)	Manual (Forward, Back, Recline)	Manual - 4 Way Adjust	Power 8-way	Power 8-way	Power 8-way
Seating Adjustment, Lumbar	N/A	N/A	N/A	Power - Driver & Passenger	Power - Driver & Passenger	Power 4-way - Driver & Passenger
Seats, Front, Heated & Ventilated	N/A	N/A	Front Heated Only	•	•	•
Seats, Rear, Heated / Ventilated	N/A	N/A	N/A	Heated (Excluding Centre)	Heated (Excluding Centre)	Heated & Ventilated (Excluding Centre)
Steering Wheel, Heated	N/A	N/A	•	•	•	•
Steering Wheel, Leather wrapped	N/A	•	•	•	•	•
CONVENIENCE & COMFORT						
Remote Keyless Entry with ALLSECURE® Controls for power locks (including doors, tailgate and RamBox® Cargo Management System when so equipped) - Illuminated entry system, panic alarm; includes two transmitters	•	•	•	•	•	•
Remote Keyless ENTER 'N GO™ - Includes Remote Proximity Key & Remote Start	N/A	•	N/A	•	•	•
Passive Entry	N/A	•	N/A	•	•	•
Push Button Start	N/A	•	•	•	•	•
Climate Control	Dual Zone, Automatic	Dual Zone, Automatic	Front/Rear Manual Air Conditioning	Dual Zone, Automatic	Dual Zone, Automatic	Dual Zone, Automatic
Rear Air Vents	•	•	•	•	•	•
Adjustable Steering Column	Height	Height	Tilt & Telescopic	Height & Telescopic	Height & Telescopic	Height & Telescopic
Rear Window Defroster	N/A	N/A	•	•	•	•
Sunroof - Power, Dual Pane	N/A	N/A	N/A	•	Optional	•
Electric Sunroof Sunshade	N/A	N/A	N/A	•	Optional	•
Rear Sliding Cab Window	N/A	Manual	Electric	Electric	Electric	Electric
Mini Trip Computer	•	•	•	•	•	•
Temperature & Compass Gauge	•	•	Temperature Only	•	•	•

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Sun Visors with Illuminated Vanity Mirrors	N/A	•	•	•	•	•
2nd Row In-Floor Storage Bins with Removable Liners	•	•	•	•	•	•
Rear Under Seat Compartment Storage	•	•	N/A	N/A	•	•
Rear Flat Load Floor Storage	N/A	N/A	•	•	•	•
Cup Holders, Front	3	3	2	2	2	2
Cup Holders, Rear	2	2	4	4	4	4
SAFETY						
Airbags, Driver, Front Passenger, Front Seat Side & Curtain	•	•	•	•	•	•
Airbags, Advanced Multi-stage Front Driver & Passenger	•	•	•	•	•	•
Park Brake	Manual	Manual	Electronic	Electronic	Electronic	Electronic
Stability Control	•	•	•	•	•	•
ABS Brakes	•	•	•	•	•	•
Traction Control	•	•	•	•	•	•
Electronic Brakeforce Distribution	•	•	•	•	•	•
Trailer Sway Control	•	•	•	•	•	•
Hill Start Assist	•	•	•	•	•	•
Collapsible Steering Column	•	•	•	•	•	•
Front Seat Belt Height Adjustment	•	•	•	•	•	•
Child Seat Anchorage Points	3	3	3	3	3	3
Electro-chromatic Rear View Mirror	N/A	•	•	•	•	•
Power and Heated Door Mirrors	•	•	•	•	•	•
ParkSense® Park Assist System	Rear	Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
ParkView™ Rear Back-Up Camera	•	•	•	•	•	•
Parallel & Perpendicular Park Assist	N/A	N/A	N/A	•	•	•

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
360° Surround View Camera	N/A	N/A	N/A	•	•	•
Forward Collision Warning with Active Braking (FCW+)	N/A	N/A	N/A	•	•	•
Blind Spot Monitoring with Rear Cross-path and Trailer Detection	N/A	N/A	N/A	•	•	•
LaneSense® Lane Departure Warning-Plus	N/A	N/A	N/A	•	•	•
Pedestrian Detection	N/A	N/A	N/A	•	•	•
Cruise Control	•	•	•	•	•	•
Adaptive Cruise Control	N/A	N/A	N/A	•	•	•
Tyre Pressure Monitoring	•	•	•	•	•	•
Rear Mud Flaps	•	•	•	•	•	•
Rain Sensing Wipers	N/A	N/A	N/A	•	•	•
Adjustable Pedals, Power	N/A	N/A	N/A	•	•	•
LIGHTING						
Headlamps	Halogen - Dark Internal Bezels	Halogen - Bi-Function	Halogen - Bright Internal Bezels	LED Headlamp - Signature Bright Internal Bezels	LED Headlamp - Signature Bright Internal Bezels	Full LED Headlamp - Signature Lighting
Automatic Headlamps (Day/Night Sensor)	•	•	•	•	•	•
Automatic High-Beam Headlamp Control	N/A	N/A	N/A	•	•	•

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Fog Lights, Front	•	•	•	•	•	•
Bi-function Projector Headlamps	N/A	Halogen	N/A	N/A	N/A	LED
SmartBeam® Intelligent Headlamps	N/A	N/A	N/A	N/A	N/A	•
Black Accent Smoked Headlamps	•	•	N/A	N/A	N/A	•
Taillamps	Dark Internal Bezel	LED Sport	Incandescent with Bright Bezel	Premium LED with Opaque Light Red Lens	Premium LED with Opaque Light Red Lens	Premium LED with Opaque Dark Red Lens
ENGINE	5.7-Litre HEMI® 16-VALVE V8 with Fuel-saver Technology					
Fuel-saver Technology with Multi-Displacement System (MDS) (Cylinder Deactivation)	•	•	•	•	•	•
eTorque Mild-hybrid System with Refined Stop/Start ^{>}	N/A	N/A	•	•	•	•
Type and Description	90-degree V-8, liquid-cooled					
Displacement (cc)	5,654					
Bore x Stroke	99.5 x 90.9					
Valve System	Variable cam timing, pushrod-operated overhead valves, 16 valves, hydraulic lifters with roller followers					
Fuel Injection	Sequential, multi-port, electronic, returnless					
Construction	Deep-skirt cast-iron block with cross-bolted main bearing caps, aluminium alloy heads with hemispherical combustion chambers					
Compression Ratio	10.5:1					
Power (SAE Net)	395 hp (291 kW) @ 5,600 rpm					
Torque (SAE Net)	410 lb.-ft. (556 Nm) @ 3,950 rpm					
Max Engine Speed	5,800 rpm					
Oil Capacity (L)	6.6					
Coolant Capacity (L)	13.33					
Emission Controls	Three-way catalytic converters, heated oxygen sensors and internal engine features					
Emission Standard	Euro 5					

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
ELECTRICAL / MECHANICAL						
Active Grille Shutters	.	N/A
Architecture	PowerNet					
Alternator	160 Amp			180 Amp		
Battery	730 Amp Maintenance-free Battery					
BRAKES						
Front (mm)	336 x 28 vented disc with 54mm two-piston pin-slider caliper and Anti-Lock Braking System (ABS)			378 x 30 vented disc with 57mm two-piston pin-slider caliper and Anti-Lock Braking System (ABS)		
Rear (mm)	352 x 22 disc with 54mm single-piston pin-slider caliper and Anti-Lock Braking System (ABS)			375 x 22 disc with 57mm single-piston pin-slider caliper and Anti-Lock Braking System (ABS)		
Power Assistance	Dual-rate, tandem diaphragm vacuum					
TRANSMISSION / TRANSFER CASE / AXLES						
Type	Automatic - TORQUEFLITE® 8-Speed					
Gear Ratios						
1st	4.71					
2nd	3.14					
3rd	2.1					
4th	1.67					
5th	1.29					
6th	1					
7th	0.84					
8th	0.67					
Reverse	3.3					
Final Drive	3.92					
Overall Top Gear Ratio	2.63					
Drive System	4x4					
Transfer Case Shift Mechanism	Electric part time BW44-45	Electric part time BW44-45	Electric part time BW44-45	Electric full time on demand BW48-11	Electric full time on demand BW48-11	Electric full time on demand BW48-11

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Available Speeds	2					
Transfer Case Operating Modes - Locked Neutral	2WD High; 4WD High/Low	2WD High; 4WD High/Low	2WD High; 4WD Auto; 4WD High/Low	2WD High; 4WD Auto; 4WD High/Low	2WD High; 4WD Auto; 4WD High/Low	2WD High; 4WD Auto; 4WD High/Low
Low Range Ratio	2.64					
Front Axle	ZF 215 mm					
Rear Axle	C235					
SUSPENSION/STEERING						
Chassis	Ladder-type frame, steel cab, double-wall steel					
Front	Upper and lower "A" arms, coil springs, twin-tube shock absorbers, stabiliser bar					
Rear	Five-link with track bar, coil springs, stabiliser bar, twin-tube shock absorbers, solid axle					
Active-Level™ Four-Corner Air Suspension System	N/A	•	N/A	N/A	N/A	•
Front & Rear Heavy Duty Shock Absorbers	•	N/A	•	•	•	•
Steering	Electric power assisted					
Overall Steering Ratio	19.1:1	19.1:1	15.5:1	16.3:1	16.3:1	16.3:1
Steering Turns Lock to Lock	3.5	3.5	2.9	3.1	3.1	3.1
Turning Circle Kerb to Kerb	12.1 m	12.1 m	15.2 m	14.4 m	14.4 m	14.4 m
LAYOUT & DIMENSIONS						
Body Style	Crew Cab	Crew Cab	Crew Cab	Crew Cab	Crew Cab	Crew Cab
Tub Length (feet/inches)	5'7"	5'7"	6'4"	5'7"	5'7"	5'7"
Engine	Longitudinal, front engine, transfer case					
Length (mm)	5,833	5,850	6,142	5,916	5,916	5,916
Width (mm) (with mirrors)	2,465	2,465	2,474	2,474	2,474	2,474
Height (mm)	1,917	1,950	1,968	1,971	1,971	1,972
Wheelbase (mm)	3,569	3,569	3,898	3,672	3,672	3,672
Track, Front (mm)	1,742	1,742	1,742	1,742	1,742	1,742
Track, Rear (mm)	1,727	1,727	1,727	1,727	1,727	1,727

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Ground Clearance						
Front Axle (mm)	249	254	217	217	217	217
Rear Axle (mm)	235	240	220	220	220	221
Approach Angle (degrees)	25.7	25.35	20.00	20.4	20.4	15.7 Park Mode, 20.4 Normal Ride Height, 22.9 Off Road 1, 24.5 Off Road 2
Departure Angle (degrees)	18.63	19.07	21.70	20.4	20.4	18.1 Park Mode, 20.4 Normal Ride Height, 21.8 Off Road 1, 23.2 Off Road 2
Ramp Breakover Angle (degrees)	18.6	21	17	18.6	18.6	15.7 Park Mode, 18.6 Normal Ride Height, 20.4 Off Road 1, 22.0 Off Road 2
Fuel-Tank Capacity (L)	121	98	98	98	98	98
Cargo Tub						
SAE Volume (cu m)	1.4	1.4	1.7	1.5	1.5	1.5
Length at Floor, Tailgate Closed (mm)	1,712	1,712	1,937	1,712	1,712	1,712
Depth (mm)	509	509	545	543	543	543
Distance Between Wheelhouses (mm)	1,295	1,295	1,295	1,295	N/A	N/A
Cargo Width (mm)	1,687	1,687	1,687	1,687	N/A	N/A
RamBox® Cargo Width (mm)	N/A	N/A	N/A	N/A	1,270	1,270
RamBox® Cargo Management System - Capacity (L)	N/A	N/A	N/A	N/A	210 (both sides)	210 (both sides)
Tailgate Opening Width (mm)	1,535	1,535	1,525	1,525	1,525	1,525
Interior Space						
Seats	5	5	5	5	5	5
Headroom, Front (mm)	1,041	1,041	1,038	1,038	1,038	1,038
Legroom, Front (mm)	1,041	1,041	1,040	1,040	1,040	1,040

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
Shoulder Room, Front (mm)	1,676	1,676	1,676	1,676	1,676	1,676
Hip Room, Front (mm)	1,605	1,605	1,610	1,610	1,610	1,610
WHEELS & TYRES						
Wheels	20" Black Painted Aluminium	20" Black Painted Aluminium	18" Cast-Aluminium Painted	20" Premium Painted / Polished Aluminium	20" Premium Painted / Polished Aluminium	22" Black Painted Aluminium
Tyre Size	275/60R20		275/65R18	275/55R20	275/55R20	285/45R22XL
Spare Tyre Full-size	Steel	Steel	Steel	Aluminium	Aluminium	Aluminium
Locking Wheel Nuts	•	N/A	N/A	N/A	N/A	N/A
WEIGHTS & CAPABILITIES						
Towing, Maximum Unbraked	750 kg	750 kg	750 kg	750 kg	750 kg	750 kg
Towing, Maximum Braked [†]	4,500 kg (2-5/16 Inch Ball)	4,500 kg (2-5/16 Inch Ball)	4,500 kg (2-5/16 Inch Ball)	4,500 kg (2-5/16 Inch Ball)	4,500 kg (2-5/16 Inch Ball)	4,500 kg (70mm ball)
Payload [°]	830 kg	820 kg	878 kg	833 kg	779 kg	701 kg
Kerb Weight	2,620 kg	2,630 kg	2,572kg	2,617 kg	2,671 kg	2,749 kg
Gross Vehicle Mass	3,450 kg	3,450 kg	3,450 kg	3,450 kg	3,450 kg	3,450 kg
Max Gross Combination Mass	7,237 kg	7,237 kg	7,713 kg	7,713 kg	7,713 kg	7,713 kg
Front Axle Load (Maximum)	1,770 kg	1,770 kg	1,770 kg	1,770 kg	1,770 kg	1,770 kg
Rear Axle Load (Maximum)	1,770 kg	1,770 kg	1,860 kg	1,860 kg	1,860 kg	1,860 kg
Tow Hooks	N/A	(RAM Rebel®)	•	•	•	•

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® CREW CAB MY22	RAM 1500 WARLOCK CREW CAB MY22	RAM 1500 BIG HORN® CREW CAB 6'4" MY23	RAM 1500 LARAMIE® CREW CAB MY23	RAM 1500 LARAMIE® SPORT CREW CAB MY23	RAM 1500 LIMITED CREW CAB MY23
TOWING						
12 Pin Wiring Harness	•	•	•	•	•	•
Heavy Duty Tow Bar (up to 4.5T Max Braked Towing*)	•	•	•	•	•	•
Trailer Brake Control	•	•	•	•	•	•
ENGINE EFFICIENCY / EMISSIONS						
Fuel Consumption, Combined*	12.2 L/100 km					
CO ₂ Emissions*	283 g/km					
WARRANTY / SERVICE						
Warranty	3 years/100,000 km (whichever occurs first)^					
Roadside Assist	3 years/100,000 km (whichever occurs first)^					
Service Intervals	12 months/12,000 km (whichever occurs first)^					

[<]19 Speakers including subwoofer and six coaxial two-way speakers strategically mounted in 12 locations throughout the vehicle

+Maximum braked towing capacity is subject to regulatory requirements and vehicle weight restrictions (which may require occupants and/or luggage to be restricted)

*Payload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment, excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload.

*Figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

^Warranty terms, conditions, and exclusions apply.

^eTorque incorporates an onboard electric motor to create a mild-hybrid system. Benefits are numerous, including longer 4-cylinder operation while in the MDS (cylinder deactivation) mode and more refined Stop/Start capability. The onboard motor interacts with the regenerative braking, creating a generator which converts kinetic energy to recharge the battery system.

UNRIVALLED EVERYDAY[®]



RAM



EATS UTES FOR BREAKFAST[®] RAMTRUCKS.CO.NZ

GET A QUOTE

BOOK A TEST DRIVE

FIND A DEALER

JOIN OUR COMMUNITY:



All the information in this document is as accurate at the time of publication however variations and discrepancies may occur from time to time and American Special Vehicles Pty Ltd (trading as Ram Trucks Australia) insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document. RAM, HEMI, the Ram's Head Logo, Ram 1500 Express, RamBox, AllSecure, ActiveAir, Active-Level, Laramie, LaneSense, ParkSense, ParkView, TorqueFlite, RAM Rebel and Uconnect are registered trademarks and Keyless Enter 'n' Go are trademarks of FCA US LLC, used with permission. Eats Utes for Breakfast, and Unrivalled Everyday are registered trademarks of American Special Vehicles Pty Ltd. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Bluetooth is a registered trademark of Bluetooth SIG, Inc. SmartBeam is a registered trademark of Gentex Corporation. Apple CarPlay, Apple Maps, Apple Music, iPhone and Siri are registered trademarks of Apple Inc. Apple CarPlay[®] connectivity requires compatible iOS device. See [apple.com.au](https://apple.com/au) for more details. Google, Google Maps, Google Play, Android, Android Auto, YouTube Music and Waze are trademarks of Google LLC. Android Auto[™] connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Audible is a registered trademark of Audible Inc. Spotify is a registered trademark of Spotify AB. WhatsApp is a registered trademark of WhatsApp Inc. Ram Trucks Australia is the only RAM authorised right-hand-drive manufacturer and distributor of Ram Trucks in Australia. Overseas models may be shown. Some features and accessories shown are not standard and are at additional cost. This publication is dated November 2023. Ram Trucks Australia reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Please consult with your authorised Ram Truck dealer for any rolling specification changes that may occur from time to time. All texts, pictures and other works published herein are subject to the copyright of FCA US LLC or Ram Trucks Australia, if not otherwise indicated. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from FCA US LLC and Ram Trucks Australia is prohibited. Ram 1500 Specifications_NZ_2023_005.