# 2025.75MY New Ranger Plug-in Hybrid








# Power to do more, help more and achieve more

The Ranger Plug-in Hybrid (PHEV) puts more power in your hands. The power to drive on electric power and reduce fuel costs. The power to plug in tools, lights and appliances no matter where you are. And, thanks to the versatility of its hybrid system, Ranger PHEV's petrol engine allows you to go further, without the anxiety of range.



## Pro Power Onboard

When you're off grid camping, or working remotely, Pro Power Onboard acts as a generator on wheels, so you can power your gear wherever you go. Plug in tools, recharge batteries, run fridges and lights, power your caravan, boil a kettle – whatever you need power for at worksite or campsite, the Ranger PHEV can supply it.

**6.9kW**<sup>1</sup> Pro Power Onboard max output

**11.8kWh** Usable battery capacity

**3.45kW - 15A** 2 x Tray sockets

2.3kW - 10A 1 x Interior socket







# **Uncompromised** capability

Adding electric driving hasn't diminished Ranger's renowned abilities at all: it still tows, loads and off-roads like a champ.



Ultimate towing experience Up to 3,500kg<sup>2</sup> | Towing Up to 973kg<sup>3</sup> | Payload

#### Backup power

The engine-powered drivetrain is backed by an electric motor, resulting in advanced capability with extra power on board for all your towing needs, uphill and downhill.

Reverse easier than ever with Pro Trailer Back Up Assist. Simply turn the knob in the direction you want the trailer to move, and the system steers for you.<sup>5</sup>


#### **Pro Trailer Backup Assist**<sup>4</sup>

#### EV drive modes

We've added 4 EV drive modes to enhance performance and efficiency. 'Auto EV' makes the decision for you. 'EV Now' runs your PHEV purely on electric power, reducing fuel consumption. 'EV Later' preserves battery charge for later use. Finally, 'EV Charge' uses the engine to top-up your battery.

#### **Regenerative braking**

Ranger PHEV's modular hybrid transmission incorporates regenerative braking, allowing the driver to capture and store energy during braking, which would otherwise be lost. This has the added benefit of enhancing the towing experience and reducing wear on brakes.



# Built for off-road

## Ready to tackle anything

With the same full-time Advanced 4x4 System as Ranger, Ranger PHEV gives you complete off-road confidence, including the added reassurance of a locking rear diff when you need more traction.

#### 800mm water wading<sup>6</sup>

Just because it has a battery, doesn't mean you have to worry about getting a little wet. The Ranger PHEV has the same ability as the rest of the family, with breathers on axles, transmission and transfer case all sitting above the rated waterline.

#### Drive modes

Standard across the range are various drive modes to help you navigate tricky terrain and channel more power, such as Mud & Ruts, Sand, and Tow & Haul modes.

### **Off-road protection**

Ranger PHEV has excellent underbody protection, shielding steering, sump and transmission.



# Interior comfort

Like all Rangers, the PHEV is designed to make driving more pleasurable. Electric drive keeps the cabin comfortably quiet. Large, integrated touchscreen puts everything at your fingertips, and smart Driver Assist features help take the stress out of the road.





## Ranger ownership experience

### We're constantly introducing new tools and services, designed to adapt to your needs throughout the life of your vehicle.

Got questions? Speak with our Ranger Experts. Get personalised expert advice to learn about the advanced features of the Ford Ranger, or even buying advice on what model best suits your lifestyle. Our Experts can be accessed via **ford.com.au/showroom/ford-expert/**. If available you can speak to them live or make a booking for a future appointment, all at a time convenient to you.

The Discover Your Ford learning hub is available to help you with everything from connecting FordPass to making the most of Drive Modes. For more information, visit ford.com.au/support/discoveryour-ford



# **Ford Insure**<sup>7</sup>

### Ford Genuine Parts<sup>8</sup> maintain the integrity of your car by ensuring it performs the way it's meant to.

It's the same with Ford Insure. Because this insurance is made specifically for your Ford, it offers key features to restore your vehicle to a high standard. These benefits are standard in every policy:



#### New Genuine Ford Parts<sup>8</sup>

Look after the integrity of your vehicle, by using only New Genuine Parts<sup>8</sup>, when possible.



#### Automatic off-road cover<sup>10</sup>

Enjoy peace of mind with automatic off-road coverage included.

<b>Ц</b>	<u> </u>

#### Financial GAP cover<sup>12</sup>

If your vehicle is subject to finance and deemed a total loss following an accident, the insurer will pay your outstanding secured finance amount, if it exceeds the market value.

	$\supset$		
4	Н	_	

### Dealer fitted accessories<sup>9</sup>

Accessories which are fitted on your vehicle by a dealership are automatically included.



#### Removal of excess for glass damage<sup>11</sup>

The Standard Excess under your policy won't be applied for windscreen, sunroof or window glass only claims.

-+		
	100	


#### Flexible payment options<sup>13</sup>

Offers you both annual or monthly payments.



**E K E** For more information, visit ford.com.au/ owners/insurance













# A range of models to fit your lifestyle

The Special Edition Ranger PHEV Stormtrak has an electrifying off-road appearance, unique exterior finish and an incredibly versatile Flexible Rack System.



## Choose your model

### **Ranger PHEV XLT**

Your worksite's new best friend



### **Ranger PHEV Sport** Powering off-road adventure



### Ranger PHEV Wildtrak

Refined for adventure, charged with fun



### **Ranger PHEV Stormtrak** Electrifying off-road presence





## Choose your colour





### Discover more at ford.com.au Running a fleet? Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com

1. Pro Power Onboard offers up to a maximum total power output of 6.9kW in the Ranger PHEV range. Pro Power Onboard has three power outlets-one in cabin and two in load box. 2.3kW limit on cabin and 3.45kW limit on each load box outlet provided there is a maximum power output of up to 6.9kW. 2.3kW limit on each outlet when all outlets are use simultaneously provided there is a maximum power output of up to 6.9kW. Pro Power Onboard may not sufficiently power all equipment and its use will decrease battery charge Speak to your Ford dealer for information.

2. Maximum towing capacity braked using a Genuine Ford tow pack (standard on all Ranger PHEV models). Subject to State and Territory regulations. To comply with these limits, load transported by the vehicle may need to be restricted to not exceed the GCM and GVM limits. For further details regarding load restrictions, please consult your authorised Fo Dealer and / or refer to the vehicle brochure.

3. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combin of factory fitted optional equipment included. Payload is calculated by deducting the vehicle's Kerb Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to indivi variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined (GCM) and Gross Axle Weight Ratings are not exceeded.

4. Standard on PHEV Wildtrak and PHEV Stormtrak. Available at additional cost on PHEV Sport.

5. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driver's attention, judgment and need to control the vehicle. road or weather conditions. See Owner's Manual for details and limitations.

6. Maximum water wading 800mm maintaining steady speed of 7km/h or less. Always consult the Owner's Manual before off-road driving, know your terrain and trail difficulty, a appropriate safety gear. Do not attempt a water crossing if you are unsure of the water depth.

7. While all reasonable skill and care has been taken in preparation of this it should not be construed or relied upon as a substitute for specific advice on your insurance needs. The advice is not based on your personal objectives, financial situation or needs. Accordingly, you should consider how appropriate the advice is to those objectives, financial situation needs before acting on the advice and, before buying the product, you should read the current Product Disclosure Statement (PDS) and Target Market Determination (TMD) prepa by the insurer, HDI Global Specialty SE – Australia, ABN 58 129 395 544, AFSL 458776 ("HDI"). Both the PDS and the product TMD are available wtwco.com/fordinsure. WTW receive commission benefits from the insurer. These fees and commission are disclosed in the WTW FSG and relevant client documentation.

authorised dealer act on behalf of WTW and not as your agent. You should review and understand the WTW FSG. If you purchase this insurance Ford Australia and your receive a commission from WTW.
For further information or assistance please go to www.ford.com.au/owners/Insurance or call us on 13 FORD (3673).
WTW are acting as agent of HDI Global Specialty SE- Australia under a binding authority agreement.
8. Some insurance companies may use repairers that could use non genuine parts to repair your vehicle. If your claim is accepted the insurer will use Genuine Parts whe not available, the insurer may use genuine reconditioned or recycled parts or ADR certified new, recycled or reconditioned parts. Refer to the Ford Insure PDS for full det
9. When purchasing your vehicle from a dealership, accessories included on the purchase invoice are included in cover, without the need to list them on your schedule. I Insure PDS for full details.
10. If Your Vehicle is damaged while it is being driven on a beach or off any public road, coverage may be available. Any claim will be subject to any applicable excess be the PDS terms and conditions. Refer to the Ford Insure PDS for full details.
11. Automatic removal of your standard excess on glass damage means the Standard Excess will not apply if you sustain a loss where the only damage to your Vehicle w Refer to the Ford Insure PDS for full details.
12. Finance GAP Cover is only available in the event a vehicle is a total loss. Any payout is subject to a finance agreement with a finance company directly relating to the and the finance agreement with a finance company directly relating to the and the finance agreement with a finance company directly relating to the and the finance agreement with a finance company directly relating to the
13. Premiums are payable annually or monthly, subject to minor adjustments (upwards or downwards) due to rounding and financial institution transaction fees apply. R Insure PDS for full details.
Specifications listed in the following

### specifications listed in the following pages



n available. If ails.
lefer to the Ford
ng doubled and
as glass damage
vehicle purchase
efer to the Ford

This insurance product is arranged by Ford Australia or your authorised dealer acting as a distributor of WTW for this product. In arranging this insurance, Ford Australia and your Dealership will

Series	PHEV XLT	<b>PHEV Sport</b>	PHEV Wildtrak	PHEV Stormtrak	Series	PHEV XLT	PHEV Sport	PHEV Wildtrak	PHEV St
Body	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	Body	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Dou Pick
Engine	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Engine	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in 2.3L Ecc
Engine					Vehicle Charging				
Engine Max Power	138kW @ 4600 RPM	Max Charge Rate AC	3.5kW	3.5kW	3.5kW	3.5			
Engine Max Torque	411Nm @ 2700 RPM	Estimated Charge Time 0-100% - 2.3kW (10A @230V)	6 Hours 53 mins	6 Hours 53 mins	6 Hours 53 mins	6 Hours			
E-Motor Power	75KW	75KW	75KW	75KW	Estimated Charge Time 0-100% - 3.5kW (15A @230V)	4 hours	4 hours	4 hours	4 hc
System Max Power	207kW @ 4600 RPM	Mode 2 Home Charge Cable - 230V / 8A	S	S	S	S			
System Max Torque	697Nm @ 2500 RPM	Pro Power Onboard⁵							
Battery (Usable)	11.8kWh	11.8kWh	11.8kWh	11.8kWh	Maximum Total System Output	6.9kW	6.9kW	6.9kW	6.9
Transmissions					Tray Socket Quantity	2	2	2	2
10-Speed Automatic Modular Hybrid Transmission	S	S	S	S	Maximum Tray Socket Output (per socket)	3.45kW (15A @ 230V)	3.45kW (15A @ 230V)	3.45kW (15A @ 230V)	3.45kW (15
Driveline					Cabin Socket Quantity	1	1	1	1
Full-time 4WD	S	S	S	S	Maximum Cabin Socket Output	2.3kW (10A @ 230V)	2.3kW (10A @ 230V)	2.3kW (10A @ 230V)	2.3kW (104
Selectable Drive Modes <sup>1</sup> :					Vehicle Masses <sup>6</sup> (kg)				
- Normal	S	S	S	S	Gross Combined Mass	6580	6580	6580	658
- Eco	S	S	S	S	Gross Vehicle Mass	3500	3500	3500	350
- Tow / Haul	S	S	S	S	Front Gross Axle Weight Rating	1490	1490	1490	149
- Slippery	S	S	S	S	Rear Gross Axle Weight Rating	2100	2100	2100	210
- Mud / Ruts <sup>2</sup>	S	S	S	S	Kerb Weight	2527	2566	2615	269
- Sand <sup>3</sup>	S	S	S	S	Payload (based on Kerb Weight)	973	934	885	80
- Sport	S	S	S	S	Maximum Kerb Weight	2670	2695	2705	270
EV Drive modes:					Payload (based on Max Kerb Weight)	830	805	795	79
- Auto EV	S	S	S	S	Tare Weight	2479	2518	2567	264
- EV Now	S	S	S	S					
- EV Later	S	S	S	S	<ul> <li>S = Standard O = Factory Option that can be ordered before</li> <li>P = Part of a Pack that can be ordered before a vehicle is manual option.</li> </ul>				
- EV Charge	S	S	S	S					
Fuel & Electric <sup>4</sup>					<ul> <li>Disclaimer:</li> <li>1. Driver-assist features are supplemental and do not replace the driver</li> </ul>	ver's attention judgment and r	need to control the vehicle. Ma	av not operate at certain spee	ds or in certain o
Combined Fuel Economy (L/100km)	2.9L/100km	2.9L/100km	2.9L/100km	2.9L/100km	weather conditions. See Owner's Manual for more information. 2. Mu	ud/Rut Mode intended for off-re	oad use only. <b>3.</b> Sand Mode in	itended for off-road use only.	4. Fuel consump
Electric Driving Energy Consumption (Wh/km)	187	187	187	187	sion as per ADR 81/02 (combined cycle) and to be used for vehicle c driving conditions. Actual fuel consumption and emissions will depen condition and use. Electric driving range estimated using New Europe	nd on many factors including th	e driver's habits, prevailing cor	nditions and the vehicle's equi	oment, options a
Electric Driving Range (km)	49	49	49	49	<ul> <li>condition and use. Electric driving range estimated using New Europe range. Pro Power Onboard has three power outlets-one in cabin and</li> </ul>	two in load box. 2.3kW limit on	cabin and 3.45kW limit on eac	h load box outlet provided the	ere is a maximum
CO <sub>2</sub> Emissions (g/km)	66	66	66	66	<ul> <li>of up to 6.9kW. 2.3kW limit on each outlet when all outlets are used all equipment and its use will decrease battery charge. Speak to your</li> </ul>			-	-
Fuel Tank Capacity (L)	70	70	70	70	<ul> <li>full tank of fuel, without occupants, luggage, cargo, accessories or op tank of fuel, without occupants, luggage or cargo and with the heaving</li> </ul>		-		
Fuel Type	Petrol, Min 91RON	Petrol, Min 91RON	Petrol, Min 91RON	Petrol, Min 91RON	of fuel, without occupants, luggage or cargo, accessories or options. T	The no cost option spare wheel	adds 39kg to the Tare Weight	. All payloads are calculated b	y deducting eith
Capless Refuelling with Electric Release	S	S	S	S	Kerb Weight, Maximum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupant added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before			ore and after ad	
					load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceede				

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

tain driving, road or sumption and emisnieved in real world ons and accessories, in the Ranger PHEV mum power output t sufficiently power ndard vehicle with a e vehicle with a full ard vehicle with 10L either the vehicle's , added accessories, r adding additional Load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded.




Series	PHEV XLT	PHEV Sport	PHEV Wildtrak	PHEV Stormtrak	Series	PHEV XLT	PHEV Sport	PHEV Wildtrak	PHEV Sto
Body	4x4 Double Cab	4x4 Double Cab	4x4 Double Cab	4x4 Double Cab	Body	4x4 Double Cab	4x4 Double Cab	4x4 Double Cab	4x4 Doub
Engine	Pick-Up Plug-in Hybrid 2.3L EcoBoost	Pick-Up Plug-in Hybrid 2.3L EcoBoost	Pick-Up Plug-in Hybrid 2.3L EcoBoost	Pick-Up Plug-in Hybrid 2.3L EcoBoost	Engine	Pick-Up Plug-in Hybrid 2.3L EcoBoost	Pick-Up Plug-in Hybrid 2.3L EcoBoost	Pick-Up Plug-in Hybrid 2.3L EcoBoost	Pick-L Plug-in H 2.3L EcoE
Pick-up Box Dimensions (mm)					Chassis & Suspension				
Height - at centreline of axle	498	498	498	498	Front and Rear Vented Discs with Electronic Brake Booster	S	S	S	S
Height - floor height to ground	866	878	874	874	Electrical Power Assisted Steering	S	S	S	S
Length - at floor	1638	1638	1638	1638	Locking Rear Differential	S	S	S	S
Length - top of box	1471	1471	1471	1471	Wheels and Tyres				
Width - between wheelhouses	1233	1233	1233	1233	17" Alloy with All Season Tyres	S	_	_	_
Width - pick-up box	1584	1584	1584	1584	18" Alloy with All Season Tyres	—	S	S	S
Exterior Dimensions <sup>7</sup> (mm)					18" Alloy with All Terrain Tyres and Matching Spare	0	0	0	0
Length - without tow receiver <sup>8</sup>	5350	5350	5350	5350	— Tyre Repair & Inflation Kit	S	S	S	_
					Spare Wheel - 17" Alloy (no cost option) <sup>11</sup>	0	_	_	_
Length - with tow receiver <sup>8</sup>	5386	5386	5386	5386	Spare Wheel - 18" Alloy (no cost option) <sup>11</sup>	_	0	0	S
Width - exterior mirrors extended	2207	2207	2207	2207	Exterior Lighting				
Width - exterior mirrors folded	2015	2015	2015	2015	Headlamps - Halogen	S	_	_	_
Width - excluding mirrors	1924	1924	1924	1924	Headlamps - LED	_	S	_	_
Height - to top of antenna base	1871	1883	1878	1878	Headlamps - Matrix LED with Auto Leveling & Dynamic Bending	—	_	S	S
Overhang - front	865	865	865	865	Daytime Running Lamps - Halogen	S	_	_	_
Overhang - rear	1215	1215	1215	1215	Daytime Running Lamps - LED	—	S	S	S
Track - front and rear	1630	1630	1630	1630	Front Fog Lamps - Halogen	S	_	_	_
Wheelbase	3270	3270	3270	3270	Front Fog Lamps - LED	—	S	S	S
Ground Clearance (unladen)	215	228	226	226	Rear Fog Lamp	S	S	S	S
Wading Depth <sup>9</sup>	800	800	800	800	Taillamps - LED	S	S	S	S
Approach Angle (unladen, degrees)	28.9	30.1	30.2	30.2	— Tailgate Mounted Stop Light	S	S	S	S
Departure Angle (unladen, degrees) <sup>10</sup>	23.9	24.7	24.2	24.2	Zone Lighting <sup>12</sup>	_	S	S	S
Ramp Breakover Angle (degrees)	19.6	20.6	20.4	20.4		a vehicle is manufactured	l at an additional cost		
Turning Circle (meters)	12.9	12.9	12.9	12.9	P = Part of a Pack that can be ordered before a vehicle is manual				
Interior Dimensions <sup>7</sup> (mm)					—				
2nd Row Headroom	989	989	989	989					
2nd Row Legroom	879	879	879	879					
2nd Row Shoulder Room	1440	1440	1440	1440					
Front Headroom	1022	1023	1024	1024	Disclaimer:				
Front Legroom	1022	1025	1024	1024	7. Vehicle dimensions are approximate and subject to individual vehicle mensions take into account the Drop-In Bedliner where standard. 8. Ve				
					speed of 7 km/h. 10. Inclusive of tow bar where standard. 11. Spare Wh	neel adds 39kg to Kerb Weig	ht of vehicle. <b>12.</b> Zone Lightin	ng will not operate if battery c	harge is insufficien
Front Shoulder Room	1450	1450	1450	1450	of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to automatically turn off after a period of time to preserve the battery's engine starting performance.				a to the vehicle. Iff

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.



S	
S	
S	
—	
S	
0	
—	
—	
S	
_	
S	
—	
S	
—	
S	
S	
S	
S S S	
S	




Series	PHEV XLT	PHEV Sport	PHEV Wildtrak	PHEV Stormtrak	Series	PHEV XLT	PHEV Sport	PHEV Wildtrak	PHEV Sto
Body	4x4 Double Cab Pick-Up	- 4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	Body	4x4 Double Cab Pick-Up	- 4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Doub Pick-U
Engine	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Engine	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in H 2.3L Ecol
Exterior					Interior, Seating and Door Trim (continued)				
Exterior Mirrors - Power Adjustable	S	S	S	S	Front Passenger Seat - 4-Way Manual	S	S	_	_
Exterior Mirrors - Power Folding	S	S	S	S	Front Passenger Seat - 8-Way Power	_	_	S	S
Exterior Mirrors - Puddle Lamps	_	S	S	S	Child Seat Upper Anchorage Points (x2)	S	S	S	S
Exterior Mirrors - Heated	S	S	S	S	Child Seat ISOFIX Anchorage Points (x2)	S	S	S	S
Steel Underbody Protection	S	S	S	S	Floor Covering - Vinyl	0	_	_	_
Side Steps	S	S	S	S	Floor Covering - Carpet	S	S	S	S
Rear Box Step	S	S	S	S	Floor Mats - Driver & Front Passenger	S	S	S	S
Roof Rails	_	_	S	_	Floor Mats - Rear	_	_	S	S
Sports Bar <sup>13</sup>		S		_	Comfort and Convenience				
Sports Hoop/Sailplane <sup>13</sup>			ς		Ambient Lighting	_	_	S	S
Flexible Rack System <sup>14</sup>		0	0	<u> </u>	Auxiliary Switch Bank	Р	Р	Р	S
Active Grille Shutter	c	s	C	S	Centre Console with Single Lid and 2 Cup Holders	S	S	S	S
Load Box Elements		5			Instrument Panel Cup Holders	_	S	S	S
	<u> </u>	<u> </u>	C	C	Charging:				
Drop In Bedliner <sup>13</sup>	S	S	5	5	- Interior 12V Power Outlet	1	1	1	1
Box Top Protective Capping with Load Box Access Caps <sup>13</sup>	S	5		_	- USB Ports	4	4	4	4
Aluminum Tie Down Rails <sup>13</sup>	_		5		- Wireless Charging <sup>15</sup>	_	S	S	S
Inner Tie Downs	5	5	5	5	— Climate Control - Dual-Zone	S	S	S	S
Cargo Management System	Ρ	Ρ	Ρ	S	Rear Air Vent Registers	S	S	S	S
Load Box Illumination	S	S	S	S	Auto Headlamp On-Off	S	S	S	S
Tailgate Cargo Clamps	S	S	S	S	Auto High Beam	_	_	S	S
Tailgate Cupholders	S	S	S	S	Power Windows - One Touch Up/Down	S	S	S	S
Power Tailgate Lock	S	S	S	S	Privacy Glass	_	S	S	S
Tailgate with Lift Assistance	S	S	S	S	Rain Sensing Windscreen Wipers	S	S	S	S
Power Roller Shutter <sup>13</sup>	-	_	S	S	Rear Window Defrost	S	S	S	S
Interior, Seating and Door Trim					Electrochromatic Rear View Mirror	S	S	S	S
Steering Wheel Reach & Height Adjust	S	S	S	S	Underseat Stowage	S	S	S	S
Electric Parking Brake	S	S	S	S	Accoustic Laminated Windscreen	S	S	S	S
e-Shifter	S	S	S	S					
Seating Capacity	5	5	5	5	<b>S</b> = Standard <b>O</b> = Factory Option that can be ordered before				
Heated Seats - Front Driver & Passenger	_	S	S	S	<b>P</b> = Part of a Pack that can be ordered before a vehicle is ma	anufactured at an additional	cost		
Seat Material - Premium Cloth	S	_	_	_					
Seat Material - Leather Accented (excluding 2nd row middle seat)	_	S	S	S	Disclaimer:				
Driver Seat - 8-Way Manual	S	_	_	_	<ul> <li>— 13. Sports Bar (Sport), Sports Hoop/Sailplane, Aluminum Tie Down Rails option selected. Drop In Bedliner may be trimmed to accommodate</li> </ul>				
Driver Seat - 8-Way Power	_	S	S	S	required. Removal of antenna mast recommended when cargo posit available with compatible phones.				

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.



S	
S S S	
S	
—	
S	
S S S	
S	
S	
S	
S S S	
S	
1	
4	
S	
S	
S	
S	
S	
S	
S	
S S S S S S S S S	
S	
S	
S	
S	



Series	PHEV XLT	PHEV Sport	PHEV Wildtrak	PHEV Stormtrak	Series	PHEV XLT	PHEV Sport	PHEV Wildtrak	PHEV Sto
Body	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	Body	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Doub Pick-
Engine	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Engine	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in H 2.3L Ecol
Audio and Communication					Driver Assistance (continued)				
Embedded Modem	S	S	S	S	Parking Sensors - Front	S	S	S	S
FordPass Connect <sup>16</sup>	S	S	S	S	Parking Sensors - Rear	S	S	S	S
Colour Digital Instrument Cluster with Configurable	ς	ς	ς	ς	Rear View Camera	S	S	—	_
Display - 8-inch	5	5	5	5	360-Degree Camera	_	Р	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S	S	Traffic Sign Recognition	S	S	S	S
Speakers	6	6	10	10	Tyre Pressure Monitoring System	S	S	S	S
B&O Premium Audio System <sup>17</sup>	—	—	S	S	Towing	7500	7500	7500	750
Digital Audio (DAB+)	S	S	S	S	Maximum Braked Towing Capacity <sup>20</sup> (kg)	3500	3500	3500	350
Bluetooth <sup>®</sup> with Phone/Audio Streaming <sup>18</sup>	S	S	S	S	Pro Trailer Back-up Assist <sup>™</sup>	c	۲۲	S	S
Built-In Satellite Navigation with one year of Connected	S	S	S	S	<ul> <li>Tow Bar with Integrated Trailer Brake Controller<sup>21</sup></li> <li>Trailer Light Check<sup>22</sup></li> </ul>	S	S	S	
Navigation Services included <sup>19</sup>	c	c	C	c	Towing Vehicle Integration with Towing Checklist	S	S	<u></u>	S
SYNC®4A with Voice-Activated Controls	5	5	5	5	Tow Haul Mode (part of Selectable Drive Modes)	S	S	S	<u> </u>
Steering Wheel Audio/Function Control	S	S	S	S	- Off-Road	5		5	
Wireless Apple CarPlay™ & Android Auto™	S	S	S	S	<ul> <li>Off-Road Screen</li> </ul>	S	S	S	S
Safety & Security					Hill Descent Control	S	S	S	S
Perimeter Alarm System	S	_	_	_	Locking Rear Differential	S	S	S	S
Volumetric and Inclination Perimeter Alarm System	_	S	S	S	Front Recovery Hook	1	2	2	2
Airbags x 9 - Front, Side, Knee & Full Length Curtain	C	C	C	C	Ford Factory Fitted Options				
(Driver & Passenger) & Far Side Driver Front Airbag	5	5	5	5	Full Size Matching Spare Wheel (no cost option)	0	0	0	_
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S	18" Alloy Wheels with All Terrain Tyres and Matching Spare	0	0	0	0
Child Proof Rear Door Locks	S	S	S	S	Vinyl Floor	0	_	_	_
Emergency Assistance	S	S	S	S	Prestige Paint	0	0	0	_
Power Door Locks	S	S	S	S	Flexible Rack System	_	0	0	_
Smart Keyless Entry with Push Button Start	ς	ς	ς	ς	Technology Pack - 360 Camera, Pro Trailer Backup Assist	_	0	_	_
					Adventure Pack - Cargo Management System, Auxiliary Switch Bank	0	0	0	—
Driver Assistance					<ul> <li>Stylish Canopy</li> </ul>	0	0	_	_
Adaptive Cruise Control	S	—	_	_	Commercial Canopy - Black	0	0	_	_
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centering	_	S	S	S	Commercial Canopy - White	0	0	_	_
Intelligent Speed Assist	S	S	S	S	<b>S</b> = Standard <b>O</b> = Factory Option that can be ordered before	a vehicle is manufactured	l at an additional cost		
Blind Spot Monitoring with Cross Traffic Alert	S	S	S	S	<b>P</b> = Part of a Pack that can be ordered before a vehicle is manu	ufactured at an additional	cost		
Dynamic Stability Control (DSC) incorporating ABS,					<ul> <li>Disclaimer:</li> <li>16. Use of FordPass is subject to the FordPass Terms and Privacy Policy available</li> </ul>	le on ford com au/fordpass and	requires a compatible mobile de	evice internet access and softwar	e (including software
Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Roll Stability Control, Traction	S	S	S	S	time to time). FordPass functionality and appearance may change over time due	to software updates. You are re	sponsible for internet access, mo	obile network data and voice call s	services required for
Control and Trailer Sway Control					FordPass App on your mobile device, including associated fees. The FordPass Ap modem will only function on the 3G or 4G telecommunications networks. When	these networks are no longer av	vailable, the modem will stop fur	nctioning and the connected servic	es and all data trans
Evasive Steer Assist	S	S	S	S	modem will cease. Ford cannot guarantee that FordPass will be in fully operatin for any limitations or restrictions of the telecommunications network or of your r	mobile device. Warning: Local la	ws prohibit some phone functio	ns while driving. Check your local	road rules before us
Lane Keeping Aid with Road Edge Detection and	c	c	c	c	tions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated B&O <sup>™</sup> are registered trademarks of Bang & Olufsen Group. Licensed by Harman I				
Driver Alert System	3	3	3	3	under license. Some phones not compatible. <b>19.</b> Eligible vehicles receive Connect Services may cease to be available, or may be subject to a subscription fee. To u	cted Navigation Services for 1 ye	ar from the Ford Express New Ve	ehicle Warranty start date, after wh	nich time the Connec
Post Impact Braking	S	S	S	S	FordPass Connect modem and have SYNC Location set to 'on'. 20. Maximum tov	ving capacity braked using a Ge	nuine Ford tow pack (standard o	n all Ranger PHEV models). Subjec	t to State and Territo
Pre-Collision Assist with Autonomous Emergency Braking (AEB)	S	S	S	S	<ul> <li>To comply with these limits, any load transported by the vehicle may need to be Dealer and / or refer to the vehicle brochure. 21. Drivers will need to create a pro</li> <li>Check can be used via SYNC, or via FordPass app as a Connected Service. Where</li> </ul>	file of their trailers in SYNC to s	upport the Trailer Brake Controlle	er and must set the gain on the Br	ake Controller unit.
Reverse Brake Assist	S	S	S	S	date after which time, the Connected Service may cease to be available, or may b				
					FordPass Connect modem to use this feature via the app.				

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

oftware updates from red for your use of the The FordPass Connect a transmission via the ord is not responsible efore using these func-ANG & OLUFSEN™ and uetooth SIG, Inc. and is Connected Navigation activated the vehicle's ad Territory regulations. It your authorised Ford er unit. **22.** Trailer Light Vehicle Warranty start activated the vehicle's ire via the app.



S	
S	
_	
S	
S	
S	

	_
3500	
S	
S	
S	_
S	_
S	_
	-
S	
S	_

S 2	
2	
—	
0	
_	
_	
_	
_	
_	
_	

Issue Date: 5 March 2025



#### Important information:

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.

