



FOTON

TUNLAND



*Overseas models shown.

RANGE HIGHLIGHTS

Version 1:0

fotonaustralia.com.au



TUNLAND RANGE HIGHLIGHTS

- STANDARD
- OPTIONAL
- UNAVAILABLE



		FOTON TUNLAND V7-C 4X2	FOTON TUNLAND V7-C 4X4	FOTON TUNLAND V9-L 4X4	FOTON TUNLAND V9-S 4X4
Transmission	ZF 8-Speed Automatic	●	●	●	●
Engine	Type	Aucan 2.0L 4 Cylinder Diesel with 48V Assist	Aucan 2.0L 4 Cylinder Diesel with 48V Assist	Aucan 2.0L 4 Cylinder Diesel with 48V Assist	Aucan 2.0L 4 Cylinder Diesel with 48V Assist
Performance	Maximum Power	120 kW @ 3600rpm	120 kW @ 3600rpm	120 kW @ 3600rpm	120 kW @ 3600rpm
	Maximum Torque	450 Nm @ 1500-2400rpm	450 Nm @ 1500-2400rpm	450 Nm @ 1500-2400rpm	450 Nm @ 1500-2400rpm
Suspension	Front Type	Double Wishbone Type Suspension	Double Wishbone Type Suspension	Double Wishbone Type Suspension	Double Wishbone Type Suspension
	Rear Type	Leaf Spring Rigid Axle	Leaf Spring Rigid Axle	Multi-Link Rigid Axle	Multi-Link Rigid Axle

DIFFERENTIATING FEATURES

Intelligent Driving Dynamics	Rear Differential Lock ¹	—	●	●	●
	Front Differential Lock ¹	—	—	—	●
	Four Wheel Drive Mode	2H	Auto/2H/4H/4L	Auto/2H/4H/4L	Auto/2H/4H/4L
	Drive Mode Select	Eco/Standard/Sport	Eco/Standard/Sport/Sand/Mud/Snow	Eco/Standard/Sport/Sand/Mud/Snow	Eco/Standard/Sport/Sand/Mud/Snow
Collision Avoidance	Driver Monitoring System (DMS)	—	—	—	●
Convenience	V2L-220V/300W Power Outlet	—	—	●	●
	Panoramic Sunroof	—	—	—	●

SPECIFICATIONS (common to all models)

INTERIOR FEATURES

- 12.3" Digital Instrument Cluster
- 14.6" Infotainment Screen

COLLISION AVOIDANCE FEATURES

- Electronic Stability Program (ESP)
- Anti-Lock Braking System (ABS)
- Electric Brakeforce Distribution (EBD)
- Vehicle Dynamics Control (VDC)
- Traction Control System (TCS)
- Hill-Hold-Control (HHC)
- Hill Descent Control (HDC)
- Auto Vehicle Hold (AVH)

- Electronic Parking Brake (EPB)
- Panoramic 360 Degree View Camera with Integrated Dash Camera²
- Front & Rear Parking Sensors

INTELLIGENT DRIVING DYNAMICS FEATURES

- Advanced Driver-Assistance System (ADAS) - featuring:
- Adaptive Cruise Control (ACC)
- Autonomous Emergency Braking with Pedestrian & Cyclist Alert (AEB)
- Front Collision Warning (FCW)
- Lane Departure Warning (LDW)
- Pedestrian Collision Warning (PCW)
- Lane Keep Assist (LKA)

- Lane Centering Control (LCC)
- Traffic Sign Recognition (TSR)
- Emergency Signal System (ESS)
- Blind Spot Detection (BSD)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert (RCTA)
- Trailer Stability Assist (TSA)

LIGHTING - EXTERIOR

- LED Daytime Running Lights (DRL)
- LED Dusk Sensing Headlights with 'Follow Me Home' Function
- LED Taillights

1. Auto disconnects if vehicle is travelling more than 38km/hr. 2. SD card required for function to work. Supports SD Card up to 512GB.



TUNLAND RANGE HIGHLIGHTS



DIMENSIONS (mm)		FOTON TUNLAND V7-C 4X2	FOTON TUNLAND V7-C 4X4	FOTON TUNLAND V9-L 4X4	FOTON TUNLAND V9-S 4X4
Overall Length		5617	5617	5617	5617
Overall Width		2000	2000	2090	2090
Overall Height		1910	1910	1955	1955
Wheelbase		3355	3355	3355	3355
Minimum Ground Clearance		240	240	240	240
Break Over Angle (Degrees)		21°	21°	21°	21°
Approach/Departure Angle (Degrees)		28°/26°	28°/26°	28°/26°	28°/26°
Wading Depth		700	700	700	700
Tub Dimensions	Length	1577	1577	1577	1577
	Width	1650	1650	1650	1650
	Height	530	530	530	530
	Internal Gap Between Wheel Arches	1240	1240	1240	1240

WEIGHTS (kg)		FOTON TUNLAND V7-C 4X2	FOTON TUNLAND V7-C 4X4	FOTON TUNLAND V9-L 4X4	FOTON TUNLAND V9-S 4X4
Gross Vehicle Mass (GVM)		3335	3335	3306	3306
Gross Combined Mass (GCM)		6835	6835	6806	6806
Tare Mass ¹		2190	2255	2255	2255
Payload		1089	1024	995	995
Maximum Braked Towing Capacity		3500	3500	3500	3500

1. Tare Weight where quoted is for the vehicle unoccupied and unladen with full fluids and 10 litres fuel. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

FOTON Automotive Australia offers this information as a general guide to product specifications. All data is believed to be correct as at July 2025, however, as development is an ongoing process, changes may occur from time to time which will not necessarily be reflected herein. Therefore, FOTON Automotive Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of FOTON products, you should not rely solely on the information provided in this brochure. Dealers are not agents of FOTON Automotive Australia and have absolutely no authority to bind FOTON Automotive Australia by an express or implied undertaking or representation. Inchcape Automotive Distribution Australia Pty Ltd ABN 72 637 080 927 trading as FOTON Automotive Australia.

FTN7695/Tunland MY25/07.25