



TUNLAND V

V7-C (4x2/4x4) | V9-S (4x4)



*Overseas models shown

WEIGHT RATINGS

GVM: Up to 3,320kg
Payload: Up to 1,115kg

ENGINE PERFORMANCE

Power: 120kW (161 hp) @ 3600rpm
Torque: 450Nm @ 1500 to 2400rpm

TRANSMISSION

ZF 8-sp Automatic
Transmission

BODY TYPE

Dual Cab (4x2)
Dual Cab (4x4)

- = Standard
- = Optional
- = Unavailable



Tunland V7-C 4x2



Tunland V7-C 4x4



Tunland V9-S 4x4

ENGINE				
Type	2.0L 4-cylinder Diesel + VGT Turbo, 48V Assist	●	●	●
Model	Aucan 4F20TC17	●	●	●
Bore x Stroke	81 x 95.5mm	●	●	●
Capacity	1968cc	●	●	●
Compression Ratio	16.2 : 1	●	●	●
Fuel System	Direct Injection	●	●	●

FUEL & EMISSIONS			
Fuel Tank Capacity (L)	76	76	76
AdBlue® Tank Capacity (L)	12	12	12
Combined Fuel Consumption (L/100km) ¹	8.1	8.1	8.1
Combined CO ₂ Emissions (NEDC) (g/km) ²	211	211	211
Emission Standard	Euro 6e	Euro 6e	Euro 6e

- Figure based on combined average city and highway cycle test under Australian Design Rule (ADR) 81/02. Range figure is based on laboratory test results only using standardised testing conditions which measure fuel consumption, energy consumption, and carbon emission (as applicable). Real world results may vary based on individual driving circumstances e.g., traffic conditions, driving style, vehicle modifications, fuel quality, climatic conditions, etc. Quoted figures may not reflect real world fuel consumption, energy consumption, and carbon emission.
- Figure based on NEDC (New European Driving Cycle) static laboratory combined average city and highway cycle test mandated by ADR 81/02. Range figure are laboratory test results only based on standardised testing conditions which measure, energy consumption and range. Actual real world range results will likely be less and to the extent that they are less will depend on a combination of factors including but not limited to load, traffic conditions, driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions.

- = Standard
- = Optional
- = Unavailable


Tunland V7-C 4x2
Tunland V7-C 4x4
Tunland V9-S 4x4

TRANSMISSION				
Make & Type	ZF 8-Speed Automatic	●	●	●
Gear Ratios	1 st	5.000	5.000	5.000
	2 nd	3.200	3.200	3.200
	3 rd	2.143	2.143	2.143
	4 th	1.720	1.720	1.720
	5 th	1.314	1.314	1.314
	6 th	1.000	1.000	1.000
	7 th	0.822	0.822	0.822
	8 th	0.640	0.640	0.640
	Reverse	3.456	3.456	3.456

PERFORMANCE ¹				
Maximum Power	120kW (161hp) @ 3600rpm	●	●	●
Maximum Torque	450Nm @ 1500 - 2400rpm	●	●	●

STEERING				
Steering Type	Electric Power Steering	●	●	●
Minimum Turning Circle	13.5m	●	●	●

BRAKES				
Front & Rear Brakes	Ventilated Discs	●	●	●
Front & Rear Brake Callipers	Dual Pistons / Single Piston	●	●	●

SUSPENSION				
Front Type	Double Wishbone Type Suspension	●	●	●
Rear Type	Leaf Spring Rigid Axle Suspension	●	●	—
	Coil Spring Multi-Link Rigid Axle Suspension	—	—	●

WHEELS & TYRES				
Wheel Rims	Gloss Black 18" Alloy	Standard	Standard	Premium
Tyres	Width, Profile, Size, Load Index & Speed Rating	265/70R18 116T	265/70R18 116T	265/70R18 116T
Spare Wheel	Full Size 18" Steel	●	●	●
Rim Off-set	39.5 mm	●	●	●

WEIGHTS				
Gross Vehicle Mass (kg)		3305	3335	3310
Gross Combined Mass (kg)		6805	6835	6810
Tare Weight (kg) ²		2134	2229	2259
Kerb Weight (kg) ²		2190	2285	2315
Maximum Payload (kg)		1115	1050	995

1. Vehicles tested in accordance with ADR 81/02. Actual fuel consumption and CO₂ emissions depend on factors.

2. Tare Weight is for the vehicle unoccupied with 10 litres fuel and all standard fluids. Kerb Weight is for the vehicle unoccupied with a full tank of fuel and all fluids. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

- = Standard
- = Optional
- = Unavailable


Tunland V7-C 4x2
Tunland V7-C 4x4
Tunland V9-S 4x4

DIMENSIONS				
Overall Length (mm)		5617	5617	5617
Overall Width (mm)		2000	2000	2090
Overall Height (mm)		1910	1910	1955
Wheelbase (mm)		3355	3355	3355
Minimum Ground Clearance (mm) ¹		240	240	240
Ramp Over Angle		21°	21°	21°
Approach / Departure Angle		28° / 26°	28° / 26°	28° / 26°
Wading Depth (mm)		700	700	700
Tub Dimensions (mm)	Internal Length	1577	1577	1577
	Internal Width	1650	1650	1650
	Internal Height	530	530	530
	Internal Gap (between Wheel Arches)	1250	1250	1250

TOWING ²			
Maximum Braked Towing Capacity (kg)	3500	3500	3500
Maximum Unbraked Towing Capacity (kg)	750	750	750
Maximum Tow Ball Down Weight (kg)	300	300	300

TRAY				
Cargo Anchors	Inner Rope Hooks (x 4)	●	●	●
Sports Bar	Matte Black	—	—	●
Tailgate Features	Tailgate Assist	●	●	●
	Decorative Board	●	●	●
	Tailgate Step	●	●	●
	Chrome Tray Handle	●	●	●
	Key Locking	●	●	●
	FOTON Lettering – Crystal Grey	●	●	●
Tub Liner	Spray On Type	●	●	●

1. Minimum ground clearance is based on at Kerb Weight (i.e. unoccupied, unladen and full of fuel).

2. Towing capacity is dependent on regulatory requirements, towbar design, and the limitations of towing equipment. Optional towbar accessory must be fitted. Refer to the Owner's Manual for full towing instructions. For further details, please consult your authorised Foton Dealer.

- = Standard
- = Optional
- = Unavailable


Tunland V7-C 4x2
Tunland V7-C 4x4
Tunland V9-S 4x4
VEHICLE STABILITY & BRAKE CONTROL

Electronic Stability Control	(ESC)	●	●	●
Anti-Lock Braking System	(ABS)	●	●	●
Electronic Brakeforce Distribution	(EBD)	●	●	●
Emergency Signal System	(ESS)	●	●	●
Hydraulic Brake Assist	(HBA)	●	●	●
Hill Descent Control	(HDC)	●	●	●
Hill Hold Control	(HHC)	●	●	●
Traction Control System	(TCS)	●	●	●
Vehicle Dynamics Control	(VDC)	●	●	●
Auto Vehicle Hold	(AVH)	●	●	●
Electronic Parking Brake	(EPB)	●	●	●

ACTIVE SAFETY & DRIVER ASSISTANCE

Adaptive Cruise Control	(ACC)	●	●	●
Autonomous Emergency Braking (with Pedestrian & Cyclist Alert)	(AEB)	●	●	●
Front Collision Warning	(FCW)	●	●	●
Emergency Lane Keep	(ELK)	●	●	●
Lane Departure Warning	(LDW)	●	●	●
Lane Keep Assist	(LKA)	●	●	●
Lane Centering Control	(LCC)	●	●	●
Pedestrian Collision Warning	(PCW)	●	●	●
Traffic Sign Recognition	(TSR)	●	●	●
Blind Spot Detection	(BSD)	●	●	●
Door Open Warning	(DOW)	●	●	●
Rear Cross Traffic Alert	(RCTA)	●	●	●
Driver Monitoring System (Distraction & Fatigue Warning) ¹	(DMS)	●	●	●
Parking Sensors (4 x Front / 4 x Rear)		●	●	●

OCCUPANT & CHILD PROTECTION

SRS Airbags (Dual Front + Sides + Curtains + Knee + Centre)	●	●	●
3-Point ELR Seatbelts with Pretensioners & Force Limiters (All Seats)	●	●	●
Seat Belt Reminder – Front & Rear Seats	●	●	●
Height Adjustable Driver & Front Passenger Headrests	●	●	●
Rear Seat Headrests with 3 Position Adjustment ²	●	●	●
Child Seat Tether Anchor Points (x2)	●	●	●
ISOFIX Compliant Child Restraints (x2)	●	●	●
Rear Door Child Lock	●	●	●
Door Locks (Speed Sensing / Crash Auto Unlocking)	●	●	●
Fuel Cut Function	●	●	●

1. DMS performance and capability is dependent on environmental and technical conditions. Refer to the vehicle Operation Manual for full details.

2. Adjustable rear headrests available on the left and right outboard seats only.

- = Standard
- = Optional
- = Unavailable


Tunland V7-C 4x2
Tunland V7-C 4x4
Tunland V9-S 4x4
DRIVETRAIN & INTELLIGENT VEHICLE CONTROL

Drive Line	4x2 (2WD)	●	—	—
	Part Time 4x4 (4WD)	—	●	●
4WD Drive Modes	Auto / 2H / 4H / 4L	—	●	●
Transfer Case	BorgWarner	●	●	●
Differential Lock ¹	Front	—	—	●
	Rear	—	●	●
Drive Mode Select	Eco / Standard / Sport	●	●	●
	Sand / Mud / Snow	—	●	●
Electronic Power Steering Modes	Sport / Comfort / Light	●	●	●
Tyre Pressure Monitoring System ²	Pressure & Temperature	●	●	●

EXTERIOR LIGHTING

Dusk Sensing LED Headlights	●	●	●
LED Daytime Running Lights (DRL)	●	●	●
Electric Height Adjustable Headlight	●	●	●
'Follow Me Home' Headlight Function	●	●	●
Halogen Front Fog Lights (with Cornering Light Function)	●	●	●
LED Rear Fog Lights	●	●	●
LED Combination Rear Lights	●	●	●
LED High Position Brake Lights	●	●	●
Headlight Reminder Alert	●	●	●

STORAGE

Glovebox	●	●	●
Centre Console Cupholder (x2)	●	●	●
Rear Seat Armrest Cupholder (x2)	●	●	●
Under Centre Console Storage Area	●	●	●
Centre Armrest Storage Box	●	●	●
Door Pockets & Drink Bottle Holder	●	●	●
Sunglasses Holder	●	●	●
Behind Rear Seat Storage	●	●	●
Front Seat Back Pockets	●	●	●

1. Diff lock automatically disconnects when vehicle is travelling more than 38km/hr.

2. TPMS warning light will activate when tyre pressure drops to 180 kPa (26 PSI).

- = Standard
- = Optional
- = Unavailable


Tunland V7-C 4x2
Tunland V7-C 4x4
Tunland V9-S 4x4

EXTERIOR FEATURES				
Front Grille	Black Coloured Finish	●	●	—
	Chrome Plated Finish	—	—	●
Side Steps	Standard	●	●	—
	Premium	—	—	●
Wheel Arch Cladding	Black Plastic	—	—	●
Door Mirrors	Power Adjustable	●	●	●
	Heated	—	—	●
	LED Indicators	●	●	●
	Position Memory	—	—	●
	Power Foldable	—	—	●
Roof	Roof Rails	—	—	●
	Panoramic Sunroof	—	—	●
	Power Adjustable Sunshade	—	—	●
Glass	Green Glass in Front Doors	●	●	●
	Green Glass in Rear Doors and Rear Screen	●	●	—
	Privacy Glass in Rear Doors and Rear Screen	—	—	●
Mudguards	Front & Rear	●	●	●
Alloy Wheels	Gloss Black 18" Standard	●	●	—
	Gloss Black 18" Premium	—	—	●

INTERIOR FEATURES				
Interior Lighting	256 Colour Ambient Lighting	●	●	●
	LED Front Reading Light	●	●	●
	LED Rear Roof Light	—	—	●
	Halogen Rear Roof Light	●	●	—
Air-Conditioning	Climate Control	●	●	—
	Dual Zone Climate Control	—	—	●
	Air Purification System (PM2.5 Filter)	●	●	●
	Rear Air Vents	●	●	●
Windshield Demisters	Front & Rear	●	●	●
Security System	BCM Anti-Theft Security System	●	●	●
Steering Wheel	4-way Manual Adjustable	●	●	●
Screen Display	12.3" Digital Instrument Cluster	●	●	●
	14.6" Infotainment Screen	●	●	●
	USB & Bluetooth Connectivity	●	●	●
	Wireless Apple Carplay ¹	●	●	●
	AM / FM Radio	●	●	●
Audio System	4 Speakers	●	●	—
	6 Speakers	—	—	●

1. Compatible Apple® device required.

- = Standard
- = Optional
- = Unavailable


Tunland V7-C 4x2
Tunland V7-C 4x4
Tunland V9-S 4x4

CONVENIENCE				
220V / 300W Power Socket (x1)		●	●	●
12V / 120W Power Outlet (x1)		●	●	●
USB-A Ports (x4)		●	●	●
Rain-Sensing Front Windshield Wipers		●	●	●
Power Windows (Driver with Auto Up/Down and Jam Protect)		●	●	●
Power Windows (All with Auto Up/Down and Jam Protect)		—	—	●
Rear Seat Centre Armrest (2 Cup Holders)		●	●	●
Automatic Anti-Glare Rearview Mirror		—	—	●
Remote Central Locking		●	●	●
Smart Key Start & Entry		●	●	●
Illuminated Sun Visors with Vanity Mirrors (Driver and Front Passenger)		●	●	●
Interior Handles (x7) (Excluding Drivers)		●	●	●
Panoramic 360 Degree View Camera with Integrated Dash Camera ¹		●	●	●
18W Wireless Charging Pad (x1) ²		●	●	●
Active Regeneration Switch (DPF)		●	●	●
Facial Recognition (x3 Profiles)		●	●	●
"Hi Foton" Voice Recognition		●	●	●

SEATING				
Interior Trims	Synthetic Leather Seat Trim	●	●	●
	Black Seat Trim	●	●	●
	Brown Seat Trim ³	○	○	○
Driver's Seat Features	Courtesy Seat Function	—	—	●
	6-way Powered + 4-way Lumbar Adjustment	●	●	●
	3 Stage Heating Function	●	●	●
	3 Stage Ventilation Function	—	—	●
	Memory Function	—	—	●
Front Passenger Seat Features	4-way Powered Adjustment	●	●	●
	3 Stage Heating Function	●	●	●
	3 Stage Ventilation Function	—	—	●
Second Row Seat Features	Fold Up (60/40 Split)	●	●	●
	Fold Down	●	●	●
	3 Stage Heating Function	—	—	●

1. Micro SD card required for function to work. Supports up to 512GB.

2. Wireless charging requires a Qi-enabled and compliant device.

3. Optional seat trim available for order. Additional surcharge applies.

INTERIOR IMAGES ¹



1. Overseas model shown with optional brown synthetic leather trim.

FRONT MASKS



Tunland V7



Tunland V9

TUB DIMENSIONS



EXTERIOR COLOURS (Tunland V7 & V9 models shown)

SUMMIT WHITE

GALAXY SILVER

PHANTOM BLACK

INFERNO RED

TAHITIAN BLUE

CHARGER PURPLE

AURORA GREEN

TITANIUM GREY

Foton New Zealand provides this brochure as a general guide to product specifications. It does not constitute an offer for sale of any specific vehicle, nor should it be relied upon as a definitive guide to current specifications. While all information is believed to be accurate at the time of publication, ongoing product development may result in changes that are not immediately reflected here. Accordingly, Foton New Zealand reserves the right to modify specifications without prior notice. For the most up-to-date information, please consult your authorised Foton Dealer. Please note that dealers operate independently and are not agents of Foton New Zealand. They are not authorised to make any representations or commitments on behalf of Foton New Zealand, whether express or implied. © Anglesea Vehicle Distributors Ltd (trading as Foton New Zealand).