

Hyundai IONIQ 5.

Specifications.



Electric motor(s)	DYNAMIQ	TECHNIQ	EPIQ
Motor type - rear	Permanent magnet synchronous motor	Permanent magnet synchronous motor	
Motor type - front	-	Permanent magnet synchronous motor	
Configuration	Rear mounted driving rear wheels	Rear + front mounted driving rear + front wheels	
Maximum power - rear motor / front motor	168 kW / -	165 kW / 74 kW	
Maximum torque - rear motor / front motor	350 Nm / -	350 Nm / 255 Nm	
Maximum power - total	168 kW	239 kW	
Maximum torque - total	350 Nm	605 Nm	
Battery	DYNAMIQ	TECHNIQ	EPIQ
Battery type	Liquid cooled Lithium-ion		
Capacity	77.4 kWh		
Output	272 kW		
Voltage	697 V		
Cooling system	DYNAMIQ	TECHNIQ	EPIQ
Active Air Flap (AAF) - front lower air intake shutters	•		
On-board AC charger	DYNAMIQ	TECHNIQ	EPIQ
Charging capacity (maximum)	10.5 kW		
Standard charging time (10 to 100%)	Approx 11hr 45min at 7kW		
Charging port	Type 2 (IEC 62196-2 Type 2)		
On-board DC fast charger	DYNAMIQ	TECHNIQ	EPIQ
Charging capacity	350 kW		
Charger compatibility	400 / 800 V		
50 kW fast charging time (10 to 80%)	Approx. 73min		
350 kW ultra-fast charging time (10 to 80%)	Approx. 18min		
Charging port	CCS Combo2 (IEC 62196-3 Configuration FF)		
Portable emergency charging cable	DYNAMIQ	TECHNIQ	EPIQ
Type	In-cable control box (ICCB) with domestic 3-pin plug input		
Output capacity (maximum)	230 V, 10 A		
Charging plug	Type 2 (IEC 62196-2 Type 2)		
Standard charging time (230 V at maximum charging capacity - up to 100%)	Approx. 34hr 20min		
Vehicle To Load (V2L)	DYNAMIQ	TECHNIQ	EPIQ
Output capacity (maximum)	250 V, 3.6 kW, 15 A		
Connector - outside	CCS Combo2 (IEC 62196-3 Configuration FF) 2-way adapter to domestic 3-pin plug output		
Connector - inside	Domestic 3-pin plug output		
Transmission	DYNAMIQ	TECHNIQ	EPIQ
Reduction gear - Rear	Single speed reduction gear	Single speed reduction gear	
Reduction gear - Front	-	Single speed reduction gear	
Gear ratio	Reduction gear (rear)	Reduction gear (rear) + Reduction gear (front)	
Reduction gear - Rear	2.263	2.263	
Reduction gear - Front	-	2.263	
Final gear	4.706	4.706	
Driveline	DYNAMIQ	TECHNIQ	EPIQ
Two Wheel Drive (2WD) - rear wheel drive	•	-	
All Wheel Drive (AWD)	-	•	
AWD Type	-	HTRAC Dual Motor with Disconnecter Actuator System (DAS)	
Other			
Under bonnet insulator	-	•	

Steering	DYNAMIQ	TECHNIQ	EPIQ
Type	Rack mounted Motor Driven Power Steering (R-MDPS), rack & pinion		
Minimum turning circle diameter between kerbs / walls	11.98 m		
Number of steering wheel turns lock to lock	2.67		
Suspension	DYNAMIQ	TECHNIQ	EPIQ
Front	MacPherson strut		
Rear	Multi-link		
Damping control system	High performance dampers		
Brakes	DYNAMIQ	TECHNIQ	EPIQ
System	Dual diagonal-split circuit, power assisted with Electronic Brake-force Distribution (EBD), Electronic Stability Control (ESC) and active hydraulic booster (regenerative braking)		
Booster	Integrated Electric Booster (IEB)		
Front brake type	Ventilated disc		
Front disc dimensions	345 mm x 30 mm		
Rear brake type	Ventilated disc		
Rear disc dimensions	345 mm x 20 mm		
Weight	DYNAMIQ	TECHNIQ	EPIQ
Tare Mass	2015 kg	2125 kg	
Gross Vehicle Mass (GVM)	2450 kg	2560 kg	
Permissible Axle Weight (PAW) - front	1280 kg	1280 kg	
Permissible Axle Weight (PAW) - rear	1380 kg	1380 kg	
Roof rack load limit	80 kg	80 kg	
Front under bonnet cargo area load limit	25 kg	10 kg	
Towing Capacity	DYNAMIQ	TECHNIQ	EPIQ
Braked	1600 kg		
Un-braked	750 kg		
Maximum tow ball weight	100 kg		
Trailer pre-wiring package	•		
Energy consumption*	DYNAMIQ	TECHNIQ	EPIQ
Electric driving efficiency; Combined: Wh/km	170	191	
kWh/100km	17.0	19.1	
All Electric Range (AER)	507 km	454 km	
* Figure based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy consumption, range and emissions in passenger vehicles, designed to provide figures closer to real-world driving behaviour. Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions.			
Performance	DYNAMIQ	TECHNIQ	EPIQ
Maximum speed (km/h)	185	185	
0 ~ 100 km/h (seconds)	7.3	5.1	
80 ~ 120 km/h (seconds)	4.6	3.4	
Dimensions	DYNAMIQ	TECHNIQ	EPIQ
Exterior			
Length	4635 mm	4635 mm	
Width	1890 mm	1890 mm	
Height (with shark fin antenna)	1605 (1647) mm	1605 (1647) mm	
Wheelbase	3000 mm	3000 mm	
Wheel track - front / rear	1638 / 1647 mm	1628 / 1637 mm	
Minimum ground clearance	160 mm	160 mm	
Interior			
Head room front / rear	1046 / 970 mm	1046 / 970 mm	1034 / 953 mm
Leg room front / rear	1138 / 1002 mm	1138 / 1002 mm	
Shoulder room front / rear	1465 / 1470 mm	1465 / 1465 mm	
Hip room front / rear	1368 / 1362 mm	1368 / 1362 mm	
Cargo area rear - VDA (minimum / maximum)	527 L / 1587 L	527 L / 1587 L	
Cargo area front - VDA	57 L	24 L	
Cargo area glovebox compartment - VDA	9 L	9 L	
Total cargo area - VDA (minimum / maximum)	593 / 1653 L	560 / 1620 L	

Wheels & tyres	DYNAMIQ	TECHNIQ	EPIQ
Wheel type	Alloy - aerodynamic design	Alloy - aerodynamic design	
Wheel dimensions	19 x 7.5J + 49.5	20 x 8.5J +54.5	
Tyre type	Michelin Primacy 4	Michelin Pilot Sport EV	
Tyre dimensions	235/55R19 105W	255/45R20 105W	
Spare wheel type	Tyre Mobility Kit (TMK)	Tyre Mobility Kit (TMK)	
Electric vehicle functions	DYNAMIQ	TECHNIQ	EPIQ
Battery heating system - cold climate battery conditioning for DC charging and driving performance	-	-	•
Charging current function - set the defined battery charging current limit for AC charging	•	•	•
Charging limit function - set the defined battery charging limit for AC/DC charging	•	•	•
Driver only climate control fan function - increases driving range	•	•	•
Eco mode climate control function - increases driving range in Eco drive mode	•	•	•
EV charge transfer function - set the minimum battery % the V2L automatically discharges down to	•	•	•
Heat off climate control function - increases driving range	•	•	•
iPedal mode - intelligent one pedal driving mode	•	•	•
Navigation POI - EV charging stations; with auto display when needed	•	•	•
Next departure function - set the intended departure time for the scheduled charging	•	•	•
Regenerative braking control - via paddle shifters	•	•	•
Scheduled charging function - set the intended start and end time for charging; Off-peak tariffs prioritised/Off-peak tariffs only	•	•	•
Smart regenerative braking mode 2.0 - traffic & navigation based	•	•	•
Target temperature function - set the intended climate control temperature for next departure	•	•	•
Trailer Mode - Automatic AER adjustment	•	•	•
Trailer Mode - HTRAC AWD drive torque distribution	-	•	•
Utility mode function - uses the high voltage battery to power vehicle electronics	•	•	•
Vehicle to Load (V2L) connection (inside) - domestic 3-pin plug output	•	•	•
Vehicle to Load (V2L) connection (outside) - 2-way adapter to domestic 3-pin plug output	•	•	•
Visual notification of charging status (charge port door) - Parametric pixel LED indicator	•	•	•
Voice notification of charging status (outside) - using external VESS speaker	•	•	•
Driving convenience	DYNAMIQ	TECHNIQ	EPIQ
Auto Hold function	•	•	•
Easy Access function - driver's seat	-	•	•
Electronic Parking Brake (EPB)	•	•	•
Integrated Memory System (IMS), 2 driver positions - including;			
Driver's seat (excluding lumbar) & exterior rear view mirror position	-	•	•
One touch turn signal - 3, 5, or 7 flashes	•	•	•
Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest	•	•	•
Rain sensing aero wipers	•	•	•
Remote Start - via Smart Key	•	•	•
Reverse parking aid function - side mirrors	-	•	•
Smart key with push button start	•	•	•
Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode	•	•	•
Tilt & telescopic steering column	•	•	•
Driving engagement	DYNAMIQ	TECHNIQ	EPIQ
Brake Mode - 2 settings; Normal & Sport	•	•	•
Drive Mode - 4 settings; Eco, Normal, Sport, Snow	•	•	•
Shift By Wire (SBW), electronic gear shift control	•	•	•

Active safety	DYNAMIQ	TECHNIQ	EPIQ
Electronic Stability Control (ESC) including;			
Anti-lock Braking System (ABS)			
Brake Assist System (BAS)			
Electronic Brakeforce Distribution (EBD)			
Hill-start Assist Control (HAC)	•	•	•
Multi Collision-Avoidance Brake (MCB)			
Traction Control System (TCS)			
Vehicle Stability Management (VSM)			
Hyundai SmartSense™ including;			
Blind-Spot Collision Avoidance-Assist (BCA)			
Blind-Spot View Monitor (BVM)			
Driver Attention Warning (DAW), including;			
Leading Vehicle Departure Alert			
Forward Collision-Avoidance Assist (FCA) including:			
Car / Pedestrian / Cyclist Detection (FCA - CAR/PED/CYC)			
Junction Turning / Crossing functions (FCA - JT/JC)			
Lane Change Oncoming / Side functions (FCA - LO/LS)			
Evasive Steering Assist function (FCA - w/ ESA)			
High Beam Assist (HBA)			
Intelligent Speed Limit Assist (ISLA)			
Lane Following Assist (LFA)			
Lane Keeping Assist - Line/Road-Edge (LKA-L/R)			
Parking Collision-Avoidance Assist - Reverse (PCA-R)	•	•	•
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)			
Rear Occupant Alert (ROA) - warning type			
Safe Exit Assist (SEA)			
Smart Cruise Control (SCC), including;			
Stop & Go function (SCC w/ S&G)			
Machine Learning function (SCC w/ ML) - Based on Driving Style			
Surround View Monitor (SVM) including;			
3D Surround View function			
Driving Rear-View Monitor (DRM) function - rear view image on command			
Parking Distance Warning function w/ dynamic guidelines & guidance display			
Car wash entering mode			
Tailgate guide-line mode			
Trailer connection mode			
Other features			
Emergency Stop Signal (ESS)	•	•	•
Manual Speed Limit Assist (MSLA)	•	•	•
Parking Distance Warning - Forward/Reverse (PDW-F/R) - 6 sensors front & rear with guidance display	•	•	•
Smart Parking Assist (SPA), including;			
Perpendicular & Parallel reverse parking and Parallel forward exit functions	•	•	•
Steering wheel with Haptic feedback - SmartSense™ functions	•	•	•
Remote Smart Parking Assist (RSPA), via Smart Key, including;			
Perpendicular & Parallel reverse parking and Forward/Rearward parking functions	•	•	•
Tyre Pressure Monitoring System (TPMS) - individual tyre pressure readout	•	•	•
Virtual Engine Sound System (VESS) - external sound notification for pedestrians	•	•	•
Passive safety	DYNAMIQ	TECHNIQ	EPIQ
Airbags			
Front airbags - driver & front passenger	•	•	•
Front centre side airbag	•	•	•
Side (thorax & pelvis) airbags - driver & front passenger	•	•	•
Side curtain airbags	•	•	•

Passive safety	DYNAMIQ	TECHNIQ	EPIQ
Doors			
Impact sensing auto door unlock	•	•	•
Electronic child safety lock - rear doors & windows	•	•	•
Seatbelts			
Load limiters - front & rear seat belts	•	•	•
Pretensioners & height adjustable upper mounts on front seat belts	•	•	•
Pretensioners on rear outboard seat belts	•	•	•
Seat belt reminder - front & rear seatbelts	•	•	•
Seating			
Height adjustable front head restraints with tilt function	•	•	•
Height adjustable rear head restraints	•	•	•
ISOFIX child restraint anchors (rear outboard seats)	•	•	•
Top tether child restraint anchors (rear) - 3 anchors	•	•	•
Security	DYNAMIQ	TECHNIQ	EPIQ
Security system			
Active lock/unlock operation (user configurable)	•	•	•
Anti-theft alarm	•	•	•
Central locking	•	•	•
Engine immobiliser	•	•	•
Remotes			
Smart key remote - 2x	•	•	•
Other			
Capacitive touch front door handles - lock / unlock function	•	•	•
Multimedia system	DYNAMIQ	TECHNIQ	EPIQ
Audio/media sources			
AM radio	•	•	•
Apple CarPlay ¹ & Android Auto ² compatibility	•	•	•
Bluetooth audio streaming	•	•	•
FM / Digital radio (DAB+)	•	•	•
Sounds of Nature - 6 pre-set sounds	•	•	•
USB multimedia input - music/video	•	•	•
Functions			
Bluetooth® Message Access Profile (MAP) - SMS playback capability; audio & visual	•	•	•
Bluetooth® Multi-Connection; 1 x phone/audio & 1 x audio	•	•	•
Capacitive touch screen - 12.3" HD display with blue light filter	•	•	•
Live traffic updates (RDS-TMC)	•	•	•
Radio Data System (RDS)	•	•	•
Satellite navigation	•	•	•
Voice memo function - up to 70 minutes recording time	•	•	•
Speakers			
BOSE™ Premium audio system - 8 speakers with external amplifier	•	•	•
Other features			
Colour theme layout - White or Black	•	•	•
EV vehicle functions display	•	•	•
Quiet Mode function - Audio volume limited to '25' in 1st row and muted in rear	•	•	•
Occupant comfort & convenience	DYNAMIQ	TECHNIQ	EPIQ
Upholstery/trim			
Floor mats	•	•	•
Leather ³ appointed seats	•	•	•
Leather ³ appointed steering wheel	•	•	•
Leather ³ appointed centre console armrest w/real stitching	•	•	•
Leather ³ appointed door armrests w/cloth inserts & real stitching	•	•	•

Occupant comfort & convenience	DYNAMIQ	TECHNIQ	EPIQ
Front seats			
Driver's seat - power adjustable - 10-way (including 2-way lumbar support)	•	-	-
Driver's seat - power adjustable - 12-way (including 2-way lumbar support & 2-way calf support)	-	•	•
Driver's seat - 'Relaxion' comfort seat function (zero gravity position)	-	•	•
Driver's seat - Seat position change alert - displayed in multimedia system screen	-	•	•
Passenger's seat - power adjustable - 10-way (including 2-way lumbar support)	•	-	-
Passenger's seat - power adjustable - 12-way (including 2-way lumbar support & 2-way calf support)	-	•	•
Passenger's seat - 'Relaxion' comfort seat function (zero gravity position)	-	•	•
Passenger's seat - centre side control switch, including;			
Driver/rear passenger control for 2nd row slide (individual left & right)	-	•	•
One-touch relaxation seat control			
Integrated Memory System (IMS) - passenger seat via multimedia screen	-	•	•
Adjustable centre console (2-way sliding)	•	•	•
2 x USB power outlet - centre console	•	•	•
1 x 12V power outlet - front console	•	•	•
Wireless charging pad 15w (Qi standard) ⁴ with cooling function - centre console	•	•	•
Grip handles - 1x (passenger)	•	•	•
Rear seats			
Centre fold down armrest	•	•	•
Grip handles - 2x	•	•	•
2 x USB power outlet - rear of centre console	•	•	•
Manual backrest recline function - 2-way (60:40)	•	•	•
Manual seat base slide function - 2-way (60:40)	•	-	-
Power seat base slide function - 2-way (60:40)	-	•	•
Integrated Memory System (IMS) - rear seats via multimedia screen (60:40)	-	•	•
Windows/shades			
Acoustic laminated glass - windshield glass	•	•	•
Acoustic laminated glass - side doors	•	•	•
Solar control glass - windshield & front doors	•	•	•
Privacy glass - rear doors & tailgate	•	•	•
Power windows - one touch up & down function with anti-pinch safety feature - front windows	•	•	•
Convenience opening/closing function with Smart Key remote - front windows	•	•	•
Rear door window sunshades	-	•	•
Sun visors (extendable) - driver and front passenger	•	•	•
Vision roof - fixed glass roof panel with power sunshade	-	-	•
Doors/tailgate			
Luggage area power outlet - 1 x 12V outlet	•	•	•
Power charge flap - open/close; with Smart Key control	•	•	•
Power retractable door handles - with approach open & unlock function	•	•	•
Power Tailgate - open/close; with adjustable height and speed	•	•	•
Smart Tailgate function - hands-free opening	•	•	•
Other			
Instrument panel display board - with magnetic attachment capability	•	•	•

Vision & sight	DYNAMIQ	TECHNIQ	EPIQ
Interior mirror			
Electro-Chromatic Mirror (ECM) - auto-dimming	•	•	•
Exterior mirrors			
Heated	•	•	•
Power adjustable	•	•	•
Power folding with auto fold function	•	•	•
Instrument cluster			
Supervision cluster including;			
12.3" colour TFT-LCD full screen display			
Digital instrumentation with Driving Assist, Utility (Trip Computer), Turn By Turn & Powertrain view modes	•	•	•
3 x display themes; Eco/Snow, Normal & Sport with torque gauge			
Colour theme layout - White or Black			
Head-Up-Display			
Augmented Reality Display Mode functions:			
Turn-by-turn navigation display			
Driving convenience information			
Blind-spot safety information			
Speedometer display	•	•	•
Normal Display Mode functions:			
Turn-by-turn navigation display			
Driving convenience information			
Blind-spot safety information			
Multimedia information display			
Speedometer display			
Ventilation & heating	DYNAMIQ	TECHNIQ	EPIQ
Air conditioning			
Climate control - dual zone including;			
Touch type control panel			
Auto defog function			
Auto dehumidify function			
Smart vent function			
Auto internal air circulation function; windscreen washer based & navigation map data based	•	•	•
Auto fan function - including 3 modes; Low, Medium & High			
Cabin air filter			
Cooling/heating vents - rear 'B' pillars			
Cooling/heating ducts - rear floor			
Front seats			
Heated front seats - 3 stage	•	•	•
Air ventilated front seats - 3 stage	-	•	•
Rear seats			
Heated rear outboard seats - 2 stage	-	•	•
Other features			
Auto Comfort Control - auto activation of driver's heated / ventilated seat & heated steering wheel	-	•	•
Heated rear windshield	•	•	•
Heated steering wheel	-	•	•
Heat pump system - high efficiency heater	-	-	•
PTC Heater - electric heater	•	•	-
Exterior styling	DYNAMIQ	TECHNIQ	EPIQ
Front			
Headlights - black bezel with Parametric Pixel graphics	•	•	•
Front upper middle trim - gloss black with Parametric Pixel graphics	•	•	•
Front bumper upper trim - satin chrome	•	•	•
Front bumper lower middle trim - gloss black	•	•	•
Front bumper lower trim - satin chrome	•	•	•
Front bumper cladding - liquid silver	•	•	•
Front bumper skid plate - liquid silver	•	•	•

Exterior styling	DYNAMIQ	TECHNIQ	EPIQ
Rear			
Taillights - black bezel with parametric pixel graphics	•	•	•
Rear bumper/tailgate upper trim - satin chrome	•	•	•
Rear bumper upper middle side trims & skid plate surround - gloss black	•	•	•
Rear bumper lower middle side trims - satin chrome	•	•	•
Rear bumper cladding - liquid silver	•	•	•
Rear bumper skid plate - liquid silver	•	•	•
Roof spoiler - tailgate mounted aero type;	•	•	•
Body colour with piano black wind deflector			
Side			
Door frame, beltline moulding & mirror base/lower cover/front surround - gloss black	•	•	•
Flush type door handle	•	•	•
Middle upper side trim insert - gloss black	•	•	•
Middle lower side trim insert - satin chrome	•	•	•
Side cladding - liquid silver	•	•	•
Wheels			
Multi-spoke gloss black / machined finish aero wheel - with Parametric Dynamics pattern	•	•	•
Other features			
Roof aerial (shark fin type) - gloss black	•	•	•
Interior styling	DYNAMIQ	TECHNIQ	EPIQ
Treatments			
Alloy effect finish (dashboard, door handles/speakers, cabin switches, wiper/light/transmission controls, air vents, centre console & overhead light console)	•	•	•
Gloss black - hybrid-touch steering wheel buttons, drive mode button, EV start/stop button, electronic park brake button & auto hold button	•	•	•
Materials			
Pedals - alloy	•	•	•
Door scuff plates - stainless steel	•	•	•
Door trim insert garnish - paperette w/Parametric Pixel graphics	•	•	•
Headlining - cloth knit melange look	•	•	•
Design			
Steering wheel - EV exclusive with flat bottom & Parametric Pixel graphics	•	•	•
Lighting	DYNAMIQ	TECHNIQ	EPIQ
Exterior lighting - front			
Headlight functions - automatic dusk sensing with escort and welcome	•	•	•
Headlight type - Dual projector beam LED - low/high beam	•	•	•
Positioning lights - LED w/Parametric Pixel graphics	•	•	•
Daytime Running Lights (DRL) - LED w/Parametric Pixel graphics	•	•	•
Turn signal lights - LED w/Parametric Pixel graphics	•	•	•
Hidden LED light guide - upper bumper trim	•	•	•
Lighting	DYNAMIQ	TECHNIQ	EPIQ
Exterior lighting - rear			
Taillights - Full LED w/Parametric Pixel graphics	•	•	•
Positioning lights - LED	•	•	•
LED light guide - full width	•	•	•
Brake lights - LED	•	•	•
Turn signal lights - LED	•	•	•
Reverse lights - LED	•	•	•
Fog lights - LED	•	•	•
License plate lights - LED	•	•	•
High mount stop light (HMSL) - LED	•	•	•

Lighting	DYNAMIQ	TECHNIQ	EPIQ
Exterior lighting - others			
Side repeaters - LED w/Parametric Pixel graphics, integrated into side mirrors	•	•	•
Front cargo area light - LED	•	•	•
Manual headlight levelling function - 4 levels; 0, 1, 2, & 3	•	•	•
Interior lighting - front			
Map lights with touch type operation - LED	•	•	•
Mood light - LED	•	•	•
Room lights including map lights & mood light - LED	•	•	•
Glovebox compartment light - LED	•	•	•
Vanity mirror lights	•	•	•
Interior lighting - rear			
Centre room light - LED	•	•	•
Room lights and map lights - LED (outboard)	-	-	•
Interior lighting - others			
Interior Ambient lighting - LED: door armrests & speaker surrounds, including;	•	•	•
Adjustable colours & brightness; 10 pre-set and up to 64 colour choices			
Rear cargo area light	•	•	•
Interior light fade-out delay	•	•	•
Storage solutions	DYNAMIQ	TECHNIQ	EPIQ
Front seats			
Centre console w/main & armrest compartment storage	•	•	•
Cup holders including phone holder - centre console	•	•	•
Front console storage compartment	•	•	•
Glovebox compartment - sliding type	•	•	•
Ticket holders - sun visors (driver and front passenger)	•	•	•
Rear seats			
Centre console rear storage compartment	•	•	•
Coat hooks - 1x	•	•	•
Cup holders including phone holder - armrest	•	•	•
Front seat back pockets - net type	•	•	•
Split folding backrest - 60:40	•	•	•
Boot/luggage area			
Cargo cover - dual position, retractable	•	•	•
Luggage board - foldable	•	•	•
Luggage compartment - 4x tie down hooks	•	•	•
Luggage net	•	•	•
Underfloor storage compartment	•	•	•
Bonnet			
Front cargo compartment	•	•	•
Others			
Doors - map pockets and bottle holders (front and rear)	•	•	•
Notes: 1. Apple CarPlay requires iPhone 5 or subsequent model (lightning cable) in order to operate. 2. Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate. 3. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof. 4. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate. Key: • = Feature included as standard on trim - = Feature is not available on trim			