

### **SPORT**

### **Engine**

3.6 Pentastar V6 with ESS 209kW 347Nm

### **Transmission**

8-Speed Automatic Four Wheel Drive

### 4x4 System

Selec-Trac® Active On-Demand 4x4

### Features:

- Premium Black Cloth Low Back Bucket Seats
- Full Speed Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor with Rear Cross Path Body Colour Fender Flares Detection
- Uconnect 4 with 7" Touchscreen Display
- 7" Cluster TFT Colour Display
- Apple CarPlay & Google Android Auto
- 17" Silver Aluminium Wheels
- Selectable Tyre-Fill Alert
- Removable Black Freedom Hard Top Roof
- Black Fender Flares

### **OVERLAND**

### **Engine**

3.6 Pentastar V6 with ESS 209kW 347Nm

### **Transmission**

8-Speed Automatic Four Wheel Drive

### 4x4 System

Selec-Trac® Active On-Demand 4x4

### Features:

- McKinley Leather Seats with Overland Logo
- Heated Front Seats & Steering Wheel
- Removable Body Colour Freedom Hard Top Roof
- LED Headlights/Taillights/Day-Time Running Lights/Fog Lights
- Full Speed Forward Collision Warning
- Adaptive Cruise Control with Stop
- Blind Spot Monitor with Rear Cross Path Detection
- 8.4" Uconnect with Satellite Navigation
- Apple CarPlay & Android Auto
- 17" Alloy Wheels
- Remote Proximity Keyless Entry
- 9-Speaker Alpine® Premium Audio System

### **RUBICON**

### Engine

3.6 Pentastar V6 with ESS 209kW 347Nm

### Transmission

8-Speed Automatic Four Wheel Drive

### 4x4 System

Rock-Trac® Active On-Demand 4x4

### Features

### (in addition, or replacing Overland):

- Tru-Lok® Front & Rear Locking Differentials
- Trailer Sway Damping
- FOX Aluminum-Bodied 2" Diameter Front & Rear Shocks
- 32" BFGoodrich Off-Road Tyres [255/75R17]
- 17" Alloy Wheels
- Steel Rear Bumper
- Selectable Tyre-Fill Alert
- Removable Black Freedom Hard Top Roof
- Black Fender Flares
- Optional Rubicon Leather Seats
- Optional Heated Front Seats & Steering Wheel (Leather only)







# SPECIFICATIONS

# GLADIATOR

Capability & Performance	Code	Sport	Overland	Rubicon
Selec-Trac® Active On-Demand 4x4 System	DHP	•	•	-
Rock-Trac® Active On-Demand 4x4 System	DHF	-	-	•
Tru-Lok® Front & Rear Locking Differentials	DSE	-	-	•
Rear Stabiliser Bar	SHF	•	•	•
Fox Performance Shocks - Front	SFC	-	-	•
Fox Performance Shocks - Rear	SGC	-	-	•
Electronic Front Stabiliser Bar Disconnect	SHG	-	-	•
Dana M210 Front Axle	DJF	•	•	•
Dana M220 Rear Axle	DRF	•	•	•
Rear Axle Ratio 3.73	DME		•	-
Rear Axle Ratio 4.10	DMF	N -	-	•
Skid Plate - Fuel Tank	XEE	W .	•	•
Skid Plate - Transfer Case	XEF		•	•
Skid Plate - Transmission	XE9		•	
Black Injection Molded Front Bumper	МВА		•	•
Steel Front Bumper	MC6	1-1	-	0
Steel Rear Bumper	MD6	- 1	£ (-	•
Wash-Out Interior with Removable Carpet and Drain Plugs	<b>N</b> .	• 33		10
Safety, Security & Driver Assistance	Code	Sport	Overland	Rubicon
Advanced Brake Assist	BGG	•	Marie To	w . 1
Electronic Stability Control		1200		
	BNB	•	140	· ·
Hill Start Assist	BNB	•		
Hill Start Assist Traction Control				
	BNG	•		•//
Traction Control	BNG BNM		1	• 11
Traction Control  Electronic Roll Mitigation	BNG BNM BNS			
Traction Control  Electronic Roll Mitigation  Trailer Sway Control	BNG BNM BNS BNT	• //		
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS	BNG BNM BNS BNT BR2	• • • • • • • • • • • • • • • • • • • •	• • •	•
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert	BNG BNM BNS BNT BR2 LA5			
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert  Remote Proximity Keyless Entry	BNG BNM BNS BNT BR2 LA5 GXD	•		
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert  Remote Proximity Keyless Entry  Security Alarm	BNG BNM BNS BNT BR2 LA5 GXD LSB	•		
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert  Remote Proximity Keyless Entry  Security Alarm  4 Airbags (2 Front, 2 Side Seat)	BNG BNM BNS BNT BR2 LA5 GXD LSB			
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert  Remote Proximity Keyless Entry  Security Alarm  4 Airbags (2 Front, 2 Side Seat)  Parkview Reverse Parking Camera	BNG BNM BNS BNT BR2 LA5 GXD LSB - XAC XAA			
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert  Remote Proximity Keyless Entry  Security Alarm  4 Airbags (2 Front, 2 Side Seat)  Parkview Reverse Parking Camera  ParkSense Rear Park Assist System	BNG BNM BNS BNT BR2 LA5 GXD LSB - XAC XAA			
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert  Remote Proximity Keyless Entry  Security Alarm  4 Airbags (2 Front, 2 Side Seat)  Parkview Reverse Parking Camera  ParkSense Rear Park Assist System  ParkSense Front Park Assist System (NAW Steel Front Bumper)	BNG BNM BNS BNT BR2 LA5 GXD LSB - XAC XAA XHU			
Traction Control  Electronic Roll Mitigation  Trailer Sway Control  Heavy Duty 4-Wheel Disk Brakes with ABS  Selectable Tyre Fill Alert  Remote Proximity Keyless Entry  Security Alarm  4 Airbags (2 Front, 2 Side Seat)  Parkview Reverse Parking Camera  ParkSense Rear Park Assist System  ParkSense Front Park Assist System (NAW Steel Front Bumper)  Adaptive Cruise Control with Stop	BNG BNM BNS BNT BR2 LA5 GXD LSB - XAC XAA XHU NH3			

Utility	Code	Sport	Overland	Rubicon
Cargo Area Tie Down Loops	СКТ	•	•	•
Cargo Group with Trail Rail Management System	CMD	0	0	0
Spray-In Bedliner	XMF	0	0	0
Roll-Up Tonneau Cover	CSD	0	0	0
AUX Switches (4 x Programmable Switches)	LH2	0	0	0
240 Amp Alternator	BAL	0	0	0
700 Amp Maintenance Battery	BCV	0	0	0
Comfort & Convenience	Code	Sport	Overland	Rubicon
Automatic Headlamps	LMG	•	•	•
Automatic Headlamp Leveling System	JKJ	1000	•	•
Rear View Auto Dim Mirror	GNK	4	•	•
Remote Start System	XBM	0	•	•
Speed Limiting Device	NH2	•	•	•
Air Conditioning with Automatic Temperature Control	НАВ		•	•
Speed-Sensitive Power Locks	JPH	<b>X</b> \•	•	19.8
Power Adjustable, Heated Mirrors	GTB	17.4	<b>.</b>	•
Power Windows	JPY	F (A) 125		•
12V Auxiliary Power Outlet	JJJ		<b>5</b> •	•
Tilt/Telescope Steering Column	SUD		•	•
Torx Tool Kit	XE4	•		
Rear Window Defroster	GFA	•	•	• //

Audio & Connectivity	Code	Sport	Overland	Rubicon
7" Uconnect 4 Touch Screen Display: Apple CarPlay & Android Auto	UJG	•	111	-
8.4" Uconnect 4 Touch Screen with Navigation: Satellite Navigation Bluetooth Phone & Audio AM/FM/DAB+ Radio Apple CarPlay Android Auto	UJQ		in the same of the	10355
7.0" Multi-View Driver Information Display	JAL			90.
9-Speaker Alpine Premium Audio System with Subwoofer		-	•	
Steering Wheel Mounted Audio Controls	RDZ	<b>26.</b>	•	4
Wireless Bluetooth Speakers	RSJ	0	0	0
Media Hub (USB-A, USB-C, AUX)	RSF	1.	• //	
Centre Console USB-A Port	RSX	1168	•	

# ATIONS & WHEELS

# GLADIATOR

Exterior	Code	Sport	Overland	Rubicon
Alloy Wheels - 17-inch	-	•	•	•
Power Dome Dual Vented Hood	MMV	•	•	•
Heavy Duty Rock Slider with Step Assist	MMU	•	•	•
Grille - Bright	MFZ	-	•	-
Grille - Body Colour/Accent Colour	MF4	-	-	•
Fender <mark>Flares - Black</mark>	MM2	•	-	•
Fende <mark>r Flares - Body Co</mark> lour	MM3	-	•	-
Hard Top - Removable, Black 3-Piece	HT1	•	-	•
Hard Top - Removable, Body Colour 3-Piece	HT3	-	•	-
Dee <mark>p Tint Sun</mark> screen Windows	GCD	•	•	•
Re <mark>m</mark> ovable Full Metal Doors	GCF		•	•
Headlamps - LED	LPX	<b>N</b> •	•	•
Fog Lamps - LED	LNV	•	•	•
Tail Lamps - LED	LAY	10	•	
Dayt <mark>ime Runni</mark> ng Lamp Syste <mark>m -</mark> LED	LPY		•	•
Red Trail Rated Badge	МТВ	19 1	di contention	•
Trail Rated Badge - Left, Front Fender	MT2	- 0		-

Interior	Code	Sport	Overland	Rubicon
Seat - Sport Premium Cloth Bucket	*A7	•	-	-
Seat - Rubicon Premium Cloth Bucket	*D5	-	-	•
Seat - McKinley Leather with Overland Logo	*ML	-	•	-
Seat - Rubicon Leather Trimmed Bucket	*AL	-	-	0
Seat - Heated Front	JPM	-	•	0
Rear Seat - 60/40 Split Folding	CFN	•	•	•
Red-Ical I/P Bezels	JEL	-	-	•
Premium Wrapped I/P Bezels	JEK	-	•	-
Floor Mats - Front & Rear	CLE	•	•	-
Steering Wheel - Leather Wrapped	SCV	-380	•	•
Steering Wheel - Heated	NHS	-	•	0
Leather-Wrapped Shift Knob	CVW	- 1	•	•
Leather-Wrapped Parking Brake Handle	CVP		•	•
Premium Door Trim Panel	CBF		•	0
Passenger Assist Handles	CSR	X \·	•	-
Lockable Rear Underseat Storage	cuw	0	0	0
LED Interior Lighting	LHA	# A 2 123	•	•

Standard (●) Option (○) Not Offered (-)



WF6 - 17-Inch Aluminium Painted Black Wheel (Standard on Sport)



WFG - 17-Inch Aluminium Painted Satin Carbon Wheel (Standard on Overland)



WFJ - 17-Inch Granite Crystal Alloy Wheels (Standard on Rubicon)



WFN - 17-Inch Polished Black Alloy Wheels (Option on Rubicon)

	Code	Sport	Overland	Rubicon
HD Electrical Group AUX Switches (4x Programmable Switches) 240 Amp Alternator 700 Amp Maintenance Battery	ADH LH2 BAL BCV	0	0	0
Cargo Group with Trail Rail System  Lockable Rear Underseat Storage	CMD CUW	0	0	0
Roll-up Tonneau Cover	CSD	0	0	0
Spray In Bedliner	XMF	0	0	0
Wireless Speaker - Bluetooth	RSJ	0	0	0
Luxury Leather Package  Black Leather Trimmed Bucket Seats  Heated Front Seats  Heated Steering Wheel  Premium Door Trim Panel	ML/AL JPM NHS CBF		S	o
Steel Front Bumper	MC6	- 45	The same of the sa	0
17-Inch Polished Black Alloy Wheels	WFN	- 4	Van	0
Remote Start System	AFB	0	S	S

Option (O) Standard (S) Not Available (-)



PX8 - Black



PW7 - Bright White



PRC - Firecracker Red



PAU - Granite Crystal



PDN - Sting Grey



PBJ - Hydro Blue



PRV - Snazzberry



PGG - Sarge Green



PFM - Gecko\*

### **SPORT**



A7X9 - Black Cloth Low-Back Bucket Seats (Standard - Sport)

### **OVERLAND**



MLX9 - Black McKinley Leather with Overland Logo (Standard - Overland)

### **RUBICON**



D5X9 - Black Premium Cloth Low-Back Bucket Seats (Standard - Rubicon)



ALX9 - Black Leather Trimmed Bucket Seats (Option - Rubicon)

	Sport	Overland	Rub	picon
Option Code	A7X9	MLX9	D5X9	ALX9
Seat Material	Cloth	Leather	Cloth	Leather
Seat Colour	Black	Black	Bla	ack
Instrument Panel	Silver (Bezels)	Silver (Bezels)	Redical	(Bezels)
Steering Wheel	Leather Wrapped	Leather Wrapped	Leather	Wrapped
Exterior Colour				
Black (PX8)	76/	•	•	•
Bright White (PW7)	Mark .	•	•	•
Granite Crystal (PAU)		•		•
Sting Grey (PDN)		•		
Firecracker Red (PRC)		•	•	
Hydro Blue (PBJ)	4/1	•	•	
Snazzberry (PRV)			•	A LA BA
Sarge Green (PGG)		•	• A	
Gecko (PWM)*		-	• #	

<sup>\*</sup>Gecko Green is a limited colour edition. Customer order only.

# - INFORMATION

# GLADIATOR

Technical Specifications	Sport 3.6L 8AT 4x4	Overland 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4	Technical Specifications	Sport 3.6L 8AT 4x4
Body & Chassis	'	1		Weights	
Layout		Front Engine, 4x4		Max. Braked Towing Capacity (kg)	
Construction	Body on fra	me chassis, open steel and all	uminum body	Max. Unbraked Towing Capacity (kg)	
Assembly Plant	Toled	do Supplier Park. Toledo, Ohio	. USA.	Max. Tongue Download (kg)	
Doors		4-Door		Kerb Mass (kg)	2
Seats		5		Gross Vehicle Mass (kg)	2
Model Code	JTUL98-24B	JTLUP98-24G	JTUS98-24R	Payload (kg)	
	Sales Control			Gross Combined Mass (kg) Incl. Braked Towing	5
Powertrain	art Cha			Transmission	
Description		3.6L Pentastar V6 w/ ESS		Туре	The state of the s
Capacity	200	3604		Ratio - 1st	
Cylinders		6		Ratio - 2nd	
Configuration		V		Ratio - 3rd	Mary Isl
Aspiration (Natural / Forced)		Naturally Aspirated		— Ratio - 4th	W.
Max. Power (kW @ rpm)		209 @ 6400		— Ratio - 5th	I wint B
Max. Torque (Nm @ rpm)		347 @ 4100		Ratio - 6th	
Valves		24		— Ratio - 7th	
Compression		11:03:01	1	— Ratio - 8th	76.0
Bore & Stroke (mm)	50	96.0 x 83.0	7/1	— Reverse	
Fuel		4/	316	— Brakes	
System	Seque	ntial, Multi Port, Electronic, Re	turnless	Front - Type	Ventilated
Туре		Unleaded Petrol		Front - Size (mm)	Ventuated
Fuel Tank Capacity (L)	The state of the s	83		Rear - Type	Solid disl
Economy (Urban, L/100km)	13.8	14.3	15.4	Committee of the commit	Soliu dis
Economy (Highway, L/100km)	9.1	9.4	10.6	Rear - Size (mm)	
Economy (Combined, L/100km)	10.8	11.2	12.4	Wheel & Tyre	
Emissions	Line V. W. Carleson	M. Was timed Secretary		Wheel Type	N
Emission Standard Met	The second secon	Euro 6B	Will Hold in the + 1	Wheel Size (Inches)	17.0 x 7.5
Emissions (Combined, CO, g/km)	20	260 288		Tyre Size	245 / 75
Steering	Marie Salar Sa	1/41/1-51/35/20	5 - C.	Spare Wheel	Under-Vehicle Mounted Steel When
Туре		Electro-Hydraulic Power			
Turning Circle - Kerb to Kerb (m)		13.6	Market Company		
Column Adjustment		Tilt/Telescopic		THE CONTRACTOR OF THE PARTY OF	

Technical Specifications	Sport 3.6L 8AT 4x4	Overland 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4			
Weights						
Max. Braked Towing Capacity (kg)	2,721					
Max. Unbraked Towing Capacity (kg)		750				
Max. Tongue Download (kg)		136				
Kerb Mass (kg)	2,10	)4	2,215			
Gross Vehicle Mass (kg)	2,63	31	2,835			
Payload (kg)		681				
Gross Combined Mass (kg) Incl. Braked Towing	5,08	30	5,284			
Transmission	200					
Туре	1	8-Speed Automatic				
Ratio - 1st		4.71				
Ratio - 2nd	The said	3.13				
Ratio - 3rd	The said	2.10				
Ratio - 4th	100	1.67				
Ratio - 5th	La Contraction of the Contractio	1.28				
Ratio - 6th		1.00				
Ratio - 7th		0.84				
Ratio - 8th		0.67				
Reverse		3.30				
Brakes			1 June 1			
Front - Type	Ventilated dis	sk, floating twin piston calip	er with ABS			
Front - Size (mm)		330 x 28				
Rear - Type	Solid disk, f	loating single piston calipe	r with ABS			
Rear - Size (mm)	350 x 22					
Wheel & Tyre		4	6.3			
Wheel Type		Alloy	W Y			
Wheel Size (Inches)	17.0 x 7.5		17.0 x 7.5			
Tyre Size	245 / 75	255 / 70	255 / 75			
Spare Wheel	Under-Vehicle Mounted Steel Wheel	Under-Vehicle Mounted Steel Wheel	Under-Vehicle Mounted Steel			

Weights & Capacities	Sport 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4			
Dimensions					
Length (mm)	5,591				
Width (mm)	1,894				
Height (mm)	1,8	357	1,882		
Wheelbase (mm)		3,488			
Front Track (mm)	1,5	598	1,636		
Rear Track (mm)	1,5	598	1,636		
Susp <mark>ension</mark>	A STATE OF THE PARTY OF THE PAR				
Туре	a s	Coil			
Front	Solid axle, link coil, I	eading arms, track bar, co	oil springs, stabilizer bar		
Rear	Solid axle, link coil, tr	ailing arms, track bar, c	oil springs, stabilizer bar		
Shocks	Gas-charged monotube shock absorbers		High-pressure, gas charged		
Electronic Stabiliser Bar Disconnect		1	Front		
4x4 Specifics			1		
4x4 System	Selec-Trac® 4x4 Active On-Demand		Rock-Trac® 4X4 Active On-Der		
Operating Mode	2WD High; 4WD	High Auto; 4WD High;	Neutral; 4WD Low		
Low Range Ratio	2	.72:1	4.0:1		
Rear Axle Ratio		3.73	4.10		
Front Axle		Dana M210	K + 1		
Rear Axle		Dana M220	1		
Electronic Locking Differentials		-377	Tru-Lock® Front & Re		
Running Clearance (mm)	34/	249			
Approach Angle		39° minimum			
Breakover Angle		18.2°			
Departure Angle	25° minimum				
Wading Depth (mm)	Was a Land Sallane Bushing 760				
Warranty & Service	Sport 3.6L 8AT 4x4	Overland 3.6L 8AT 4x4	Rubicon 3.6L 8AT 4x4		
Service Intervals	12,000km / 12 months				
Warranty	3 year / 100,000 km				
Roadside Assist	3 year / 100,000 km				



**Jeep** 



jeep.co.nz

Overseas models may be shown in imagery, New Zealand model and actual colours may vary. All product illustrations and specifications are based upon current information. Jeep NZ reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in New Zealand from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in New Zealand, please contact an authorised Jeep Dealer.