

$EV6\,$ MY23 - Mechanical & Feature List

| Drivetrain | RWD Sin | gle Motor | AWD Dual Motor | (GT) AWD Dual Motor |
|---|--|--|---|---|
| Electric Motor Location | Re | ear | Front + Rear | Front + Rear |
| Driven Wheels | Rear Wh | | All Wheel Drive | All Wheel Drive |
| Motor Type Front | | | Permanent Magnet | Permanent Magnet |
| Word Type From | | Synchronous Motor Synchronous Motor | | |
| Motor Type Rear | | Permanent Magnet Permanent Magnet Permanent Magnet Synchronous Motor Synchronous Motor Synchronous Motor | | |
| Maximum Power - Rear Motor / Front Motor | 168 k | :W / - | 165 kW / 74 kW | 270 kW / 160 kW |
| Maximum Torque - Rear Motor / Front Motor | 350 N | Nm / - | 350 Nm / 255 Nm | 390 Nm / 350 Nm |
| Combined System Output (Power / Torque) | 168 kW / | ' 350 Nm | 239 kW / 605 Nm | 430 kW / 740 Nm |
| Acceleration 0-100kph | Approx. 7. | 3 seconds | Approx. 5.2 seconds | Approx. 3.5 seconds |
| Maximum Speed | 185 km/h 188 km/h 260 km/h | | | 260 km/h |
| Transmission Type | 1 Speed Automatic Transmission (Reduction Gear) 1 Speed Automatic Transmission (Reduction Gear) | | 1 Speed Automatic Transmission (Reduction Gear) | |
| Final Gear Ratio (Constant) | 10. | | 10.65 | 10.65 |
| Model Variants | EV6 Air RWD, | GT-Line RWD | GT-Line AWD | GT AWD |
| Battery | | | | |
| Battery Type | | | Li-ion Battery | |
| Energy (kWh) | | | 77.4 | |
| Voltage (V) | | | 697 | |
| Capacity (Ah) | | | 111.2 | |
| Battery Weight (kg) | | 47 | | 479 |
| Battery Position | | 47 | Under Floor | 7/3 |
| AC Normal Charging ¹ | | | Officer F100F | |
| | | | Driver Side Bear (Tail Light) | |
| Charge Port Type AC | | | Driver Side Rear (Tail Light) | |
| Charge Port Type - AC | | | Type 2 (IEC 62196-2) | |
| On Board Charger (OBC) Maximum Capacity | | | 10.5kW | |
| AC Charge 10-100% - with 11kW Charger | | | Approx. 7h 20m (3 Phase / 16A) | |
| DC Fast Charging ¹ | | | | |
| Charge Port Location | | | Driver Side Rear (Tail Light) | |
| Charge Port Type - DC | | CCS T | ype 2 (IEC 62196-3 Configuration | on FF) |
| DC Fast Charge 10-80% (50kW Charger) | | Approx. 73m | | |
| DC Fast Charge 10-80% (350kW Charger) | | | Approx. 18m | |
| Supported Charging Infrastructure | | | 400 V and 800 V | |
| WLTP Range ² | Air RWD | GT-Line RWD | GT-Line AWD | (GT) AWD Dual Motor |
| Energy Consumption (Wh/km) - Combined | 165 | 172 | 180 | 206 |
| All Electric Range (AER) - Combined (km) | 528 | 504 | 484 | 424 |
| Dimensions | | | | |
| Overall Length (mm) | 4,680 | | 4,695 | |
| Overall Width (mm) | 1,880 | | 1,890 | |
| Overall Height (mm) | | 1,5 | 50 | 1,545 |
| Wheelbase (mm) | | | 2,900 | |
| Minimum Ground Clearance (mm) | | 16 | 60 | 155 |
| Cargo Area Rear (Min) (L, VDA) | 490 | | 480 | |
| Cargo Area Rear (Max) (L, VDA) | | | | |
| Cargo Area Front (Frunk) | 1,270 | | 1,260 | |
| cargo / rea i form (i fame) | | <u></u> | | DL |
| Weight | | <u> </u> 2L | | DL |
| 3 | | | | DL 2,185 |
| Weight | 2,0 | | 20 | |
| Weight Tare Weight (kg) | 2,0 | 000 | 2,105 | 2,185 |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity ³ | 2,0 | 000 | 2,105 | 2,185 |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) | 2,0 | 100 135 | 2,105 2,540 750 | 2,185 2,620 |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity ³ | 2,0 | 000 | 2,105 2,540 750 | 2,185 |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) | 2,0 | 100 135 | 2,105 2,540 750 00 | 2,185 2,620 |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features | 5; 2,0 2,4 Air | 100 135 | 2,105 2,540 750 00 100 GT-Line | 2,185 2,620 1,800 GT |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features Exterior Charge Status Indicator | 2,0 2,4 Air | 100 135 | 2,105 2,540 750 00 | 2,185 2,620 1,800 |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features | 5; 2,0 2,4 Air | 100 135 | 2,105 2,540 750 00 100 GT-Line | 2,185 2,620 1,800 GT |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor | 2,0 2,4 Air | 100 135 | 2,105 2,540 750 00 100 GT-Line | 2,185 2,620 1,800 GT |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) | 2,0 2,4 Air • | 100 135 | 2,105 2,540 750 00 100 GT-Line | 2,185 2,620 1,800 GT • |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) | 2,0 2,4 Air • | 100 135 | 2,105 2,540 750 00 100 GT-Line • | 2,185 2,620 1,800 GT • • |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) Smart Regenerative Braking | Air - - - | 100 135 | 2,105 2,540 750 00 100 GT-Line • | 2,185 2,620 1,800 GT • • |
| Weight Tare Weight (kg) Gross Vehicle Mass (kg) Towing Capacity³ Towing Capacity Unbraked (kg) Towing Capacity Braked (kg) Max. Towball Download (kg) EV Specific Features Exterior Charge Status Indicator V2L - Vehicle to Load Interior Socket (AUS/NZ Type Socket) V2L - Vehicle to Load Exterior Adaptor (Type 2 to AUS/NZ Type Socket) Regenerative Braking Control via Paddle Shifters (Levels 0-3) Smart Regenerative Braking i-Pedal - One Pedal Driving Function | Air | 100 135 | 2,105 2,540 750 00 100 GT-Line • | 2,185 2,620 1,800 GT • • |

| Steering, Brakes & Suspension | Air RWD GT-Line RWD | GT-Line AWD | (GT) AWD Dual Motor |
|--|--|---------------------------|---------------------------------------|
| Power Steering System | Rack Mounted MDPS ⁴ (Electric Power Steering) | | |
| Steering Wheel Turn Lock to Lock | 2. | 2.3 | |
| DMS ⁵ System | 4 Modes - Eco, Normal, Sport, Snow | | 4 Modes (Eco, Normal, |
| Brake Mode Settings | | | Sport, GT) + My Drive Mode |
| | Normal & Sport | | |
| Tilt & Telescopic Adjustable Steering Column Minimum Turning Circle Diameter (m) | 11 | • | 11.0 |
| Minimum Turning Circle Diameter (m) | III | - | 11.9 |
| Electronic Controlled Suspension (ECS) | | _ | McPherson Strut with |
| Front Suspension Type | McPhers | son Strut | Double Ball Joint |
| Rear Suspension Type | | Multi-Link (5 Link) | |
| Front Brakes | 325mm Ver | ntilated Disc | 380mm Ventilated Disc |
| Rear Brakes | 325mm S | 360mm Ventilated Disc | |
| Electronic Parking Brake with Auto Hold Function | | • | |
| Wheels & Tyres | Air | GT-Line | GT |
| Wheel Size / Design | 19" Machined Alloy | 20" Machined Alloy | 21" Machined Alloy |
| Tyres | Kumho/Nexen 235/55 R19 | Continental 255/45 R20 | Michelin Pilot Sport 4S 255/40 R21 |
| TPMS (Tyre Pressure Monitoring System) | | • | |
| Spare Wheel Type | | Tyre Mobility Kit (TMK) | |
| Safety ⁶ | | | |
| Active Safety | | | |
| ABS (Anti-Lock Braking System) with EBD ⁷ & BA ⁸ | • | • | • |
| ESC (Electronic Stability Control) with TCS ⁹ | • | • | • |
| HAC (Hill-Start Assist Control) | • | • | • |
| MCB (Multi-Collision Braking) | • | • | • |
| AEB (Autonomous Emergency Braking) - | • | • | • |
| Car, Pedestrian, Cyclist & Junction Turning LKA (Lane Keeping Assist) | • | • | |
| LFA (Lane Following Assist) | | • | |
| BCW (Blind Spot Collision Warning) with RCCW | | | <u> </u> |
| (Rear Cross Traffic Collision Warning) | • | • | • |
| BCA (Blind Spot Collision Avoidance Assist) with RCCA (Rear Cross Traffic Collision Avoidance) | • | • | • |
| SEW (Safe Exit Warning) | • | • | • |
| SEA (Safe Exit Assist) | - | • | • |
| PCA (Parking Collision Avoidance Assist - Reverse) | - | • | • |
| DAA+ (Driver Attention Alert) with Lead Vehicle | | | |
| Departure Alert | | - | |
| ISLA (Intelligent Speed Limit Assist) | • | • | • |
| Haptic Steering Wheel Feedback | • | • | • |
| Parking Sensors with Dash Display (Front + Rear) | • | • | • |
| Rear View Camera with Dynamic Parking Guidelines SVM (Surround View Monitor) with 3D Mode | • | • | • |
| BVM (Blind Spot View Monitor) | _ | • | • |
| Electrochromic Rear View Mirror (Auto Dimming) | • | • | • |
| ROA (Rear Occupant Alert) - Door History Type | • | | |
| HBA (High Beam Assist) | | | |
| Dusk-Sensing Automatic Head Lights | | • | |
| Front Wiper & Washer (Low/High and 5-Speed Intermittent) | • | • | • |
| Rain Sensing Wipers | • | • | • |
| Door Open Warning on Driver Display | • | • | • |
| Seatbelt Warning Chime & Indicator Light (All Positions) | • | • | • |
| Speed Sensing Auto Door Locks | • | • | • |
| Remote Window Control (Front) | • | • | • |
| Child Restraint Anchorage Points | _ | _ | _ |
| (3 x Top Tether Anchors + 2 x ISOFIX Positions) | • | • | • |
| Child-Proof Rear Door Locks (Manual) | • | - | - |
| Powered Child-Proof Rear Door Locks | - | • | • |
| Passive Safety | | | |
| Driver & Front Passenger SRS Airbags | • | • | • |
| Centre Side Airbag (Front) | • | • | - |
| Front Side SRS Airbags | • | • | • |
| Curtain SRS Airbags | • | • | • |
| 3-Point ELR Seatbelts (All Positions) | • | • | • |
| Front Seatbelt Pre-Tensioners with Load Limiters | • | • | • |

| Security | Air | GT-Line | GT |
|---|------------------------------|--|--|
| Burglar Alarm | • | • • | |
| Anti-Theft Immobiliser | • | • | • |
| Remote Central Locking with Boot Release | | • | |
| Smart Key Remote (x 2) with Push Button Start | | • | |
| RSPA ¹⁰ (Remote Smart Park Assist) with Parallel, | • | • | • |
| Perpendicular Parking Function | - | • | • |
| Headlight Escort Function | • | • | • |
| Seating | | | |
| Seat Capacity | | 5 | |
| Sea† Trim | Cloth and Artificial Leather | Artificial Black Suede/ Vegan White Leather with White Stitching | Artificial Suede/ Artificial Leather with Green Stitching & Piping |
| 6-Way Drivers Seat | with 2-Way Power Lumbar | - | GT Bucket Seat |
| 6-Way Passenger Seat | • | - | GT Bucket Seat |
| 8-Way Power Drivers Seat with 2-Way Power Lumbar | _ | • | _ |
| Support and 2-Position Memory (IMS ¹¹) 8-Way Power Front Passenger Seat with 2-Way | | | |
| Power Lumbar Support | - | • | - |
| Premium Relaxation Seats (Front) | - | • | - |
| Reclining Rear Seatback - Multi Position | • | • | • |
| Front Centre Console Armrest | • | • | • |
| Height Adjustable Front Seatbelts | • | • | • |
| Rear Centre Armrest | • | • | • |
| Split Fold Rear Seats (60:40) | • | • | • |
| Height Adjustable Headrests (All Seats) | • | • | Rear Seats Only |
| Exterior Features | | | , |
| Exterior Body Design | Standard | GT-Line | GT |
| Painted Brake Calipers | - | - | Neon Green |
| Wheel Arch Mouldings | Matte Plastic | Body C | oloured |
| Gloss Black Window Surround and A-Pillar | | • | • |
| Gloss Black Outside Door Mirrors with Integrated Side Indicators | • | • | • |
| Electric Outside Door Mirrors (Adjust/Heated/Folding) | • | • | • |
| Flush Door Handles (Body Coloured) | • | Automat | ic Folding |
| LED Daytime Running Lights | • | • | • |
| LED Head Lights (Reflector Type) | • | • | - |
| LED Head Lights with Intelligent Front Lighting (Matrix LED) | - | - | • |
| LED Tail Lights with Foglight | • | • | • |
| Hands-Free Smart Power Tailgate | - | • | • |
| Wide Sunroof with Tilt and Slide Function + Safety Function | - | GT-Line AWD Only | • |
| Aero Blade Wipers | • | • | • |
| Shark Fin Antenna | • | • | • |
| Windscreen with Acoustic Film | • | • | • |
| Solar Glass (Windscreen & Front Door Glass) | • | • | • |
| Solar Glass (Rear Windows & Tailgate) | • | - | - |
| Privacy Glass (Rear Windows & Tailgate) | - | • | • |
| Laminated Front Door Glass | - | • | • |
| Interior Features | | | |
| 2 Spoke Premium Steering Wheel | • | • | • |
| Heated Steering Wheel Function | - | • | • |
| Shift By Wire Shift Knob (Dial Type) | • | • | • |
| Steering Wheel Paddles (Brake Regen Control) | • | • | • |
| ASCC (Advanced Smart Cruise Control) with Stop and Go | • | • | • |
| Multi-Function Trip Computer (Distance Travelled, | | • | • |
| Energy Consumption, Range, etc) | | | |
| User Selectable Options (Auto Door Lock/Unlock, Headlight Escort, etc) | • | • | • |
| Digital Clock (within Audio Display) | • | • | • |
| Ambient Temperature Display (within Cluster) | • | • | • |
| Door Lock Controls (Driver) | • | • | • |
| Power Windows (Front & Rear) | • | • | • |
| Auto Up/Down Windows with Safety Function (Front) | • | • | • |
| Metal Door Scuff Panels & Luggage Sill Plate | - | • | • |
| Alloy Sports Pedals | - | • | • |
| Driver's Foot Rest | • | • | • |
| Dashboard Garnish | Fabric Look | GT-Line Design | GT Design |
| Soft-Touch Door Armrest & Door Upper (Front) | • | • | • |
| Interior Trim (Console, Window Switch Panel) | Silver Metallic Finish | Gloss | Black |
| Driver & Passenger Sun Visors with Sliding Function | • | • | • |
| Illuminated Vanity Mirrors | | • | • |
| , | | | <u> </u> |

| Interior Features | Air | GT-Line | GT |
|---|-----|---------|----|
| 3 x USB Chargers (1 x Type A & 2 x Type C) in Front Tray | | • | • |
| 2 x USB Charger (Type C) in Front Seat Backs | • | • | _ |
| 2 x USB Charger (Type C) - Rear Console | _ | | • |
| 2 x 12 Volt Power Outlets (1 x Boot side / 1 x Front Tray) | • | • | • |
| Rear Window Defroster with Timer | • | • | • |
| LED Interior Lighting (Front & Rear) with Delay Out | • | • | • |
| Front & Rear Ambient Mood Lighting (64 Colours) | - | • | • |
| Wireless Phone Charger (Qi) ¹² | • | • | • |
| Storage | | | |
| 4 x Cup Holders (2 x Front Console, 2 x Rear Centre Armrest) | | | • |
| 4 x Bottle Holders (Front & Rear Doors) | • | • | • |
| Map Pockets in Front Doors | • | • | • |
| Glovebox with Illumination | • | • | • |
| Centre Console Storage Box with Lid | • | • | • |
| Front Storage Tray | • | • | • |
| Front Seat Back Pockets | • | • | - |
| 1 x Coat Hook | • | • | • |
| 2 x Coat Hangers (Front Headrests) | • | • | - |
| Remote Folding 2nd Row Seat (Release Lever x 2 in Boot) | • | • | • |
| Luggage Net Hooks (Cargo Area) | • | • | • |
| Luggage Net | - | • | • |
| Cargo Cover (Retractable) | • | • | • |
| Infotainment & Driver Display | | | |
| AM/FM Radio | | | • |
| DAB Digital Radio | • | • | • |
| 6 Speaker Sound System (4 Speakers, 2 Tweeters) | • | = | - |
| 14 Speaker Meridian® 13 Premium Sound System | _ | | _ |
| (5 Speakers, 4 Tweeters, 4 Woofers, 1 Subwoofer) | - | • | • |
| Curved Display (12.3" Digital Driver Cluster + 12.3" Touch Screen Infotainment) | • | • | • |
| Satellite Navigation Multimedia System with 10 Years Traffic Information and Map Updates | • | • | • |
| Augmented Reality Head Up Display (AR-HUD) | - | • | • |
| Sounds of Nature | • | • | • |
| Personalised Profile (Radio Favourites, Bluetooth Priority etc) | • | • | • |
| Bluetooth® Multi-Connection Functionality (Phone/Media Stream) ¹⁷ | • | • | • |
| Steering Wheel Mounted Audio/Bluetooth® Controls | • | • | • |
| Wired Android Auto™ with Voice Recognition ¹⁴ | • | • | • |
| Wired Apple CarPlay™ with Voice Recognition¹5 | • | • | • |
| Ventilation | | | |
| Dual-Zone Climate Control Air-Conditioning (with Driver Only Function) | • | • | • |
| Air Filter | • | • | • |
| Auto Windscreen Defog | • | • | • |
| 2nd Row Air Vents (B-Pillar) | • | • | • |
| Heated Front Seats | - | • | • |
| Heated Rear Seats | - | - | • |
| Ventilated Front seats | - | • | - |
| Exterior Colours | | | |
| Runway Red (CR5) | • | • | • |
| Glacier (GLB)# | • | - | - |
| Steel Grey (KLG)# | • | - | - |
| Yacht Blue (DU3)# | • | • | • |
| Snow White Pearl (SWP)# | • | • | • |
| Aurora Black Pearl (ABP)# | • | • | • |
| Moonscape Matte (KLM)## | - | • | • |
| Interior Colours | | | |
| Black (WK) with Light Grey Cloth Headliner | • | - | - |
| Black (WK) with Black Cloth Headliner | - | • | • |

Standard - Not available

Specifications apply to 2023 Model Year EV6. Kia Motors Australia reserves the right to discontinue or change the models, features, specifications, options, designs and prices of products referred to in this sheet without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items herein are optional at additional cost. Consult your Kia dealer for the latest information on models, specifications, features, prices, options and availability. ¹Charging times are based on Kia HQ testing and actual charge times will be dependent on charging conditions, including home charging type and condition, battery temperature as well as ambient temperature. Before using this product at home, consult with a licensed electrician to ensure your home electrical system can support the use. ² Figures based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy consumption, range and emissions in passenger vehicles, designed to provide figures closer to real-world driving behaviour. Real life driving results will vary depending on a combination of driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. ³ Subject to State regulations and towbar design. ⁴MDPS - Motor Driven Power Steering. ⁵DMS - Drive Mode Select. § Safety technologies are supplemental systems and do not replace the need for the driver to exercise care and attention. ⁵ EBD - Electronic Brake Distribution. ⁵ BA - Brake Assist. ³TCS - Traction Control System. ¹¹ The Road Traffic Code 2000 in WA prohibits people from driving a vehicle unless a person is behind the steering wheel and they have full control over the vehicle. The use of this Remote Smart Park Assist (RSPA) feature will not comply with this rule and thus it should not be used while within WA. ¹ IMS - Integrat