





# **LDV T60 MAX** – TECHNICAL SPECIFICATIONS

# **LDV T60 MAX**

PR	to.	LU	XE	MEGA TUB	PL	US	MEGA TUB PLUS
Manual		Manual			Manual	Auto	Auto

# **Engine**

Туре					irbo Diese Engine	I			
Maximum Power (kW/rpm)				160 @	4000				
Maximum Torque (Nm/rpm)				500 @ 15	500-2400				
Displacement (cc)				19	96				
Transmission	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	8SPD ZF Auto	
Compression Ratio		15:9:1							
No. of Valves	16								
No. of Cylinders				4	4				
Bore x Stroke (mm)				83	x 92				
Manual Shift Mode for Auto Models	-	1	-	1	1	-	/	/	
Eco/Power Mode	-	1	-	1	1	1	1	1	
Steering Assist Modes – Standard and Sport	-	-	-	-	-	1	1	1	
Intelligent Real Time Torque on Demand	/								
2WD and 4WD high and low selector		✓							

### **Ratios**

1st	4.657	5.000	4.657	5.000	5.000	4.657	5.000	5.000
2nd	2.594	3.200	2.594	3.200	3.200	2.594	3.200	3.200
3rd	1.714	2.143	1.714	2.143	2.143	1.714	2.143	2.143
4th	1.231	1.720	1.231	1.720	1.720	1.231	1.720	1.720
5th	1.000	1.314	1.000	1.314	1.314	1.000	1.314	1.314
6th	0.806	1.000	0.806	1.000	1.000	0.806	1.000	1.000
7th	-	0.822	-	0.822	0.822	-	0.822	0.822
8th	-	0.640	-	0.640	0.640	-	0.640	0.640
Reverse	4.252	3.456	4.252	3.456	3.456	4.252	3.456	3.456
Final Drive	3.818	4.100	3.818	4.100	4.100	3.818	4.100	4.100
Low Range			2.480				2.480	

nual Auto Manual Auto Auto Manual Auto Auto	PRO  Manual Auto		LUXE		TUB	PLUS		TUB PLUS
			Manual		Auto	Manual	Auto	Auto

## **Steering, Suspension and Brakes**

Steering, Suspension and Di	akes							
Steering – Rack and Pinion Hydraulic Power Assisted	1	1	1	1	1	-	-	-
Steering – Electric Power Steering (EPS)	-	-	-	-	-	1	1	1
Front Suspension – Double- Wishbone (Heavy Duty)	1	1	-	-	-	-	-	-
Front Suspension – Double- Wishbone (Comfort)	-	-	1	1	1	1	1	1
Rear Suspension – Leaf-Spring (Heavy Duty)	1	1	-	-	-	-	-	-
Rear Suspension – Leaf-Spring (Comfort)	-	-	1	1	1	-	-	-
Rear Suspension – Multi-link	-	-	-	-	-	1	1	1
Brakes – Front, disc					/			
Brakes – Rear, disc				,	/			
Wheels and Tyres	17" x 7J Alloy Wheels with 245/65 R17 Tyres 19" x 7J Black Alloy Wheels with 245/65 R17 Tyres 265/60R18HT tyres							
Spare Wheel	Steel 245/65R17							

## **Fuel and Emissions**

Fuel Tank (Litres)	73									
Combined Fuel Consumption, L/100km <sup>2</sup>	9.2	9.3	9.2	9.3	9.3	9.3	8.9	8.9		
Carbon Dioxide Emmissions (g/km)	243	244	243	244	244	244	232	232		
Emissions Standard	Euro 5									

# LDV T60 MAX

PR	10	LU	XE	MEGA TUB PLUS		US	MEGA TUB PLUS
Manual		Manual			Manual	Auto	Auto


PRO	LUXE	MEGA TUB	PLI	JS	MEGA TUB PLUS	
Manual Auto	Manual Auto	Auto	Manual	Auto	Auto	

# **Capacities, Dimensions and Weights**


Approach Apple (upleden degrees)	Weight			7			
Approach Angle (unladen, degrees)	27 24.2 24						
Departure Angle (unladen, degrees)							
Front Overhang (mm)			942			972	
Front Track/Rear Track (mm)			1580/1580		1	634 / 166	4
Ground Clearance (unladen) (mm)			215			220	
Overall Length (mm)		53	65	5680	53	95	5710
Overall Height (without Roof Rails) (mm)			1809 1819				
Overall Width (Exterior Mirrors extended) (mm)			21	45			
Overall Width (Exterior Mirrors folded) (mm)	1900						
Rear Overhang (mm)	1268 1248						
Ramp Breakover Angle (degrees)	21.3° 19°						
Turning Circle (kerb to kerb) (m)	12.6 12.7				2.7	13.8	
Wading Depth (mm)			55	50			
Wheelbase (mm)		31	55	3470	31	75	3490
Tub Box Width – Pick-Up Box (mm)			15	10			
Tub Box Width of Rear Opening (mm)			14	30			
Tub Height – at Centreline of Axle (mm)			53	30			
Tub Length – at Floor (mm)		14	85	1800	14	.85	1800
Tub Length – Top of Box (mm)		15	25	1840	15	25	1840
Tub Width – Between Wheel Arches (mm)	1131						
Axle Load Capacity – Front (kg)	1320	1330	1360	1400	1365 1375 14		
Axle Load Capacity – Rear (kg)	) 1730 1720 1540 1850 1685				1675	1630	
Gross Combined Vehicle Mass (kg)	60	50	5900			6050	
Gross Vehicle Mass (kg)	3050 2900 3050						

			ı						
Kerb Weight (kg) <sup>3</sup>	2115	2125	2150	2170	2210	2220	2250		
Payload (kg) <sup>3</sup>	935	925	750	730	840	830	800		
Towing Capacity – Braked (kg)	3000								
Max tow ball down weight (kg)		300							
Towing Capacity – Unbraked (kg)	750								
2nd Row Headroom (mm)			98	30					
2nd Row Legroom (mm)			95	58					
2nd Row Shoulder Room (mm)			1463			1454			
Front Headroom (mm)	1010								
Front Legroom (mm)	1053								
Front Shoulder Room (mm)		1483 1463							

## **Exterior Colours**



# **Interior Colours**





# LDV T60 MAX - STANDARD EQUIPMENT

# **LDV T60 MAX**

PRC	)	LU	XE	MEGA TUB	PL	US	MEGA TUB PLUS
Manual	Manual Auto Manual Auto				Manual	Auto	Auto

# **Safety, Security and Driver Assistance**

Autonomous Emergency Braking <sup>4</sup>	-	-	_	-	-	-	1	1
Lane Departure Warning <sup>4</sup>	-	-	1	1	1	-	1	1
Lane Keep Assist (LKA) <sup>4</sup>	-	-	_	-	-	-	1	1
Fatigue Reminder and Attention Assist <sup>4</sup>	1	1	1	1	/	/	1	1
Anti-Lock Braking System (ABS)	1	1	1	1	1	1	1	1
Electronic Brake Assist (EBA)	1	1	1	1	1	1	1	1
Electronic Brake-force Distribution (EBD)	1	1	1	1	1	1	1	1
Electronic Stability Program (ESP)	1	1	1	1	1	1	1	1
Hill Descent Control (HDC)	1	1	1	1	1	1	1	1
Hill-Start Assist System (HAS)	1	1	1	1	1	1	1	1
Roll Movement Intervention (RMI)	1	1	1	1	1	1	1	1
Traction Control System (TCS)	1	1	1	1	1	1	1	1
Vehicle Dynamics Control (VDC)	1	1	1	1	1	1	1	1
Rear On Demand Differential Lock <sup>5</sup>	-	-	1	1	1	1	1	1
Airbags – Driver and front passenger, side and full-length curtain	1	1	1	1	1	1	1	1
Seat Belts Front Dual Pretensioning	1	1	1	1	1	1	1	1
Engine Immobiliser	1	1	1	1	1	1	1	1
Child Anchoring – ISOFIX + Top Tether x 2	1	1	1	1	1	1	1	1
Lockable Glove Box	1	1	1	1	1	1	1	1
Rear Parking Sensors	1	1	1	1	1	1	1	1
Front Parking Sensors	-	-	_	-	-	1	1	1
Reversing Camera	1	1	1	1	1	1	1	1
360 Degree Panoramic Camera	-	-	1	1	1	1	1	1
Tyre Pressure Monitoring System (TPMS)	1	/	1	1	1	1	1	1
1 Remote Key and 1 Normal Key	1	1	_	-	-	-	-	-
2 Smart Keys	-	-	1	1	1	/	1	1

PRO		LUXE		PLUS		PLUS
Manual Auto	Manual			Manual	Auto	Auto

### **Exterior**

Engine Bonnet – Gas Strut	-	-	1	1	1	1	1	1
Single Front Tow Recovery Point	1	1	1	1	1	1	1	1
Front Guard Plate – Matte Silver	1	1	-	-	-	-	-	-
Front Guard Plate – Black	-	-	1	1	1	1	1	1
Front Grille – Matte Silver	1	1	-	-	-	-	-	-
Front Grille – Black	-	-	1	1	1	-	-	-
Front Grille – Black Gloss	-	-	-	-	-	1	1	1
Door Handle – Body Colour	1	1	1	1	1	-	-	-
Door Handle – Black	-	-	-	-	-	1	1	1
Door Mirrors – Body colour	1	1	1	1	1	-	-	-
Door Mirrors – Black	-	-	-	-	-	1	1	1
Door Side Moulding – Black	-	-	-	-	-	1	1	1
Side Mirrors – Auto Folding	-	-	1	1	1	-	-	-
Side Mirrors – Auto Folding with Heating	-	-	-	-	-	1	1	1
Tub Cargo Tie Down Hooks	4	4	4	4	4	4	4	4
Mudflaps – Front and Rear	1	1	1	1	1	1	1	1
LED Headlights – Auto Dusk Sensing and Height Adjustable with LED Daytime Running Lights	1	1	1	1	1	1	1	1
Rain Sensing Windscreen Wipers	1	1	1	1	1	1	1	1
Tub Liner – Spray In	1	1	1	1	1	1	1	1
Side Steps	1	1	1	1	1	1	1	1
Roof Rails – Chrome	1	1	-	-	-	-	_	-
Roof Rails – Gloss Black	-	-	1	1	1	1	1	1
Sports Bar – Stainless Steel	1	1	-	-	-	-	_	-
Sailplane Bar – Black	-	-	1	1	1	1	1	1
Black Wheel arches	-	-	1	1	1	1	1	1
Rear Fog Lights	1	1	1	1	1	1	1	1
Rear Bumper – Black	-	-	-	-	-	1	1	1
Cargo Tailgate Lock	_	-	-	-	-	1	1	1

# **LDV T60 MAX**

PRO		LUXE		MEGA TUB	PL	US	MEGA TUB PLUS
Manual	Auto	Manual	Auto	Auto	Manual	Auto	Auto

### **Comfort and Convenience**

Steering column – Height adjustable	1	1	1	1	1	1	1	1
12V Power Outlet x 1	1	1	1	1	1	1	1	1
Air Conditioning – Climate Control	1	1	1	1	1	1	1	1
Rear Air Vents	1	1	1	1	1	1	1	1
Standard Cruise Control	/	1	1	1	1	1	-	-
Adaptive Cruise Control <sup>4</sup>	-	-	-	-	_	-	1	1
Rear View Mirror – Manual Dimming	1	/	-	-	_	-	-	-
Rear View Mirror – Auto Dimming	-	-	1	1	1	1	1	1
Multifunction Steering Wheel	1	1	1	1	1	-	-	-
Multifunction Steering Wheel with Heating Function	-	-	_	-	-	1	1	1
Paddle Shifts for Gears	-	1	-	1	1	-	1	1
Column Mounted Gear Shifter	-	-	_	-	_	-	1	1
Sunglass Holder	/	1	1	1	1	1	1	1
Cup Holders	4	4	4	4	4	4	4	4
Electronic Park Brake	-	-	-	-	_	1	1	1
Remote Control Locking	/	1	-	-	_	-	-	-
Keyless Entry and Push Button Start	-	-	1	/	1	1	1	1

### Seating

5 Seats	1	1	1	1	1	1	1	1
Driver's Seat – 6 way Manual adjustment	1	1	_	-	-	-	-	-
Passenger's Seat – 4 way Manual adjustment	1	1	_	_	-	-	_	-
Front Row Seats – 6 way Electronic adjustment with Heating	-	-	1	1	1	1	1	1
Cloth Seats – Black	1	1	-	-	-	-	-	-
Leather Trimmed Seats <sup>6</sup> – Black	-	-	1	1	1	1	1	1

PRO		LU	XE	MEGA TUB	PL	MEGA TUB PLUS	
Manual	Auto	Manual	Auto	Auto	Manual	Auto	Auto

### **Audio and Communication**

Speakers	6	6	6	6	6	6	6	6
10.25" Infotainment Display with Bluetooth, AM/FM Stereo Radio, Apple CarPlay® and Smartphone Connectivity	1	1	1	1	1	-	-	-
12.3" Infotainment and Driver Displays with Bluetooth, AM/FM Stereo Radio, Apple CarPlay® and Android Auto	-	-	-	-	-	1	1	1
Wireless Mobile Charging Pad	-	-	-	-	-	-	1	1
USB Ports	2	2	2	2	2	3	3	3

### Warrantv<sup>7</sup>

New Vehicle Warranty – 7 year/200,000km (whichever occurs first) <sup>7</sup>	1	1	1	1	1	1	1	1
Roadside Assist – 5 year/Unlimited km (whichever occurs first) <sup>7</sup>	/	1	1	/	1	1	1	1

#### Disclaimers:

- Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited
  to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in
  practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant
  for comparison amongst vehicles only.
- 3. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar and wiring are fitted, blind spot monitoring will be disabled.
- 4. Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details.
- 5. Self engages when required under 30 km/h.
- 6. Leather accented features and upholstery contain some synthetic materials.
- 7. Subject to terms, conditions and exclusions on Idvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at **Idvautomotive.com.au** to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Ateco Automotive ABN 34 000 486 706 November 2024 / 14193 / LDV0326