

TREES

T

.



RAM 1500 TRX® CREW CAB EQUIPMENT & TRIM



EXTERIOR	
Grille	Unique TRX® Black Grille
Badges	Black
RAM Tailgate Badges	Black
Sport Performance Hood	Performance Hood with Fresh-Air Intake and Heat Extractors
Decals	Hood and Rear Quarter
Tinted Glass Windows	•
Rear Door Privacy / Deep-tint Glass	•
Front Door Acoustic Laminated Glass	•
Tinted Windshield Glass	•
Side Mirrors	6x9-inch, Powered, Black, Power-folding, Heated, Convex Wide-angle Insert, includes Exterior Courtesy Lamps
Tub Length	5'7"
Тиb Туре	Standard
Bedliner	
Tie-downs – Tub Fixed (Four)	•
Central Locking Tailgate	
Tailgate Power-release	
Tailgate Fully Damped / Assisted	·
Tailgate-ajar Alert	•
Wheel Flares	Off Road Fender Flares
Bumpers	Black Powder Coated Front & Rear

Skid Plate Under Body Protection	
Door Handles	Accent Colour
Exhaust Tailpipes	Dual, Black Tip
Tow Bar	•
50mm Tow Ball Mount Kit	Accessory
Tonneau Cover, Soft / Tri-fold	Accessory
Ram Premium Protection Exterior & Interior	Accessory
Ram Premium Protection Exterior	Accessory
INTERIOR	
Seats	5
Seat Trim	Premium Leather Trimmed with Suede Inserts
Seat Trim, Colour	Black
Seats, Front	High-Bolster Bucket
Seats, Rear	Rear 60/40 Folding Seat
Front Seat Centre Storage	Bombay Door with Premium Leather-wrapped Lid
USB	5
USB C Ports	4
Wireless Charging Pad	•
Floor Console	Full Console with Transmission Shift Lever & Front Seat Centre Storage
Cluster	Premium 12" Digital Driver Information Display - TRX® Theme

RAM 1500 TRX® CREW CAB EQUIPMENT & TRIM



INTERIOR - CONTINUED	
Uconnect® Touchscreen	12" Touchscreen - Including Specific TRX® Performance Content
Navigation	
Apple CarPlay® and Android Auto™	•
Bluetooth Connectivity	•
Speakers / Sound System	19 Speaker ^{<} Harman Kardon®
Steering Wheel Switches with Phone, Voice Recognition, Instrument Panel Control, Cruise Control and Transmission Control Paddle Shifters	
Steering Wheel Mounted Audio Controls	•
Auxiliary 12V Power Outlets	•
Flooring	Carpet
Floor Mats - Front and Rear	•
Power Windows - Front and Rear	•
Power Windows, one-touch up / down driver and front-passenger	•
Seat Adjustment, Driver	Power 8-way with Memory
Seat Adjustment, Passenger	Power 8-way
Seating Adjustment, Lumbar	4-way Power Driver and Passenger
Seating Adjustment, Rear	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Console with Cup Holder
Seats, Front, Heated & Ventilated	•
Seats, Rear, Heated / Ventilated	• (Excluding Centre)

Steering Wheel, Heated	
Steering Wheel	Performance Flat-bottom, Perforated, Leather-wrapped
CONVENIENCE & COMFORT	
Remote Keyless Entry with ALLSECURE® Controls for power locks (including doors, tailgate) – Illuminated entry system, panic alarm; includes two transmitters	
Remote Keyless ENTER 'N GO™ - Includes Remote Proximity Key & Remote Start	·
Passive entry	•
Push Button Start	•
Climate Control	Dual Zone, Automatic
Rear Air Vents	•
Adjustable Steering Column	Manual tilt/Telescoping
Rear Window Defroster	
Sunroof	Power, Dual Pane with Premium Overhead Console
Sunroof Sunshade	Electric
Rear Sliding Cab Window	Electric
Sun Visors with Illuminated Vanity Mirrors	•
2nd Row In-Floor Storage Bins with Removable Liners	•
Rear Under Seat Compartment Storage	•
Cup Holders, Front	2
Cup Holders, Rear	4

RAM 1500 TRX® CREW CAB EQUIPMENT & TRIM



SAFETY	
Airbags, Driver, Front Passenger, Front Seat Side & Curtain	
Airbags, Advanced Multi-stage Front Driver & Passenger	
Park Brake	Electronic
Stability Control	
ABS Brakes	•
Traction Control	•
Electronic Brakeforce Distribution	•
Trailer Sway Control	
Hill Start Assist	
Collapsible Steering Column	
Front Seat Belt Height Adjustment	
Child Seat Anchorage Points	
Electro-chromatic Rear View Mirror	
Power and Heated Door Mirrors	
ParkSense® Park Assist System	Front & Rear
ParkView® Rear Back-Up Camera	
360° Surround View Camera	
Forward Collision Warning with Active Braking (FCW+)	
Blind Spot Monitoring with Rear Cross-path and Trailer Detection	•

LaneSense® Lane Departure Warning-Plus	
Pedestrian Detection	•
Adaptive Cruise Control	•
Tyre Pressure Monitoring with Fill Alert System	•
Rear Mud Flaps	
Rain Sensing Wipers	•
Adjustable Pedals, Power	
LIGHTING	
LIGHTING Headlamps	Bi-Function LED Projector Headlamps
	Bi-Function LED Projector Headlamps
Headlamps	· · ·
Headlamps Automatic Headlamps (Day/Night Sensor)	•
Headlamps Automatic Headlamps (Day/Night Sensor) Automatic High-Beam Headlamp Control	•

RAM 1500 TRX® CREW CAB TECHNICAL SPECIFICATIONS



ENGINE	6.2-Litre Supercharged HEMI® V8
Type and Description	90-degree V-8, liquid-cooled
Supercharger	Twin-screw 11.0psi
Displacement (cc)	6,166
Bore x Stroke	103.9 x 90.9
Valve System	Pushrod-operated overhead valves, 16 valves with sodium-filled exhaust valves and hollow stem intake valves, 16 conventional hydraulic lifters, all with roller tips
Fuel Injection	Sequential, multi-port, electronic, returnless
Construction	Deep-skirt cast-iron block with cross-bolted main bearing caps, aluminium alloy heads with hemispherical combustion chambers
Compression Ratio	9.5:1
Power (SAE Net)	702 hp (523 kW) @ 6,100 rpm
Torque (SAE Net)	650 lbft. (882 Nm) @ 4,800 rpm
Top Speed	159 km/h
0 - 100km/h	4.5 sec
Oil Capacity (L)	7.4
Coolant Capacity (L)	13.2
Emission Controls	Dual close-coupled two-way catalytic converters, heated wide-range upstream and switching downstream O2 sensors and internal engine features
Air Intake	High Performance Air Induction System
ELECTRICAL / MECHANICAL	
Architecture	PowerNet

Alternator	250 Amp	
Battery	800 Amp Maintenance-free Battery	
BRAKES		
Front (mm)	378 x 30 inverted hat (outboard venting) rotors with 57mm 2-piston pin-slider caliper and Anti-Lock Braking System (ABS)	
Rear (mm)	375 x 22 disc with 57mm single-piston pin-slider caliper and ABS	
Power Assistance	Dual-rate, tandem diaphragm vacuum	
PERFORMANCE/DRIVE MODES		
Launch Control with Launch Assist		
8 Drive Modes + Valet	Snow, Tow, Sport, Baja, Mud/Sand, Rock, Custom, Auto	
Uconnect® Performance Pages	Performance and Off-Road Performance Pages	
TRANSMISSION / TRANSFER CASE / AXLES		
Туре	TorqueFlite® 8HP95 - 8-Speed Automatic	
Gear Ratios		
lst	4.71	
2nd	3.14	
3rd	2.11	
4th	1.67	
5th	1.29	
6th	1	
7th	0.84	
8th	0.67	

RAM 1500 TRX® CREW CAB TECHNICAL SPECIFICATIONS



TRANSMISSION / TRANSFER CASE / AXLES - CONTINUED	
Reverse	3.3
Final Drive	2.62
Overall Top Gear Ratio	1.76
Drive System	4×4
Transfer Case Shift Mechanism	Electric Full Time BW48-13
Available Speeds	2
Transfer Case Operating Modes - Locked Neutral	4WD Auto / 4WD High / 4WD Low / Axle Lock / Neutral
Low Range Ratio	2.64
Front Axle	215 mm
Rear Axle	256 mm (Dana 60™ with electronic locking differential)
SUSPENSION/STEERING	
Chassis	Ladder-type frame, steel cab, double-wall steel pickup box
Front	Upper and Lower "A" arms, Bilstein® Black Hawk® e² shocks, (Active Performance Shock Absorber)
Rear	Five-link with Track Bar, Coil Springs, Bilstein® Black Hawk® e ² Damping Twin-tube Performance Shock Absorbers, Solid Axle
Steering	Electric Power Steering
Overall Steering Ratio	16.3:1
Steering Turns Lock to Lock	3.1
Turning Circle Kerb to Kerb	14.7

LAYOUT & DIMENSIONS	
Body Style	Crew Cab
Tub Length (feet/inches)	5'7"
Engine	Longitudinal, front engine, transfer case
Length (mm)	5,929
Width (mm) (with mirrors)	2,480
Height (mm)	2,055
Wheelbase (mm)	3,686
Track, Front (mm)	1,892
Track, Rear (mm)	1,882
Ground Clearance	
Front Axle (mm)	295
Rear Axle (mm)	252
Approach Angle (degrees)	30.2
Departure Angle (degrees)	23.5
Ramp Breakover Angle (degrees)	21.9
Fuel-Tank Capacity (L)	125
Cargo Tub	
SAE volume (cu m)	1.5
Length at Floor, Tailgate Closed (mm)	1,711
Depth (mm)	543
Distance Between Wheelhouses (mm)	1,295

RAM 1500 TRX® CREW CAB TECHNICAL SPECIFICATIONS



LAYOUT & DIMENSIONS - CONTINUED	
Cargo Width (mm)	1,687
Tailgate Opening Width (mm)	1,525
Interior Space	
Headroom, Front (mm)	1,038
Legroom, Front (mm)	1,040
Shoulder Room, Front (mm)	1,676
Hip Room, Front (mm)	1,610
WHEELS & TYRES	
Wheels	18x9" Black Painted Aluminium Standard
Tyre Size	325/65R-18, 35" Goodyear Wrangler® Territory tyres
Spare Tyre Full-size	Aluminium
WEIGHTS & CAPABILITIES	
Towing, Maximum Unbraked	750 kg
Towing, Maximum Braked ⁺	3,500 kg
Payload°	743 kg
Kerb Weight	3,057 kg
Gross Vehicle Mass	3,800 kg
Max Gross Combination Mass	6,878 kg
Front Axle Load (Maximum)	1,950 kg
Rear Axle Load (Maximum)	1,905 kg

TOWING	
12 Pin Wiring Harness	
Tow Bar (up to 3.5T Max Braked Towing ⁺)	•
Trailer Brake Control	
WARRANTY / SERVICE	
Warranty	3 years/100,000 km (whichever occurs first)^
Roadside Assist	3 years/100,000 km (whichever occurs first)^
Service Intervals	6 months/10,000 km (whichever occurs first)

 19 Speakers including subwoofer and six coaxial two-way speakers strategically mounted in 12 locations throughout the vehicle.

+Maximum braked towing capacity is subject to regulatory requirements and vehicle weight restrictions (which may require occupants and/or luggage to be restricted).

^oPayload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment, excluding occupants. Additional weights of optional features, occupants, luggage, cargo, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload.

^Terms, conditions, and exclusions apply.



EATS UTES FOR BREAKFAST® RAMTRUCKS.COM.AU



All the information in this document is as accurate at the time of publication however variations and discrepancies may occur from time to time and American Special Vehicles Pty Ltd (trading as Ram Trucks Australia) insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document. RAM, HEMI, the Ram's Head Logo, Mopar, AllSecure, ActiveAir, Active-Level, LaneSense, ParkSense, ParkSense, ParkView, TorqueFlite, Uconnect, and TRX are registered trademarks and Keyless Enter 'n' Go are trademarks of FCA US LLC, used with permission. Eats Utes for Breakfast, and Unrivalled Everyday are registered trademarks of American Special Vehicles Pty Ltd. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Black Hawk is a registered trademark of Thyssenkrupp Bilstein of America Inc. Bluetooth is a registered trademark of Bluetooth SIG, Inc. SmartBeam is a registered trademark of Gentex Corporation. Apple CarPlay is a registered trademark of August-Bilstein Gauge Luc. Android Auto is a trademark of Google LLC. Android AutoTM connectivity requires compatible iOS device. See apple.com.au for more details. Android Auto is a trademark of Google LLC. Android AutoTM connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Ram Trucks Australia is the only RAM authorised right-hand-drive manufacturer and distributor of Ram Trucks in Australia. Some features and accessories are not standard and are at additional cost. This publication is dated March 2024. Ram Trucks Australia reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Please consult with your authorised Ram Truck dealer for any rolling specification changes that may occur from time to time. All texts, pictures and other works published herein are subject to the copyright of FCA US LLC or Ram Trucks Australia, if not otherwise indicated. Any duplication, distribution,