



IGNIS







COMPACT, YET SPACIOUS

Don't be fooled by its ultra compact size—the Ignis has plenty of flexible luggage space, making it perfect for a weekend away.

CARGO SPACE WITH ADJUSTABLE CAPACITY TO FIT YOUR LUGGAGE

The Ignis boasts luggage space volume measuring 505L^{*} when the rear seats are folded down. The 50:50 split (GLX) or 60:40 split (GL) rear seats can be folded down from the luggage side as well, giving you plenty of options for various kinds of luggage.




DISTINCTIVE INTERIOR

With a sleek, premium look and flashes of funky colour, the interior of the Ignis really enhances its urban style.



SMARTPHONE CONNECTIVITY

The intuitive centrally located 7-inch



hands-free phone with support for Apple CarPlay® and informed of such basic information as fuel economy, Android Auto".



use your iPhone to make calls, access your music, send and receive messages, and get directions all with your voice through Siri or by

tapping on the audio display.

For more details including iPhone models compatible with Apple CarPlay see: http://www.apple.com/ios/carplav/ [®]Apple, Apple CarPlay and iPhone are trademarks of Apple Inc., registered in the U.S. and

other countries.



ANDROID AUTO"

Android Auto[™] extends the Android platform

into the car in a way that's purpose-built for driving. It is designed to minimise distraction so you can enjoy driving with Google services like Google Maps and Google Play Music. Get the Android Auto app on the Google Play Store:

Most phones with Android 5.0+ works with Android Auto: https://support.google.com/androidauto/answer/6348019?hl=en&ref_topic=6140477 *Google, Android, Google Play and Android Auto are trademarks of Google LLC.



METER CLUSTER

An information display in the fashionable meter cluster keeps you

outside temperature, time of day, fuel consumption and driving range. Switches on the steering wheel and beside the meter cluster let you choose what information is displayed.



CONTROL SWITCHES

User-friendly switches on the steering wheel allow control of audio volume,

audio modes such as radio and Bluetooth,[®] and the hands-free phone function.





OUTSTANDING DRIVING PERFORMANCE

With its responsive engine and hill hold and descent control, the Ignis puts the excitement back into driving. The Ignis balances responsive performance with outstanding fuel efficiency of just 4.7L/100km.*

A next-generation, stronger-but-lighter chassis provides a stable framework while reducing drag.

A more rigid, yet lighter suspension smooths out shocks and enables more responsive and controlled handling, while large diameter tyres and a minimum turning radius of just 4.7m make the Ignis easy to manoeuvre down narrow roads or in tight car parks.



1.2 PETROL ENGINE

The 1.2 litre petrol engine offers the best of two worldshigh output and good fuel economy. Despite the engine's small displacement, its heightened compression ratio results in better thermal efficiency for powerful driving. Knocking, which can result from high compression, is suppressed by the engine's augmented cooling performance. For good fuel economy without sacrificing output and torque, fuel combustion has been enhanced, friction has been reduced and efforts have been made to make the engine light and compact.



SUSPENSION

The lightweight, rigidly mounted suspension effectively absorbs road bumps for a smooth, comfortable ride. It also contributes to light steering that feels stable and direct for responsive handling.



LIGHT AND RIGID HEARTECT PLATFORM

The smoothly curving frame increases underbody stiffness that delivers excellent fundamental vehicle performance while also enhancing collision safety by efficiently dispersing energy. Despite the vehicle's compact SUV design, this platform enables optimal placement of components for a comfortably wide cabin and ample cargo space.





IGNIS^{GL}





IGNIS GL

- 1.2L Dualjet engine
- 4.7L/100km fuel economy manual^{*}
- 4.9L/100km fuel economy automatic^{**}
- 5-speed manual or automatic CVT transmission
- 7-inch multimedia touchscreen with satellite navigation, Apple CarPlay® and Android Auto[™]
- Bluetooth[®] & iPod[®] USB connectivity with steering wheel audio controls and voice control
- Reverse camera
- 4 x speakers
- Cruise control
- 60:40 split rear seats
- Seating for 5
- Six airbags
- ESC, ABS, EBD, & BA
- 15" steel wheels
- Front fog lights
- Roof rails



*ADR 81/02 results for manual transmission. **ADR 81/02 results for automatic transmission. NEDC Fuel Consumption figures may not mimic real-life driving conditions and should be considered for comparison against other vehicles only. Apple CarPlay® is a registered trademark of Apple Inc. Android Auto is a trademark of Google Inc. "All new Suzuki vehicles include up to 5 years of Roadside Assistance. The Roadside Assistance program will re-new annually for a period up to 5 years conditional to customers returning to their Suzuki dealer for scheduled servicing and following the terms and conditions of Suzuki's Genuine Service Program for their vehicle. Further details of the program can be found here. https://www.suzuki.com.au/owners/servicing Further details of the Roadside Assistance program can be found here. https://www.suzuki.com.au/owners/roadside "Suzuki Premier Motor Insurance is issued by Allianz Australia Insurance Limited ABN 15 000 122 850. Policy terms, conditions, limits and exclusions apply. Before making a decision please consider the Product Disclosure Statement (PDS). The PDS and Target Market Determination are available by calling us on 1300 132 107 * Kilometre limits for commercial vehicles.



IGNIS GLX

- -adds the following features over Ignis GL:
- Automatic CVT transmission
- Digital climate control
- Keyless entry and start system
- 50:50 fold rear seats
- Seating for 4
- Sliding and reclining rear seats
- 2 x tweeters
- 16" alloy wheels
- Chrome front grille surround
- Automatic LED headlights
- Daytime running lights
- Rear privacy glass






Kerb we Gross v TRANS Type

SPECIFICATIONS

		IG	NIS GL	IGNIS GLX
POWERTRAIN			101.5	ualiat
Engine			1.2L D	
Number of cylinders			4	
Number of valves			10	
Piston displacement (cm ³)		1,242		
Bore x stroke (mm)		73.0 x 74.2		
Compression ratio			12	
Maximum output (kW/rpm)			66/6.	
Maximum torque (Nm/rpm)			120/4	
Fuel distribution			Multipoint	
Fuel Tank Capacity (L)			3	2
DIMENSIONS				
Overall length (mm)			3,7	
Overall width (mm)			1,0	
Overall height (mm)			2.4	
Wheelbase (mm)		44/0		
Tread (mm)	Front		175/65R15)	1,460(175/60R16)
	Rear	1,470 (175/65R15)	1,470 (175/60R16)
Minimum turning radius (m)				
Minimum ground clearance (mm)			18	0 4
Seating capacity (persons)			•	
Luggage capacity (L)	Max. volume		1,101	1,104
	Rear seatback folded			516
	Rear seatback raised		271	264
Kerb weight (kg)		820	865	865
Gross vehicle weight (kg)			1,33	30
TRANSMISSION				
Гуре		5MT		CVT
Gear ratio	1st	3.545		
	2nd	1.904	4004 055	0/1004 1004 100
	3rd	1.240	4.006 ~ 0.550 (LOW: 4.006 ~ 1.00 HIGH: 2.200 ~ 0.550)	
	4th	0.914	in an	2.200 0.000
	5th	0.717		
	Reverse	3.272		3.771
Final gear ratio		4.294		3.757
FUEL CONSUMPTION*				
Fuel consumption (L/100km) MT/AT		4.7		4.9
CO2 emissions (G/km) MT/AT		107		114
CHASSIS				
Steering			Rack &	Pinion
	Front		Ventilat	ed disc
Brakes	Rear	Drum, leading & trailing		
	Front	Ма	cPherson stru	t with coil spring
Suspension	Rear			vith coil spring
WHEELS				
Tyres (Width/Profile)		1	75/65	175/60
Wheel Size			15"	1/ 3/00
Wheel Type			Steel	Alloy
Spare			Space	
EXTERIOR			Space	00701
EXTERIOR Front grille			Black with Ch	rome Accort
Outside door handles	Body coloured		Std	Std
	body coloufed		Std	Std
Black-coloured A and B pillars	Llandla anat-d		Std	Std
Tailgate opener	Handle-operated			
			Std	Std
Roof rails				
Roof rails VISIBILITY				
Roof rails VISIBILITY Headlamps		H	alogen	LED Projector
Roof rails VISIBILITY Headlamps Guide me light function		H	alogen —	Std
Roof rails /ISIBILITY Headlamps Guide me light function Headlamp leveling device	Automatic	Н	alogen — —	Std Std
Roof rails VISIBILITY Headlamps Guide me light function Headlamp leveling device Automatic lamps		H	-	Std Std Std
Roof rails VISIBILITY Headlamps Guide me light function Headlamp leveling device Automatic lamps Fog lamps	Automatic	H	alogen Std	Std Std Std Std
Roof rails VisiBiLITY Headlamps Guide me light function Headlamp leveling device Automatic lamps Fog lamps Daytime Running Lamps		H	- - Std -	Std Std Std Std LED
Roof rails VisiBiLITY Headlamps Guide me light function Headlamp leveling device Automatic lamps Fog lamps Daytime Running Lamps	Front	H	-	Std Std Std Std
Roof rails VISIBILITY Headlamps Guide me light function Headlamp leveling device Automatic lamps Fog lamps Daytime Running Lamps Privacy glass		H	- - Std -	Std Std Std Std LED
Roof rails VISIBILITY Headlamps Guide me light function Headlamp leveling device Automatic lamps Fog lamps Daytime Running Lamps Privacy glass	Front: 2 speeds (low, high) + intermittent + washer Rear: 1 speed + intermittent + washer	H	- Std Std Std Std	Std Std Std LED Std Std Std Std
Roof rais VisiBiLITY Headlamps Guide me light function Headlamp leveling device Automatic lamps Fog lamps Daytime Running Lamps Privacy glass Wipers	Front: 2 speeds (low, high) + intermittent + washer Rear: 1 speed +	H	- - Std - - Std	Std Std Std LED Std Std
Roof rails VISIBILITY Headlamps Guide me light function Headlamp leveling device Automatic lamps Fog lamps Daytime Running Lamps Privacy glass	Front: 2 speeds (low, high) + intermittent + washer Rear: 1 speed + intermittent + washer	H:	- Std Std Std Std	Std Std Std LED Std Std Std Std

STEERING AND INSTRUMENT PANEL		IGNIS GL	IGNIS GLX
TEERING AND INSTRUMENT PANEL	Leather covered	Std	Std
	With audio controls	Std	Std
	With cruise control	Std	Std
3-spoke steering wheel	With speed limiter	Std	Std
	control	010	010
	With hands-free	Std	Std
	phone control Tilt-adjust	Std	Std
	Digital clock	Std	Std
	Outside temperature	Std	Std
	Fuel consumption	Std	Std
Information display	Driving range	Std	Std
	Average speed	Std	Std
	Gear position		
	indicator (CVT)	Std (CVT)	Std
leter illumination		Std	Std
entre & side louvre bezels	Silver	Std	Std
RIVING AMENITIES			
Power windows	Front	Std	Std
FOWER WINDOWS	Rear	Std	Std
Remote-control door locks	With hazard lamp	Std	Std
	answerback function		
Keyless push start system		-	Std
lir conditioner	Manual	Std	-
	Automatic	-	Std
Audio		Speakers x 4	Speakers x 4 Tweeters x 2
MP3/WMA + Bluetooth		Std	Std
MP3/WMA + Bluetooth Apple CarPlay [®] & Android Auto [®]		Std	Std
Cruise control		Std	Std
Speed limiter		Std	Std
		010	010
INTERIOR	Central cabin light		
Cabin lights	(3-position)	Std	Std
	Front x 2	Std	Std
Cup holders	Rear x 1	Std	Std
Dettels haldens	Front x 2	Std	Std
Bottle holders Centre-lower box	Rear x 2	Std	Std
		Std	Std
JSB port	Instrument panel	Std	Std
2V accessory socket	Instrument panel	Std	Std
EATS			
ERIO .	Seat height adjuster		
Front seats	(driver's side)	Std	Std
	. ,		
	Seatback pocket (passenger's side)	-	Std
	60:40-split single-fold	Std	-
	50:50-split	_	Std
	single-fold		0.0
Rear seats	Slide and	_	Std
	reclining function	-	310
	Head restraint x 2	-	Std
	Head restraint x 3	o. :	
	(separate type)	Std	
eat upholstery material		Fabric	Fabric
UGGAGE			1 00110
Luggage area cover		Std	Std
SAFETY, SECURITY, AND ENVIRONMEN		-	
ABS with EBD function		Std	Std
SC		Std	Std
Hill hold control (CVT)		Std (CVT)	Std
Brake assist function		Std	Std
SRS front dual airbags		Std	Std
RS side airbags	Front	Std	Std
RS curtain airbags		Std	Std
edal release system	Brake and clutch	Std	Std
,	Front: 3-point ELR		
	seatbelts with	Std	Std
	pretensioners,	310	Sta
Seatbelts	force limiters		
reaction (13	Rear: 3-point ELR	_	Std
	seatbelts x 2		0.0
	Rear: 3-point ELR	Std	-
	noun o point LER		
	seatbelts x 3		0.1
SOFIX child seat anchorages	seatbelts x 3 x 2	Std	Std
	x 2 X 2	Std —	Std Std
SOFIX child seat anchorages Child seat tether anchorages Reversing Camera	seatbelts x 3 x 2		

DIMENSIONS



COLOURS



Pure White

(Blue interior accents)



Ivory Pearl^{*} (Silver interior accents)



Mineral Gray[†] (Blue interior accents)



Super Black[†] (Blue interior accents)



Khaki Pearl (Silver interior accents)



Burning Red¹ (Silver interior accents)

*NEDC Fuel Consumption figures may not mimic real-life driving conditions and should be considered for comparison against other vehicles only

tAdditional premium/metallic paint charge. All care is taken to ensure the accuracy of this brochure at the time of publication approval. Specifications, features, prices and model availability may vary from state to state and may change without notice. Always consult your authorised Suzuki Dealer or refer to suzuki.com.au for the latest details on all models. SUZUKI will not be held liable for any loss as a result of reliance on the content of this brochure, whether in negligence or otherwise. Vehicles are shown for illustrative purposes only and may not depict exact Australian specifications.





FOR FURS SAKE

