

S-cross

S.CR055

600

CROSS THE LINE

Life brings new challenges at each stage. You're either ready to take them head-on, or you're left wondering what happened. The S-CROSS makes it an easy choice. Bold, confident SUV-styling and intelligent safety performance are just the beginning. Plenty of room for friends, family and gear; with ALLGRIP technology to help you take control of any road. So don't worry about what's coming. Be ready to cross the line.





AGGRESSIVE SUV STYLING

Making a strong first impression is always important, but making a lasting one is what determines your legacy. The difference is in the details. The more you look, the more you like; and that's what the S-CROSS promises.











FRONT AND REAR LED LAMPS

Bursting with vitality, the headlamps and rear combination lamps each feature three LED position lamps for a dynamic impression. The front position lamps also function as daytime running lights.

STYLISED FRONT GRILLE

The impressive piano-black front grille delivers a dynamic presence that immediately sets the S-CROSS apart. The front emblem is set within a chrome-finish bar that contains the power of the grille.

RUGGEDLY BOLD

The square, front and rear wheel arches add character to the exterior styling. Bold, silver garnishes on the front face and rear bumper deliver a strong first and lasting impression that adds to the confident SUV appearance.

INTEGRATED ROOF RAILS

The silver anodised aluminium integrated roof rails are as stunning as they are functional, providing a sharp aesthetic with an aerodynamic smoothness.

ROOM TO MOVE

Even on the inside, the S-CROSS is about living large. The spacious cabin feels expansive thanks to a large front window and high side-visibility. Come and see what you've been missing.

PANORAMIC SUNROOF

Double sliding glass panels create an extra-large opening for the panoramic sunroof that can be enjoyed from any seat in the car. Standard on ALLGRIP PRESTIGE.



DUAL-ZONE AUTOMATIC AIR CONDITIONER Personalise cabin temperature to match the individual preferences of driver and passenger, so both of you can enjoy the drive in comfort.





SPACIOUS CABIN Ample room in both the front and rear seating areas make it easy to kick back, relax and enjoy the ride.



FRONT SEAT HEATER Seat heaters with high and low settings for the driver and front passenger, now standard on all S-CROSS models.





SEAT UPHOLSTERY

The elegant and ergonomically-designed leather seats feature real leather on the sides and an intricate tapeweave design in synthetic leather. The fabric seats feature the same design, using an embossed material for the centre panel. Leather available on ALLGRIP PRESTIGE, fabric available on ALLGRIP.



ADJUSTABLE REAR SEATBACK The rear seatback is adjustable to two settings to increase comfort or maximise cargo space.







APPLE CARPLAY®

Apple CarPlay lets you use your iPhone to make calls, access your music, send and receive messages, and get directions all with your voice through Siri or by tapping on the audio display. For more details including iPhone models compatible with Apple CarPlay see: apple.com/ios/carplay Apple, Apple CarPlay and iPhone are trademarks of Apple Inc, registered in the U.S. and other countries.



ANDROID AUTO™

Android Auto[™] extends the Android platform into the car in a way that's purpose-built for driving. It is designed to minimise distraction so you can enjoy driving with Google services like Google Maps and Google Play Music. Get the Android Auto app on the Google Play Store. Most phones with Android 5.0+ work with Android Auto. Visit support.google.com/androidauto for more info. Google, Android, Google Play and Android Auto are trademarks of Google LLC.

WORK HARD, PLAY HARDER

The S-CROSS understands that life is meant to be enjoyed. Whether part of your daily commute or the start of a new chapter in your life, the S-CROSS delivers on its promises.



FLEXIBLE LUGGAGE SPACE The 60:40-split rear seatback and multi-position luggage area board make it easy to accommodate a variety of cargo.



OVERHEAD CONSOLE FRONT CENTRE CONSOLE BOX The overhead console incorporates convenient box includes a built-in map lamps and a USB port and offers a sunglasses holder. convenient space to



REAR CENTRE ARMREST

store small items.

The front centre console The retractable centre armrest includes two cup holders for rear passengers.



SEATBACK POCKET A pocket on the back of The front centre armrest the front passenger seat

position can be adjusted conveniently holds maps, books or your tablet.

for driver comfort

and incorporates a

console box for storing small items.





THE POWER TO MOVE YOU

Getting where you want to go should be as much fun as what awaits when you get there. An innovative combination of power, efficiency and control ensure that the S-CROSS experience is a memorable one.





The S-CROSS is powered by a torque-full 1.4-litre, BOOSTERJET direct-injection turbo engine. The intercooled turbocharger forces pressurised air into the cylinders, maximising torque at low rpm. The direct injection system optimises amount, timing and pressure of fuel for enhanced performance and efficiency. And thanks to the electric intake variable valve timing (VVT), cooled exhaust gas recirculation (EGR) and high compression ratio, further efficiency is achieved.



6-SPEED AUTOMATIC TRANSMISSION

Wide gear ratios deliver excellent acceleration, even from standing starts. And more importantly, they reduce fuel consumption when you are cruising at high-speed.

FOR CROSSING ANY ROAD

The S-CROSS is an all-around SUV, putting you in control in any driving situation thanks to ALLGRIP Select—Suzuki's proprietary 4WD technology that gives you the ability to take on any road.



FOUR SELECTABLE MODES Four easily-selectable modes let you choose the 4WD setting that best matches your driving conditions. Just choose and drive with the confidence that ALLGRIP Select is on the job.



AUTO

Prioritises fuel economy in typical driving conditions, only switching to 4WD when slippage is detected.



Increases cornering performance by allocating additional torque to the rear wheels. Sport mode also optimises accelerator-torque characteristics to increase engine response.



Provides excellent stability and This mode delivers maximum during acceleration—on snow, unpaved or other slippery surfaces.



enhanced traction—especially torque to the wheels, to get you out of sticky situations such as deep snow, mud or sand. Automatically switches to Snow Mode at 60 km/h.









MORE EYES ON THE ROAD

Being a careful driver entails keeping your eyes on the road and staying focused on what's happening around you. Thanks to a range of cameras and sensors, the S-CROSS makes your job a whole lot easier.

SUZUKI SAFETY SUPPORT

Suzuki is committed to providing safety and peace of mind for a range of driving situations. One of the most important aspects of a comfortable and stress-free ownership experience is confidence in both your car and your driving. Suzuki Safety Support makes driving your S-CROSS both safer, and more enjoyable.



DUAL-SENSOR BRAKE SUPPORT (DBSB)

When in forward motion, the monocular camera and the laser sensor determine if there is a risk of collision with a vehicle or pedestrian. Upon detecting a potential collision, DSBS delivers a warning or implements automatic braking, depending on the situation.



LANE DEPARTURE WARNING

When driving at 60 km/h or faster, the monocular camera detects the left and right white lane markers and alerts the driver with a warning sound and an indicator light when it determines that the vehicle has strayed out of its lane.



WEAVING ALERT

At 60 km/h or faster, the weaving alert function calculates the driving pattern and issues audio and visual warnings if the vehicle is straying due to driver drowsiness, or other reasons.



ADAPTIVE CRUISE CONTROL WITH STOP & GO

On top of the Adaptive Cruise Control, the Stop & Go function assists in accelerating and braking for the driver whilst maintaining a safe distance from the vehicle in front. The Adaptive Cruise Control with Stop & Go can even brake the car to a full stop behind a preceding vehicle and provide the driver with additional support, for example in traffic jams.



BLIND SPOT MONITOR

When the indicator is turned on and there is a vehicle detected in a blind spot, the indicator will flash rapidly along with a warning sound to make lane changing safer. Blind spot monitor detects vehicles in or approaching the rear blind spots on either side of the vehicle.



HILL HOLD CONTROL

The hill-hold control function makes hill-starts easy by preventing the vehicle from rolling backward when the driver moves his or her foot from the brake pedal to the accelerator pedal.

WATCHING OVER YOU

You never know when lighting will strike, so it's good to know that the S-CROSS features the latest technology for assisting you in any type of driving situation.


REAR-CROSS TRAFFIC ALERT

This function helps you avoid collisions when, for instance, backing out of a parking space. If the sensors detect a vehicle approaching the rear blind spots, a warning sound, a flashing side-mirror indicator and a notification in the multi-information display will alert you to the situation.




360 VIEW CAMERA*

The 360-degree view provides added safety and convenience. It uses four cameras (front, rear, left and right) to offer a variety of views, including 3D view for safe starts, and top view for safer parking.



3D View



Top View

FRONT AND REAR PARKING SENSORS

Ultrasonic sensors in the bumpers detect obstacles and warn the driver with sounds and graphics on the multi-information display.







S-CROSS ALLGRIP

- 1.4L BOOSTERJET direct-injection turbo engine
- ALLGRIP 4WD technology
- 6.2L per 100km fuel economv^{*}
- 6-speed automatic with paddle shifters
- 7-inch multimedia touchscreen. DAB radio, Apple CarPlay® and Android Auto[™]
- Bluetooth[®] & iPod[®] USB connectivity with steering wheel audio controls and voice control
- Reverse camera
- 4 x speakers, 2 x tweeters
- Adaptive cruise control
- Heated front seats
- 430 litres boot space
- Electronically folding door mirrors with heater

S-CROSS ALLGRIP PRESTIGE

-adds the following features over S-CROSS ALLGRIP:

- 9-inch multimedia touchscreen with satellite navigation, DAB radio, Apple CarPlay[®] and Android Auto[™]
- Wireless Apple CarPlay[®]
- Panoramic sunroof

- Leather-accented seats
- 17" polished alloy wheels

Dual-zone digital climate control

Autonomous Emergency Braking[#]

Keyless entry & start system

Front & rear armrests

ESC. ABS. EBD & BA

Lane Departure Warning[±]

Blind Spot Monitoring

Rear Cross Traffic Alert

Daytime running lights

Automatic LED headlights

Front & rear parking sensors

Seven airbags

Weaving Alert[±]

17" alloy wheels

Front fog lights

Rear privacy glass

- 360 view camera



Apple CarPlay® is a registered trademark of Apple Inc. Android Auto is a trademark of Google Inc. #ADR 81/02 results, NEDC fuel consumption figures may not match real-life driving conditions and should be considered for comparison against other vehicles only. #AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle application of the second seco and following the terms and conditions of Sauki's Genuine Service Formation parts or the product manual or a period on approximately outry in the product as a period on approximately outry in the approximately outry in th

S-CROSS ALLGRIP PRESTIGE

POW Engine Drive s Numbe Numb Pistor Bore

Compr Maxim Maxir

Fuel di DIME Overal Overal Overal Wheel Tread

Tread Minin

Minim Seatin Fuel ta

Lugga

Kerb Gross TRAN Type

Gear

WHE Tvre Whee

Headl

Privac Wiper

Aut

Outsid

Day/ni FUEL Fuel co CO₂ e

Final g Steeri Brakes





Head Auton Front




SPECIFICATIONS

| | | S-CROSS ALLGRIP | S-CROSS ALLGRIP PRESTIGE |
|--|--|--|--|
| ERTRAIN le | | 1.4L BOO | STER.IET |
| system | | ALL | |
| per of cylinders | | | |
| per of valves | | 1 | 6 |
| n displacement (cm3) | | 1,373 | |
| x stroke (mm) | | 73.0 | |
| pression ratio | | 9 | 9 |
| num output (kW/rpm) | | 103/5 | 5,500 |
| num torque (Nm/rpm) | | 220/1,50 | 0-4,000 |
| distribution | | Direct in | |
| NSIONS | | | |
| all length (mm) | | 4,3 | 05 |
| all width (mm) | | 1,7 | 85 |
| all height (mm) | | 1,585 | |
| elbase (mm) | | 2.600 | |
| i – front (mm) | | 1,535 (215/55R17) | |
| d – rear (mm) | | 1,505 (215/55R17) | |
| um turning radius (m) | | 5 | |
| num ground clearance (mm) | | 17 | '5 |
| ng capacity | | | |
| ank capacity (L) | | 4 | 7 |
| | Max volume | 1,2 | |
| age capacity (L) | Rear seatback folded | 60 | |
| | Rear seatback raised | 43 | |
| weight (kg) | | 1,260 | |
| vehicle weight (kg) | | 1,7 | |
| ISMISSION | | | |
| | | 6/ | AT |
| ratio | 1st | 4.0 | |
| | 2nd | 2.3 | |
| | 3rd | 1.5 | |
| | 4th | 1.1 | |
| | 5th | | |
| | 6th | 0.8 | |
| | Reverse | | 0.672 |
| gear ratio | Reveise | 3.5 | |
| SSIS | | 0.0 | 02 |
| ing | | Rack & | Pinion |
| ilg | Front | Ventilat | |
| s | | | |
| | Rear | Di | |
| ension | Front | MacPherson strut with coil spring Torsion beam with coil sprin | |
| Insion | | | |
| | Rear | Torsion beam | |
| ELS | Rear | | with coil spring |
| ELS (width/profile) | Rear | 215 | vith coil spring /55 |
| ELS (width/profile) I Size | Rear | 215 17 | vith coil spring /55 /" |
| ELS (width/profile) I Size I Type | Rear | 215 1: Alloy | vith coil spring /55 7 Polished allo |
| ELS (width/profile) I Size I Type | Rear | 215 17 | vith coil spring /55 7 Polished allo |
| ELS (width/profile) I Size I Type BILITY | Rear | 215 1: Alloy Space | vith coil spring /55 7 Polished allo Saver |
| ELS (width/profile) I Size I Type ILITY amps | Rear | 215 1: Alloy Space LED Pr | vith coil spring /55 Polished allo Saver ojector |
| ELS (width/profile) (size I Type ILITY amps amp levelling device | Rear | 215 1: Alloy Space LED Pr Auto | vith coil spring /55 Polished allo Saver ojector matic |
| ELS (width/profile) I Size I Type ILITY amps amp levelling device natic lamps | Rear | 215 1: Alloy Space LED Pr Auto S | /55 /55 Polished allo Saver ojector matic td |
| ELS (width/profile) I Size I Type ILITY amps amp levelling device natic lamps fog lamps | Rear | 215 Alloy Space LED Pr Auto S | vith coil spring /55 Polished allo Saver ojector matic td |
| ELS (width/profile) (Size I Type ILITY amps amp levelling device natic lamps fog lamps ry glass | Rear | 215 1: Alloy Space LED Pr Auto S | vith coil spring /55 Polished allo Saver ojector matic td |
| ELS (width/profile) Size Type ILITY amps amp levelling device hatic lamps fog lamps y glass rs | | 215 T Alloy LED Pr Auto S S S | vith coil spring /55 77 Polished allo Saver ojector matic td d |
| ELS (width/profile) I Size I Type ILITY amps amp levelling device atic lamps fog lamps fog lamps y glass fs | istable intermittent + washer | 215 T: Alloy Space LED Pr Auto S S S S S S S | vith coil spring /55 // Polished allo Saver ojector matic td td td |
| ELS (width/profile) ISize Type ILITY amps amp levelling device hatic lamps fog lamps y glass rs nt. 2 speeds (low, high) + adju ar. 1 speed + intermittent + wa | istable intermittent + washer | 215 1: Alloy Space UED Pr Auto S S S S S S S S S S S S | vith coil spring /55 /7 Polished allo Saver ojector matic td td td |
| ELS (width/profile) I Size I Type ILITY amps amp levelling device natic lamps fog lamps ty glass rs nt. 2 speeds (low, high) + adju ar. 1 speed + intermittent + wa | istable intermittent + washer sher | 215 1: Alloy Space LED Pr Auto S S S S S S S S S S S S S S S S S S S | vith coil spring /55 // Polished allo Saver ojector matic td td td td |
| ELS (width/profile) I Size I Type ILITY amps amp levelling device natic lamps fog lamps ty glass rs nt. 2 speeds (low, high) + adju ar. 1 speed + intermittent + wa | istable intermittent + washer sher Electrically adjustable | 215 T Alloy LED Pr Auto S S S S S S S S S S S S S S S S S S S | /55 ** Polished allo Saver ojector matic td d d d d d d d d d d d d d |
| ELS (width/profile) ISize IType ILITY amps amp levelling device natic lamps fog lamps ry glass Ts nt: 2 speeds (low, high) + adju ar: 1 speed + intermittent + wa tomatic wiper | istable intermittent + washer sher Electrically adjustable Electrically folding | 215 T Alloy LED Pr Auto S S S S S S S S S S S S S S S S S S S | |
| ELS (width/profile) ISize IType ILITY amps amp levelling device natic lamps fog lamps ry glass Ts nt: 2 speeds (low, high) + adju ar: 1 speed + intermittent + wa tomatic wiper | istable intermittent + washer sher Electrically adjustable Electrically folding With built-in turn signal lamp | 215 F. Alloy Space LED Pr Auto S S S S S S S S S S S S S S S S S S S | /55 Polished allo Saver ojector matic td d d d d d d d d d d d d d |
| ELS (width/profile) I Size I Type ILITY amps amp levelling device natic lamps fog lamps cy glass rs nt: 2 speeds (low, high) + adju ar. 1 speed + intermittent + wa tomatic wiper | istable intermittent + washer sher Electrically adjustable Electrically folding | 215 T Alloy LED Pr Auto S S S S S S S S S S S S S S S S S S S | /55 Polished allo Saver ojector matic td d d d d d d d d d d d d d |
| ELS (width/profile) Size IType IType amps amplevelling device natic lamps fog lamps y glass rs nt: 2 speeds (low, high) + adju r: 1 speed + intermittent + wa tomatic wiper de door mirrors ight rearview mirror | istable intermittent + washer sher Electrically adjustable Electrically folding With built-in turn signal lamp | 215 F. Alloy Space LED Pr Auto S S S S S S S S S S S S S S S S S S S | vith coil spring /55 |
| ELS (width/profile) ISize IType ILITY amps mplevelling device natic lamps fog lamps ry glass rs nt 2 speeds (low, high) + adju ar. 1 speed + intermittent + wa tomatic wiper de door mirrors ight rearview mirror . CONSUMPTION* | istable intermittent + washer sher Electrically adjustable Electrically folding With built-in turn signal lamp | 215 1: Alloy Space LED Pr Auto S S S S S S S S S S S S S S Auto | vith coll spring /55 |
| ension ELS (width/profile) Size IType SILITY Iamps Iamplevelling device natic lamps fog lamps cy glass rs chaits lamps cha | istable intermittent + washer sher Electrically adjustable Electrically folding With built-in turn signal lamp | 215 T Alloy LED Pr Auto S S S S S S S S S S S S S S S S S S S | /55 Polished allo Saver ojector matic d d d d d d d d d d d d d |

| | | S-CROSS ALLGRIP | S-CROSS ALLGRIP PRESTIGE |
|--|---|---|--|
| EXTERIOR | | | |
| Panoramic sunroof | | - | Std |
| Front grille | | Chro | |
| Outside door handles | | Body coloured | |
| Window Sills Roof Rails | | Chrome | |
| | IEI | St | a |
| STEERING AND INSTRUMENT PAN | IEL | | |
| B-spoke steering wheel Leather covered | | St | d |
| With audio controls | | Std | |
| With cruise control | | Std | |
| With speed limiter control | | St | |
| With hands-free phone control | | Std | |
| Tilt & telescopic adjust | | Std | |
| Paddle shift | | St | d |
| nformation display | | | |
| Clock | | St | d |
| Outside temperature | Std | | |
| Fuel consumption | | Std | |
| Driving range | | Std | |
| Digital speedometer | | St | |
| Gear position indicator | Std | | |
| Gear shift indicator | | St | |
| Driving mode indicator (ALLGRIP) | | St | d |
| DRIVING AMENITIES | | | 4 |
| Keyless push-start system | | Steekers v 4 | |
| Audio | | Speakers x 4, Tweeters x 2 | Speakers x 5 Tweeters x 2 |
| Air conditioner | | Dual-zone cli | |
| /IP3 + Bluetooth® | | St | d |
| Satellite Navigation | | - | Std |
| apple CarPlay® & Android Auto™ | | St | d |
| DAB radio | | St | |
| Adaptive cruise control | | St | |
| Speed limiter | | St | |
| Heated front seats | | St | d |
| | | St | 4 |
| ront map light | | 1 x centre- | a 2 x side- |
| Centre cabin light | | mounted | mounted |
| Cup holders | | Front x 2, | Rear x 2 |
| Bottle holders | | Front x 2, Rear x 2 | |
| | | | |
| Centre-lower box | | St | d |
| | | St | - |
| JSB port 2V accessory socket | | | d |
| ISB port 2V accessory socket nside door handles | | St 1 x centre box Chro | d 1 x cargo are ome |
| JSB port 2V accessory socket nside door handles Sunglasses holder | | St 1 x centre box | d 1 x cargo area ome |
| Centre-lower box JSB port 2V accessory socket nside door handles Sunglasses holder SEATS | | St 1x centre box Chro St | d 1 x cargo are ome d |
| JSB port 2V accessory socket nside door handles Sunglasses holder SEATS | Seat height adjuster (driver's side) | St 1 x centre box Chro St St | d 1 x cargo are ome d d |
| JSB port 2V accessory socket nside door handles Sunglasses holder SEATS | Seatback pocket (passenger's side) | St 1 x centre box Chro St St St St | d 1 x cargo area ome d d d d |
| JSB port 2V accessory socket nside door handles Sunglasses holder SEATS | Seatback pocket (passenger's side) Dual-control heated front seats | St 1 x centre box Chro St St St St St | d 1 x cargo area ome d d d d d |
| ISB port 2V accessory socket nside door handles unglasses holder SEATS Front seats Rear seats | Seatback pocket (passenger's side) | St 1 x centre box Chro St St St St St | d 1 x cargo are: ome d d d d d d |
| ISB port 2V accessory socket nside door handles unglasses holder SEATS Front seats Rear seats | Seatback pocket (passenger's side) Dual-control heated front seats | St 1 x centre box Chro St St St St St | d 1 x cargo area ome d d d d d |
| ISB port ZV accessory socket Sunglasses holder IFATS Tront seats Rear seats Seat upholstery material Centre armrests | Seatback pocket (passenger's side) Dual-control heated front seats | St 1 x centre box Chro St St St St St | d 1 x cargo are: ome d d d d d d d d Leather- accented |
| ISB port ZV accessory socket iside door handles isinglasses holder SEATS Front seats ieat upholstery material Centre armrests SAFETY | Seatback pocket (passenger's side) Dual-control heated front seats | St 1 x centre box Chrc St St St St Fabric | d 1 x cargo are ome d d d d d d d d Leather- accented |
| ISB port ZV accessory socket iside door handles isinglasses holder SEATS Front seats ieat upholstery material Centre armrests SAFETY | Seatback pocket (passenger's side) Dual-control heated front seats | St 1 x centre box Chrc St St St St Fabric | d 1 x cargo are ome d d d d d d d d Leather- accented & rear |
| ISB port ZV accessory socket Side door handles Sunglasses holder IEATS Front seats Rear seats Seat upholstery material Centre armrests SIGLABS, EBD & BA Uutonomous Emergency Braking# | Seatback pocket (passenger's side) Dual-control heated front seats | St 1 x centre box Chrr St St St St Fabric Front i St St St St St St St St St St | d 1 x cargo are mme d d d d d d d Leather- accented & rear |
| ISB port ZV accessory socket iside door handles iunglasses holder EATS iront seats kear seats kear seats centre armrests SAFETY SC, ABS, EBD & BA uutonomous Emergency Braking# ane Departure Warning± | Seatback pocket (passenger's side) Dual-control heated front seats | St 1x centre box Chric St St St Fabric Front St St St St St St St St St S | d 1 x cargo are mme d d d d d d d d d d k rear d d d |
| ISB port ZV accessory socket side door handles unglasses holder EATS ront seats tear seats eat upholstery material beartre armrests AFETY SC, ABS, EBD & BA utonomous Emergency Braking# ane Departure Warning± Veaving Alert± | Seatback pocket (passenger's side) Dual-control heated front seats | St 1x centre box Chric St St St Fabric Front 1 St St St St St St St | d 1 x cargo are mme d d d d d d d d d d d d d d d d d |
| ISB port 2V accessory socket side door handles unglasses holder IEATS ront seats tear seats eat upholstery material centre armrests AFETY SC, ABS, EBD & BA utonomous Emergency Braking# ane Departure Warning± Veaving Alert± lilh hold control | Seatback pocket (passenger's side) Dual-control heated front seats | St 1 x centre box Chrc St St St Fabric Front I St St St St St St St St St St | d d 1x cargo are orme d d d d d d d d d d d d d d d d d d d |
| ISB port VV accessory socket side door handles unglasses holder EATS ront seats ear seats eat upholstery material entre armrests AFETY SC, ABS, EBD & BA utonomous Emergency Braking# ane Departure Warning± feaving Alert± lilh hold control RS dual front, side & curtain airbags | Seatback pocket (passenger's side) Dual-control heated front seats | St 1x centre box Chric St St St Fabric Front 1 St St St St St St St | d d 1x cargo are orme d d d d d d d d d d d d d d d d d d d |
| ISB port ZV accessory socket Side door handles Singlasses holder EATS Tont seats Rear seats Rear seats Rear seats Rear upholstery material Pantre ammests RAFETY SC, ABS, EBD & BA Uutnomous Emergency Braking# ane Departure Warning± Veaving Alert± III hold control RS dual front, side & curtain airbags | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1 x centre box Chrc St St St Fabric Front I St St St St St St St St St St | d d 1x cargo are mme d d d d d d d d d d d d d d d d d |
| ISB port ZV accessory socket inside door handles Sunglasses holder IEATS Tront seats Rear seats Seat upholstery material Centre armrests SAFETY SC, ABS, EBD & BA Uutonomous Emergency Braking# ane Departure Warning± Veaving Alerta Lilh hold control ISRS dual front, side & curtain airbags Seat belts Front.3-point ELR with pretensione | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1x centre box Chric St St St Fabric Front St St St St St St St | d d 1x cargo are mme d d d d d d d d d d d d d d d d d |
| ISB port ZV accessory socket inside door handles bunglasses holder SEATS Front seats Rear seats beat upholstery material Centre armrests SAFETY SC, ABS, EBD & BA Autonomous Emergency Braking# Aue Departure Warning± Weaving Alert± till hold control RS dual front, side & ourtain airbags beat belts Front 3-point ELR with pretensione shoulder height-adjusters | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1x centre box Chric St St St Fabric Front i St St St St St St | d d 1x cargo are mme d d d d d d d d d d d d d d d d d |
| ISB port Values | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1x centre box Chrin St St St Fabric Front 1 St St St St St St St St St St | d d 1 x cargo are: mme d d d d d d d d d d d d d d d d d d |
| JSB port ZV accessory socket nside door handles Sunglasses holder SEATS Front seats Rear seats Seat upholstery material Centre armrests SAFETY SC, ABS, EBD & BA Autonomous Emergency Braking# Lane Departure Warning± Weaving Alert± Hil hold control SRS dual front, side & curtain airbags Seat belts Front: 3-point ELR with pretensioner shoulder height=adjusters Rear: 3-point ELR with pretensioner ISOFIX child seat anchorages x 2 | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1x centre box Chrin St St St Fabric Front 1 St St St St St St St St | d d 1 x cargo are: mme d d d d d d d d d d d d d d d d d d |
| JSB port ZV accessory socket nside door handles Sunglasses holder SEATS Front seats Rear seats Seat upholstery material Dentre armests SAFETY SC, ABS, EBD & BA Autonomous Emergency Braking# ane Departure Warning± Weaving Alert± dill hold control RSR dual front, side & curtain airbags Seat belts Front: 3-point ELR with pretensione shoulder height-adjusters Rear: 3-point ELR with pretensione SPOFLX child seat anchorages x 3 Child seat tether anchorages x 3 | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1x centre box Chric St St St Fabric Front i St St St St St St St St St St | d d 1 x cargo are: mme d d d d d d d d d d d d d d d d d d |
| ISB port ZV accessory socket side door handles singlasses holder IEATS ront seats kear seats seat upholstery material Centre armrests SAFETY SC, ABS, EBD & BA uutonomous Emergency Braking# ane Departure Warning± Veaving Alerta lilh loid control IRS dual front, side & curtain airbags ieat belts Front: 3-point ELR with pretensioner shoulder height-adjusters Rear: 3-point ELR with pretensioner ISOFIX child seat anchorages x 3 Iteversing camera | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1x centre box Chrin St St St Fabric Front 1 St St St St St St St St | d d 1 x cargo are: mme d d d d d d d d d d d d d d d d d d |
| ISB port Value Val | Seatback pocket (passenger's side) Dual-control heated front seats 60/40 split fold | St 1x centre box Chrin St St St Fabric Front 1 St St St Std Std St | d d 1x cargo are: mme d d d d d d d d d d d d d d d d d d |

DIMENSIONS



COLOURS





Cool White Pearl

Silky Silver Metallic





Energetic Red Pearl*

Cosmic Black Pearl Metallic[†]







Titan Dark Grey Pearl Metallic

Apple CarPlay® is a registered trademark of Apple Inc. Android Auto is a trademark of Google Inc. #ADR 81/02 results, NEDC fuel consumption figures may not match real-life driving conditions and should be considered for comparison against other vehicles only. #AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times. ±The Lane departure warning and weaving alert only function when the vehicle is moving at speeds of approximately 60km/h or higher

*Additional premium/metallic paint charge. All care is taken to ensure the accuracy of this brochure at the time of publication approval. Specifications, features, prices and model availability may vary from state to state and may change without notice. Always consult your authorised Suzuki dealer or refer to suzuki comau for the latest details on all models Suzuki will not be held liable for any loss as a result of reliance on the content of this brochure, whether in negligence or otherwise. Vehicles are shown for illustrative purposes only and may not depict exact Australian specifications.



FOR FURS SAKE



